

# Intel® Desktop Compatibility Tool

Found 63 Compatible Processor(s) for Board DB43LD

## Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W SLB8W SLB8W	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE SLGAE SLGAE	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS	AA Rev(s) E60577-200 E60577-200 E60577-201 E60577-201 E60577-202 E60577-202 E60577-203 E60577-203 E60577-204 E60577-204

## Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLGYY SLGYY SLGYY SLGYY	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203

**Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz**[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWR SLAWR SLAWR SLAWR SLAWR	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

**Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz**[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U SLG9U	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

**Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz**[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B SLB6B SLB6B SLB6B	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE SLAWE SLAWE	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7 SLGT7 SLGT7	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6 SLGT6 SLGT6	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W		E60577-200
SLGUR		E60577-200
SLB5W		E60577-201
SLGUR		E60577-201
SLB5W		E60577-202
SLGUR		E60577-202
SLB5W		E60577-203
SLGUR		E60577-203
SLB5W		E60577-204
SLGUR		E60577-204

## Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T		E60577-200
SLG9T		E60577-201
SLG9T		E60577-202
SLG9T		E60577-203
SLG9T		E60577-204

## Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M		E60577-200
SLG9S		E60577-200
SLB5M		E60577-201
SLG9S		E60577-201
SLB5M		E60577-202
SLG9S		E60577-202
SLB5M		E60577-203
SLG9S		E60577-203

SLB5M  
SLG9S

E60577-204  
E60577-204

## Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L SLB9L SLB9L	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K	Min. BIOS	AA Rev(s) E60577-200 E60577-200 E60577-201 E60577-201 E60577-202 E60577-202 E60577-203 E60577-203 E60577-204 E60577-204 E60577-204

## Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL	Min. BIOS	AA Rev(s) E60577-200

SLB9J	E60577-200
SLAPL	E60577-201
SLB9J	E60577-201
SLAPL	E60577-202
SLB9J	E60577-202
SLAPL	E60577-203
SLB9J	E60577-203
SLAPL	E60577-204
SLB9J	E60577-204

## Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN		E60577-200
SLAPN		E60577-201
SLAPN		E60577-202
SLAPN		E60577-203
SLAPN		E60577-204

## Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP		E60577-200
SLAPP		E60577-201
SLAPP		E60577-202
SLAPP		E60577-203
SLAPP		E60577-204

## Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTD		E60577-200
SLGTD		E60577-201
SLGTD		E60577-202
SLGTD		E60577-203
SLGTD		E60577-204

## Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9Z		E60577-200
SLGTE		E60577-200
SLB9Z		E60577-201
SLGTE		E60577-201
SLB9Z		E60577-202
SLGTE		E60577-202
SLB9Z		E60577-203
SLGTE		E60577-203
SLB9Z		E60577-204
SLGTE		E60577-204

## Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9Y		E60577-200
SLGW3		E60577-200
SLB9Y		E60577-201
SLGW3		E60577-201
SLB9Y		E60577-202
SLGW3		E60577-202
SLB9Y		E60577-203
SLGW3		E60577-203
SLB9Y		E60577-204
SLGW3		E60577-204



## Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB		E60577-200
SLAPB		E60577-201
SLAPB		E60577-202
SLAPB		E60577-203
SLAPB		E60577-204

## Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E60577-200
SLAVN		E60577-200
SLAPC		E60577-201
SLAVN		E60577-201
SLAPC		E60577-202
SLAVN		E60577-202
SLAPC		E60577-203
SLAVN		E60577-203
SLAPC		E60577-204
SLAVN		E60577-204

## Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U		E60577-200
SLA9U		E60577-201
SLA9U		E60577-202
SLA9U		E60577-203

## Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE SLGUE SLGUE SLGUE	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V SLA9V SLA9V SLA9V	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF SLGUF SLGUF SLGUF	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG SLGUG SLGUG SLGUG	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X SLA9X SLA9X SLA9X	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP SLGYP SLGYP SLGYP	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH SLGUH SLGUH	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9 SLGU9 SLGU9 SLGU9	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGTH		E60577-200
SLGTH		E60577-201
SLGTH		E60577-202
SLGTH		E60577-203
SLGTH		E60577-204

## Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGTJ		E60577-200
SLGTJ		E60577-201
SLGTJ		E60577-202
SLGTJ		E60577-203
SLGTJ		E60577-204

## Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLB9V		E60577-200
SLGTK		E60577-200
SLB9V		E60577-201
SLGTK		E60577-201
SLB9V		E60577-202
SLGTK		E60577-202
SLB9V		E60577-203
SLGTK		E60577-203
SLB9V		E60577-204
SLGTK		E60577-204

## Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL	Min. BIOS	AA Rev(s) E60577-200 E60577-200 E60577-201 E60577-201 E60577-202 E60577-202 E60577-203 E60577-203 E60577-204 E60577-204

## Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T	Min. BIOS	AA Rev(s) E60577-200 E60577-200 E60577-201 E60577-201 E60577-202 E60577-202 E60577-203 E60577-203 E60577-204 E60577-204

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT SLALT	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203

SLALT

E60577-204

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94 SLA94	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95 SLA95	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98 SLA98	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)



Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C	Min. BIOS	AA Rev(s) E60577-200 E60577-200 E60577-201 E60577-201 E60577-202 E60577-202 E60577-203 E60577-203 E60577-204 E60577-204

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W	Min. BIOS	AA Rev(s) E60577-200
SLA8W		E60577-201
SLA8W		E60577-202
SLA8W		E60577-203
SLA8W		E60577-204

## Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R	Min. BIOS	AA Rev(s) E60577-200
SLB9R		E60577-201
SLB9R		E60577-202
SLB9R		E60577-203
SLB9R		E60577-204

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X	Min. BIOS	AA Rev(s) E60577-200
SLA8X		E60577-201
SLA8X		E60577-202
SLA8X		E60577-203
SLA8X		E60577-204

## Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
-----------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAQY		E60577-200
SLAQY		E60577-201
SLAQY		E60577-202
SLAQY		E60577-203
SLAQY		E60577-204

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQZ		E60577-200
SLAQZ		E60577-201
SLAQZ		E60577-202
SLAQZ		E60577-203
SLAQZ		E60577-204

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAR2		E60577-200
SLAR2		E60577-201
SLAR2		E60577-202
SLAR2		E60577-203
SLAR2		E60577-204

## Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQW		E60577-200

SLAQW	E60577-201
SLAQW	E60577-202
SLAQW	E60577-203
SLAQW	E60577-204

## Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA2 SLAA2 SLAA2 SLAA2 SLAA2	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA3 SLAA3 SLAA3 SLAA3 SLAA3	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203 E60577-204

## Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA9 SLAA9 SLAA9 SLAA9	Min. BIOS	AA Rev(s) E60577-200 E60577-201 E60577-202 E60577-203

