

# Intel® Desktop Compatibility Tool

Found 32 Compatible Processor(s) for Board DB85FL

## 4th Generation Intel® Core™ i7-4771 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 84
Spec # SR1BW SR1BW	Min. BIOS	AA Rev(s) G89861-201 G89861-202

## 4th Generation Intel® Core™ i7-4770T | Frequency: 2.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 45
Spec # SR14N SR14N	Min. BIOS 16 16	AA Rev(s) G89861-201 G89861-202

## 4th Generation Intel® Core™ i7-4770S | Frequency: 3.10 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 65
Spec # SR14H SR14H	Min. BIOS 16 16	AA Rev(s) G89861-201 G89861-202

## 4th Generation Intel® Core™ i7-4770K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 4600	Max TDP 84
---------------	---------------------	---------------

Spec #  
SR147  
SR147

Min. BIOS

AA Rev(s)  
G89861-201  
G89861-202

## 4th Generation Intel® Core™ i7-4770 | Frequency: 3.40 GHz

[More Information](#)

Cache  
8 MB

Graphics  
HD 4600

Max TDP  
84

Spec #  
SR149  
SR149

Min. BIOS

AA Rev(s)  
G89861-201  
G89861-202

## 4th Generation Intel® Core™ i7-4765T | Frequency: 2.00 GHz

[More Information](#)

Cache  
8 MB

Graphics  
HD 4600

Max TDP  
35

Spec #  
SR14Q  
SR14Q

Min. BIOS  
16  
16

AA Rev(s)  
G89861-201  
G89861-202

## 4th Generation Intel® Core™ i5-4670T | Frequency: 2.30 GHz

[More Information](#)

Cache  
6 MB

Graphics  
HD 4600

Max TDP  
45

Spec #  
SR14P  
SR14P

Min. BIOS  
16  
16

AA Rev(s)  
G89861-201  
G89861-202

## 4th Generation Intel® Core™ i5-4670S | Frequency: 3.10 GHz

[More Information](#)

Cache  
6 MB

Graphics  
HD 4600

Max TDP  
65

Spec #	Min. BIOS	AA Rev(s)
SR14K	16	G89861-201
SR14K	16	G89861-202

4th Generation Intel® Core™ i5-4670K | Frequency: 3.40 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14A	16	G89861-201
SR14A	16	G89861-202

4th Generation Intel® Core™ i5-4670 | Frequency: 3.40 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14D	16	G89861-201
SR14D	16	G89861-202

4th Generation Intel® Core™ i5-4570T | Frequency: 2.90 GHz  
[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD 4600	35
Spec #	Min. BIOS	AA Rev(s)
SR14R	16	G89861-201
SR14R	16	G89861-202

4th Generation Intel® Core™ i5-4570S | Frequency: 2.90 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	65

Spec #	Min. BIOS	AA Rev(s)
SR14J	16	G89861-201
SR14J	16	G89861-202

## 4th Generation Intel® Core™ i5-4570 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14E	16	G89861-201
SR14E	16	G89861-202

## 4th Generation Intel® Core™ i5-4440S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	65
Spec #	Min. BIOS	AA Rev(s)
SR14L	16	G89861-201
SR14L	16	G89861-202

## 4th Generation Intel® Core™ i5-4440 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14F	16	G89861-201
SR14F	16	G89861-202

## 4th Generation Intel® Core™ i5-4430S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	65

Spec #	Min. BIOS	AA Rev(s)
SR14M	16	G89861-201
SR14M	16	G89861-202

## 4th Generation Intel® Core™ i5-4430 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4600	84
Spec #	Min. BIOS	AA Rev(s)
SR14G	16	G89861-201
SR14G	16	G89861-202

## 4th Generation Intel® Core™ i3-4340 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD 4600	54
Spec #	Min. BIOS	AA Rev(s)
SR1NL		G89861-201
SR1NL		G89861-202

## 4th Generation Intel® Core™ i3-4330 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD 4600	54
Spec #	Min. BIOS	AA Rev(s)
SR1NM		G89861-201
SR1NM		G89861-202

## 4th Generation Intel® Core™ i3-4130T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4400	35

Spec #	Min. BIOS	AA Rev(s)
SR1NN	16	G89861-201
SR1NN	16	G89861-202

## 4th Generation Intel® Core™ i3-4130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4400	54
Spec #	Min. BIOS	AA Rev(s)
SR1NP		G89861-201
SR1NP		G89861-202

## Intel® Pentium® G3430 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	53
Spec #	Min. BIOS	AA Rev(s)
SR1CE		G89861-201
SR1CE		G89861-202

## Intel® Pentium® G3420 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	53
Spec #	Min. BIOS	AA Rev(s)
SR1NB		G89861-201
SR1NB		G89861-202

## Intel® Pentium® G3220 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	53

Spec #	Min. BIOS	AA Rev(s)
SR1CG		G89861-201
SR1CG		G89861-202

## Intel® Celeron® G1830 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	53
Spec #	Min. BIOS	AA Rev(s)
SR1NC	16	G89861-201
SR1NC	16	G89861-202

## Intel® Celeron® G1820 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	53
Spec #	Min. BIOS	AA Rev(s)
SR1CN	16	G89861-201
SR1RP		G89861-201
SR1CN	16	G89861-202
SR1RP		G89861-202

## Intel® Xeon® E3-1280V3 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR150	16	G89861-201
SR150	16	G89861-202

Add-in graphics card required

## Intel® Xeon® E3-1270V3 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR151	16	G89861-201
SR151	16	G89861-202

Add-in graphics card required

## Intel® Xeon® E3-1240V3 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR152	16	G89861-201
SR152	16	G89861-202

Add-in graphics card required

## Intel® Xeon® E3-1230V3 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SR153	16	G89861-201
SR153	16	G89861-202

Add-in graphics card required

## Intel® Xeon® E3-1230LV3 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	25
Spec #	Min. BIOS	AA Rev(s)
SR158	16	G89861-201
SR158	16	G89861-202

Add-in graphics card required



# Intel® Xeon® E3-1220V3 | Frequency: 3.10 GHz

[More Information](#)

Cache  
8 MB

Graphics  
No

Max TDP  
80

Spec #  
SR154  
SR154

Min. BIOS  
16  
16

AA Rev(s)  
G89861-201  
G89861-202

Add-in graphics card required