

# Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG33BU

## Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	484	D79951-404
SLAWZ	484	D79951-405
SLAWZ	484	D79951-406
SLAWZ	484	D79951-407
SLAWZ	484	D79951-408
SLAWZ	484	D79951-409
SLAWZ	484	D79951-410
SLAWZ	484	D79951-411
SLAWZ	484	D79951-412
SLAWZ	484	D79951-413
SLAWZ	484	D90159-403

## Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	484	D79951-404
SLAX2	484	D79951-405
SLAX2	484	D79951-406
SLAX2	484	D79951-407
SLAX2	484	D79951-408
SLAX2	484	D79951-409
SLAX2	484	D79951-410
SLAX2	484	D79951-411
SLAX2	484	D79951-412
SLAX2	484	D79951-413
SLAX2	484	D90159-403

## Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLACS	297	D79951-404
SLACS	297	D79951-405
SLACS	297	D79951-406
SLACS	297	D79951-407
SLACS	297	D79951-408
SLACS	297	D79951-409
SLACS	297	D79951-410
SLACS	297	D79951-411
SLACS	297	D79951-412
SLACS	297	D79951-413
SLACS	297	D90159-403

## Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLACT	297	D79951-404
SLACT	297	D79951-405
SLACT	297	D79951-406
SLACT	297	D79951-407
SLACT	297	D79951-408
SLACT	297	D79951-409
SLACT	297	D79951-410
SLACT	297	D79951-411
SLACT	297	D79951-412
SLACT	297	D79951-413
SLACT	297	D90159-403

## Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLACU	297	D79951-404
SLACU	297	D79951-405
SLACU	297	D79951-406
SLACU	297	D79951-407
SLACU	297	D79951-408
SLACU	297	D79951-409
SLACU	297	D79951-410
SLACU	297	D79951-411
SLACU	297	D79951-412
SLACU	297	D79951-413
SLACU	297	D90159-403

## Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB8W	484	D79951-404
SLB8W	484	D79951-405
SLB8W	484	D79951-406
SLB8W	484	D79951-407
SLB8W	484	D79951-408
SLB8W	484	D79951-409
SLB8W	484	D79951-410
SLB8W	484	D79951-411
SLB8W	484	D79951-412
SLB8W	484	D79951-413
SLB8W	484	D90159-403

## Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGAE	484	D79951-404
SLGAE	484	D79951-405
SLGAE	484	D79951-406
SLGAE	484	D79951-407

SLGAE	484	D79951-408
SLGAE	484	D79951-409
SLGAE	484	D79951-410
SLGAE	484	D79951-411
SLGAE	484	D79951-412
SLGAE	484	D79951-413
SLGAE	484	D90159-403

## Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	484	D79951-404
SLB8V	484	D79951-404
SLAWQ	484	D79951-405
SLB8V	484	D79951-405
SLAWQ	484	D79951-406
SLB8V	484	D79951-406
SLAWQ	484	D79951-407
SLB8V	484	D79951-407
SLAWQ	484	D79951-408
SLB8V	484	D79951-408
SLAWQ	484	D79951-409
SLB8V	484	D79951-409
SLAWQ	484	D79951-410
SLB8V	484	D79951-410
SLAWQ	484	D79951-411
SLB8V	484	D79951-411
SLAWQ	484	D79951-412
SLB8V	484	D79951-412
SLAWQ	484	D79951-413
SLB8V	484	D79951-413
SLAWQ	484	D90159-403
SLB8V	484	D90159-403

## Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGYY	484	D79951-404
SLGYY		D79951-405
SLGYY		D79951-406
SLGYY		D79951-407
SLGYY		D79951-408
SLGYY		D79951-409
SLGYY		D79951-410
SLGYY		D79951-411
SLGYY		D79951-412
SLGYY		D79951-413
SLGYY		D90159-403

## Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLAWR	484	D79951-404
SLAWR	484	D79951-405
SLAWR	484	D79951-406
SLAWR	484	D79951-407
SLAWR	484	D79951-408
SLAWR	484	D79951-409
SLAWR	484	D79951-410
SLAWR	484	D79951-411
SLAWR	484	D79951-412
SLAWR	484	D79951-413
SLAWR	484	D90159-403

## Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLG9U	484	D79951-404
SLG9U	484	D79951-405
SLG9U	484	D79951-406
SLG9U	484	D79951-407

SLG9U	484	D79951-408
SLG9U	484	D79951-409
SLG9U	484	D79951-410
SLG9U	484	D79951-411
SLG9U	484	D79951-412
SLG9U	484	D79951-413
SLG9U	484	D90159-403

## Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	484	D79951-404
SLB6B	484	D79951-405
SLB6B	484	D79951-406
SLB6B	484	D79951-407
SLB6B	484	D79951-408
SLB6B	484	D79951-409
SLB6B	484	D79951-410
SLB6B	484	D79951-411
SLB6B	484	D79951-412
SLB6B	484	D79951-413
SLB6B	484	D90159-403

## Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	484	D79951-404
SLAWE	484	D79951-405
SLAWE	484	D79951-406
SLAWE	484	D79951-407
SLAWE	484	D79951-408
SLAWE	484	D79951-409
SLAWE	484	D79951-410
SLAWE	484	D79951-411
SLAWE	484	D79951-412
SLAWE	484	D79951-413

## Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7	Min. BIOS 484	AA Rev(s) D79951-404
SLGT7		D79951-405
SLGT7		D79951-406
SLGT7		D79951-407
SLGT7		D79951-408
SLGT7		D79951-409
SLGT7		D79951-410
SLGT7		D79951-411
SLGT7		D79951-412
SLGT7		D79951-413
SLGT7		D90159-403

## Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6	Min. BIOS 484	AA Rev(s) D79951-404
SLGT6		D79951-405
SLGT6		D79951-406
SLGT6		D79951-407
SLGT6		D79951-408
SLGT6		D79951-409
SLGT6		D79951-410
SLGT6		D79951-411
SLGT6		D79951-412
SLGT6		D79951-413
SLGT6		D90159-403

## Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	484	D79951-404
SLGUR	484	D79951-404
SLB5W	484	D79951-405
SLGUR		D79951-405
SLB5W	484	D79951-406
SLGUR		D79951-406
SLB5W	484	D79951-407
SLGUR		D79951-407
SLB5W	484	D79951-408
SLGUR		D79951-408
SLB5W	484	D79951-409
SLGUR		D79951-409
SLB5W	484	D79951-410
SLGUR		D79951-410
SLB5W	484	D79951-411
SLGUR		D79951-411
SLB5W	484	D79951-412
SLGUR		D79951-412
SLB5W	484	D79951-413
SLGUR		D79951-413
SLB5W	484	D90159-403
SLGUR		D90159-403

## Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	484	D79951-404
SLG9T	484	D79951-405
SLG9T	484	D79951-406
SLG9T	484	D79951-407
SLG9T	484	D79951-408
SLG9T	484	D79951-409
SLG9T	484	D79951-410
SLG9T	484	D79951-411
SLG9T	484	D79951-412
SLG9T	484	D79951-413
SLG9T	484	D90159-403



## Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	484	D79951-404
SLG9S	484	D79951-404
SLB5M	484	D79951-405
SLG9S		D79951-405
SLB5M	484	D79951-406
SLG9S		D79951-406
SLB5M	484	D79951-407
SLG9S		D79951-407
SLB5M	484	D79951-408
SLG9S		D79951-408
SLB5M	484	D79951-409
SLG9S		D79951-409
SLB5M	484	D79951-410
SLG9S		D79951-410
SLB5M	484	D79951-411
SLG9S		D79951-411
SLB5M	484	D79951-412
SLG9S		D79951-412
SLB5M	484	D79951-413
SLG9S		D79951-413
SLB5M	484	D90159-403
SLG9S		D90159-403

## Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	297	D79951-404
SLACQ	297	D79951-405
SLACQ	297	D79951-406
SLACQ	297	D79951-407
SLACQ	297	D79951-408
SLACQ	297	D79951-409
SLACQ	297	D79951-410

SLACQ	297	D79951-411
SLACQ	297	D79951-412
SLACQ	297	D79951-413
SLACQ	297	D90159-403

## Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	297	D79951-404
SLACR	297	D79951-405
SLACR	297	D79951-406
SLACR	297	D79951-407
SLACR	297	D79951-408
SLACR	297	D79951-409
SLACR	297	D79951-410
SLACR	297	D79951-411
SLACR	297	D79951-412
SLACR	297	D79951-413
SLACR	297	D90159-403

## Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	484	D79951-404
SLB9L	484	D79951-405
SLB9L	484	D79951-406
SLB9L	484	D79951-407
SLB9L	484	D79951-408
SLB9L	484	D79951-409
SLB9L	484	D79951-410
SLB9L	484	D79951-411
SLB9L	484	D79951-412
SLB9L	484	D79951-413
SLB9L	484	D90159-403

## Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	497	D79951-404
SLB9K	484	D79951-404
SLAPK	497	D79951-405
SLB9K	484	D79951-405
SLAPK	497	D79951-406
SLB9K	484	D79951-406
SLAPK	497	D79951-407
SLB9K	484	D79951-407
SLAPK	497	D79951-408
SLB9K	484	D79951-408
SLAPK	497	D79951-409
SLB9K	484	D79951-409
SLAPK	497	D79951-410
SLB9K	484	D79951-410
SLAPK	497	D79951-411
SLB9K	484	D79951-411
SLAPK	497	D79951-412
SLB9K	484	D79951-412
SLAPK	497	D79951-413
SLB9K	484	D79951-413
SLAPK	497	D90159-403
SLB9K	484	D90159-403

## Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	497	D79951-404
SLB9J	484	D79951-404
SLAPL	497	D79951-405
SLB9J	484	D79951-405
SLAPL	497	D79951-406
SLB9J	484	D79951-406
SLAPL	497	D79951-407
SLB9J	484	D79951-407

SLAPL	497	D79951-408
SLB9J	484	D79951-408
SLAPL	497	D79951-409
SLB9J	484	D79951-409
SLAPL	497	D79951-410
SLB9J	484	D79951-410
SLAPL	497	D79951-411
SLB9J	484	D79951-411
SLAPL	497	D79951-412
SLB9J	484	D79951-412
SLAPL	497	D79951-413
SLB9J	484	D79951-413
SLAPL	497	D90159-403
SLB9J	484	D90159-403

## Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	345	D79951-404
SLAPN		D79951-405
SLAPN		D79951-406
SLAPN		D79951-407
SLAPN		D79951-408
SLAPN		D79951-409
SLAPN		D79951-410
SLAPN		D79951-411
SLAPN		D79951-412
SLAPN		D79951-413
SLAPN		D90159-403

## Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	497	D79951-404
SLAPP	497	D79951-405
SLAPP	497	D79951-406

SLAPP	497	D79951-407
SLAPP	497	D79951-408
SLAPP	497	D79951-409
SLAPP	497	D79951-410
SLAPP	497	D79951-411
SLAPP	497	D79951-412
SLAPP	497	D79951-413
SLAPP	497	D90159-403

## Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		D79951-404
SLGTD		D79951-405
SLGTD		D79951-406
SLGTD		D79951-407
SLGTD		D79951-408
SLGTD		D79951-409
SLGTD		D79951-410
SLGTD		D79951-411
SLGTD		D79951-412
SLGTD		D79951-413
SLGTD		D90159-403

## Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	484	D79951-404
SLGTE	345	D79951-404
SLB9Z	484	D79951-405
SLGTE		D79951-405
SLB9Z	484	D79951-406
SLGTE		D79951-406
SLB9Z	484	D79951-407
SLGTE		D79951-407
SLB9Z	484	D79951-408

SLGTE		D79951-408
SLB9Z	484	D79951-409
SLGTE		D79951-409
SLB9Z	484	D79951-410
SLGTE		D79951-410
SLB9Z	484	D79951-411
SLGTE		D79951-411
SLB9Z	484	D79951-412
SLGTE		D79951-412
SLB9Z	484	D79951-413
SLGTE		D79951-413
SLB9Z	484	D90159-403
SLGTE		D90159-403

## Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	484	D79951-404
SLGW3		D79951-404
SLB9Y	484	D79951-405
SLGW3		D79951-405
SLB9Y	484	D79951-406
SLGW3		D79951-406
SLB9Y	484	D79951-407
SLGW3		D79951-407
SLB9Y	484	D79951-408
SLGW3		D79951-408
SLB9Y	484	D79951-409
SLGW3		D79951-409
SLB9Y	484	D79951-410
SLGW3		D79951-410
SLB9Y	484	D79951-411
SLGW3		D79951-411
SLB9Y	484	D79951-412
SLGW3		D79951-412
SLB9Y	484	D79951-413
SLGW3		D79951-413
SLB9Y	484	D90159-403
SLGW3		D90159-403

## Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	497	D79951-404
SLAPB	497	D79951-405
SLAPB	497	D79951-406
SLAPB	497	D79951-407
SLAPB	497	D79951-408
SLAPB	497	D79951-409
SLAPB	497	D79951-410
SLAPB	497	D79951-411
SLAPB	497	D79951-412
SLAPB	497	D79951-413
SLAPB	497	D90159-403

## Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	497	D79951-404
SLAVN	497	D79951-404
SLAPC	497	D79951-405
SLAVN	497	D79951-405
SLAPC	497	D79951-406
SLAVN	497	D79951-406
SLAPC	497	D79951-407
SLAVN	497	D79951-407
SLAPC	497	D79951-408
SLAVN	497	D79951-408
SLAPC	497	D79951-409
SLAVN	497	D79951-409
SLAPC	497	D79951-410
SLAVN	497	D79951-410
SLAPC	497	D79951-411
SLAVN	497	D79951-411
SLAPC	497	D79951-412
SLAVN	497	D79951-412
SLAPC	497	D79951-413
SLAVN	497	D79951-413

SLAPC	497	D90159-403
SLAVN	497	D90159-403

## Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	297	D79951-404
SLA9U	297	D79951-405
SLA9U	297	D79951-406
SLA9U	297	D79951-407
SLA9U	297	D79951-408
SLA9U	297	D79951-409
SLA9U	297	D79951-410
SLA9U	297	D79951-411
SLA9U	297	D79951-412
SLA9U	297	D79951-413
SLA9U	297	D90159-403

## Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	484	D79951-404
SLGUE		D79951-405
SLGUE		D79951-406
SLGUE		D79951-407
SLGUE		D79951-408
SLGUE		D79951-409
SLGUE		D79951-410
SLGUE		D79951-411
SLGUE		D79951-412
SLGUE		D79951-413
SLGUE		D90159-403

## Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz



## More Information

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	297	D79951-404
SLA9V	297	D79951-405
SLA9V	297	D79951-406
SLA9V	297	D79951-407
SLA9V	297	D79951-408
SLA9V	297	D79951-409
SLA9V	297	D79951-410
SLA9V	297	D79951-411
SLA9V	297	D79951-412
SLA9V	297	D79951-413
SLA9V	297	D90159-403

## Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

### More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	484	D79951-404
SLGUF		D79951-405
SLGUF		D79951-406
SLGUF		D79951-407
SLGUF		D79951-408
SLGUF		D79951-409
SLGUF		D79951-410
SLGUF		D79951-411
SLGUF		D79951-412
SLGUF		D79951-413
SLGUF		D90159-403

## Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

### More Information

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLGUG	484	D79951-404
SLGUG		D79951-405
SLGUG		D79951-406
SLGUG		D79951-407
SLGUG		D79951-408
SLGUG		D79951-409
SLGUG		D79951-410
SLGUG		D79951-411
SLGUG		D79951-412
SLGUG		D79951-413
SLGUG		D90159-403

## Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	297	D79951-404
SLA9X	297	D79951-405
SLA9X	297	D79951-406
SLA9X	297	D79951-407
SLA9X	297	D79951-408
SLA9X	297	D79951-409
SLA9X	297	D79951-410
SLA9X	297	D79951-411
SLA9X	297	D79951-412
SLA9X	297	D79951-413
SLA9X	297	D90159-403

## Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	345	D79951-404
SLGYP		D79951-405
SLGYP		D79951-406
SLGYP		D79951-407
SLGYP		D79951-408
SLGYP		D79951-409

SLGYP	D79951-410
SLGYP	D79951-411
SLGYP	D79951-412
SLGYP	D79951-413
SLGYP	D90159-403

## Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH	Min. BIOS 484	AA Rev(s) D79951-404
SLGUH		D79951-405
SLGUH		D79951-406
SLGUH		D79951-407
SLGUH		D79951-408
SLGUH		D79951-409
SLGUH		D79951-410
SLGUH		D79951-411
SLGUH		D79951-412
SLGUH		D79951-413
SLGUH		D90159-403

## Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9	Min. BIOS	AA Rev(s) D79951-404
SLGU9		D79951-405
SLGU9		D79951-406
SLGU9		D79951-407
SLGU9		D79951-408
SLGU9		D79951-409
SLGU9		D79951-410
SLGU9		D79951-411
SLGU9		D79951-412
SLGU9		D79951-413
SLGU9		D90159-403

## Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS 484	AA Rev(s) D79951-404 D79951-405 D79951-406 D79951-407 D79951-408 D79951-409 D79951-410 D79951-411 D79951-412 D79951-413 D90159-403

## Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS 484	AA Rev(s) D79951-404 D79951-405 D79951-406 D79951-407 D79951-408 D79951-409 D79951-410 D79951-411 D79951-412 D79951-413 D90159-403

## Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ	484	D79951-404
SLGTJ		D79951-405
SLGTJ		D79951-406
SLGTJ		D79951-407
SLGTJ		D79951-408
SLGTJ		D79951-409
SLGTJ		D79951-410
SLGTJ		D79951-411
SLGTJ		D79951-412
SLGTJ		D79951-413
SLGTJ		D90159-403

## Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9V	484	D79951-404
SLGTK		D79951-404
SLB9V	484	D79951-405
SLGTK		D79951-405
SLB9V	484	D79951-406
SLGTK		D79951-406
SLB9V	484	D79951-407
SLGTK		D79951-407
SLB9V	484	D79951-408
SLGTK		D79951-408
SLB9V	484	D79951-409
SLGTK		D79951-409
SLB9V	484	D79951-410
SLGTK		D79951-410
SLB9V	484	D79951-411
SLGTK		D79951-411
SLB9V	484	D79951-412
SLGTK		D79951-412
SLB9V	484	D79951-413
SLGTK		D79951-413
SLB9V	484	D90159-403
SLGTK		D90159-403

## Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	484	D79951-404
SLGTL		D79951-404
SLB9U	484	D79951-405
SLGTL		D79951-405
SLB9U	484	D79951-406
SLGTL		D79951-406
SLB9U	484	D79951-407
SLGTL		D79951-407
SLB9U	484	D79951-408
SLGTL		D79951-408
SLB9U	484	D79951-409
SLGTL		D79951-409
SLB9U	484	D79951-410
SLGTL		D79951-410
SLB9U	484	D79951-411
SLGTL		D79951-411
SLB9U	484	D79951-412
SLGTL		D79951-412
SLB9U	484	D79951-413
SLGTL		D79951-413
SLB9U	484	D90159-403
SLGTL		D90159-403

## Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	497	D79951-404
SLB9T	484	D79951-404
SLAY7	497	D79951-405
SLB9T	484	D79951-405
SLAY7	497	D79951-406
SLB9T	484	D79951-406
SLAY7	497	D79951-407
SLB9T	484	D79951-407

SLAY7	497	D79951-408
SLB9T	484	D79951-408
SLAY7	497	D79951-409
SLB9T	484	D79951-409
SLAY7	497	D79951-410
SLB9T	484	D79951-410
SLAY7	497	D79951-411
SLB9T	484	D79951-411
SLAY7	497	D79951-412
SLB9T	484	D79951-412
SLAY7	497	D79951-413
SLB9T	484	D79951-413
SLAY7	497	D90159-403
SLB9T		D90159-403

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	297	D79951-404
SLALT	297	D79951-405
SLALT	297	D79951-406
SLALT	297	D79951-407
SLALT	297	D79951-408
SLALT	297	D79951-409
SLALT	297	D79951-410
SLALT	297	D79951-411
SLALT	297	D79951-412
SLALT	297	D79951-413
SLALT	297	D90159-403

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94	497	D79951-404
SLA94	497	D79951-405
SLA94	497	D79951-406

SLA94	497	D79951-407
SLA94	497	D79951-408
SLA94	497	D79951-409
SLA94	497	D79951-410
SLA94	497	D79951-411
SLA94	497	D79951-412
SLA94	497	D79951-413
SLA94	497	D90159-403

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	497	D79951-404
SLA95	497	D79951-405
SLA95	497	D79951-406
SLA95	497	D79951-407
SLA95	497	D79951-408
SLA95	497	D79951-409
SLA95	497	D79951-410
SLA95	497	D79951-411
SLA95	497	D79951-412
SLA95	497	D79951-413
SLA95	497	D90159-403

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	497	D79951-404
SLA98	497	D79951-405
SLA98	497	D79951-406
SLA98	497	D79951-407
SLA98	497	D79951-408
SLA98	497	D79951-409
SLA98	497	D79951-410
SLA98	497	D79951-411
SLA98	497	D79951-412



SLA98	497	D79951-413
SLA98	497	D90159-403

## Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY	Min. BIOS 484	AA Rev(s) D79951-404
SLGTY		D79951-405
SLGTY		D79951-406
SLGTY		D79951-407
SLGTY		D79951-408
SLGTY		D79951-409
SLGTY		D79951-410
SLGTY		D79951-411
SLGTY		D79951-412
SLGTY		D79951-413
SLGTY		D90159-403

## Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ	Min. BIOS 484	AA Rev(s) D79951-404
SLGTZ		D79951-405
SLGTZ		D79951-406
SLGTZ		D79951-407
SLGTZ		D79951-408
SLGTZ		D79951-409
SLGTZ		D79951-410
SLGTZ		D79951-411
SLGTZ		D79951-412
SLGTZ		D79951-413
SLGTZ		D90159-403

## Intel® Celeron® E3300 | Frequency: 2.50 GHz

## More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) D79951-404 D79951-405 D79951-406 D79951-407 D79951-408 D79951-409 D79951-410 D79951-411 D79951-412 D79951-413 D90159-403

## Intel® Celeron® E3200 | Frequency: 2.40 GHz

### More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) D79951-404 D79951-405 D79951-406 D79951-407 D79951-408 D79951-409 D79951-410 D79951-411 D79951-412 D79951-413 D90159-403

## Intel® Xeon® E3120 | Frequency: 3.16 GHz

### More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLB9D	484	D79951-404
SLB9D		D79951-405
SLB9D		D79951-406
SLB9D		D79951-407
SLB9D		D79951-408
SLB9D		D79951-409
SLB9D		D79951-410
SLB9D		D79951-411
SLB9D		D79951-412
SLB9D		D79951-413
SLB9D		D90159-403

## Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	497	D79951-404
SLB9C	484	D79951-404
SLAPM	497	D79951-405
SLB9C		D79951-405
SLAPM	497	D79951-406
SLB9C		D79951-406
SLAPM	497	D79951-407
SLB9C		D79951-407
SLAPM	497	D79951-408
SLB9C		D79951-408
SLAPM	497	D79951-409
SLB9C		D79951-409
SLAPM	497	D79951-410
SLB9C		D79951-410
SLAPM	497	D79951-411
SLB9C		D79951-411
SLAPM	497	D79951-412
SLB9C		D79951-412
SLAPM	497	D79951-413
SLB9C		D79951-413
SLAPM	497	D90159-403
SLB9C		D90159-403

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	336	D79951-404
SLA8W	336	D79951-405
SLA8W	336	D79951-406
SLA8W	336	D79951-407
SLA8W	336	D79951-408
SLA8W	336	D79951-409
SLA8W	336	D79951-410
SLA8W	336	D79951-411
SLA8W	336	D79951-412
SLA8W	336	D79951-413
SLA8W	336	D90159-403

## Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		D79951-404
SLB9R		D79951-405
SLB9R		D79951-406
SLB9R		D79951-407
SLB9R		D79951-408
SLB9R		D79951-409
SLB9R		D79951-410
SLB9R		D79951-411
SLB9R		D79951-412
SLB9R		D79951-413
SLB9R		D90159-403

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	336	D79951-404

SLA8X	336	D79951-405
SLA8X	336	D79951-406
SLA8X	336	D79951-407
SLA8X	336	D79951-408
SLA8X	336	D79951-409
SLA8X	336	D79951-410
SLA8X	336	D79951-411
SLA8X	336	D79951-412
SLA8X	336	D79951-413
SLA8X	336	D90159-403

## Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	336	D79951-404
SLA8Y	336	D79951-405
SLA8Y	336	D79951-406
SLA8Y	336	D79951-407
SLA8Y	336	D79951-408
SLA8Y	336	D79951-409
SLA8Y	336	D79951-410
SLA8Y	336	D79951-411
SLA8Y	336	D79951-412
SLA8Y	336	D79951-413
SLA8Y	336	D90159-403

## Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	336	D79951-404
SLA8Z	336	D79951-405
SLA8Z	336	D79951-406
SLA8Z	336	D79951-407
SLA8Z	336	D79951-408
SLA8Z	336	D79951-409
SLA8Z	336	D79951-410

SLA8Z	336	D79951-411
SLA8Z	336	D79951-412
SLA8Z	336	D79951-413
SLA8Z	336	D90159-403

## Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA93	336	D79951-404
SLA93	336	D79951-405
SLA93	336	D79951-406
SLA93	336	D79951-407
SLA93	336	D79951-408
SLA93	336	D79951-409
SLA93	336	D79951-410
SLA93	336	D79951-411
SLA93	336	D79951-412
SLA93	336	D79951-413
SLA93	336	D90159-403

## Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAQY	267	D79951-404
SLAQY	267	D79951-405
SLAQY	267	D79951-406
SLAQY	267	D79951-407
SLAQY		D79951-408
SLAQY		D79951-409
SLAQY		D79951-410
SLAQY		D79951-411
SLAQY		D79951-412
SLAQY		D79951-413
SLAQY	267	D90159-403

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	267	D79951-404
SLAQZ	267	D79951-405
SLAQZ	267	D79951-406
SLAQZ	267	D79951-407
SLAQZ		D79951-408
SLAQZ		D79951-409
SLAQZ		D79951-410
SLAQZ		D79951-411
SLAQZ		D79951-412
SLAQZ		D79951-413
SLAQZ	267	D90159-403

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	336	D79951-404
SLAR2	336	D79951-405
SLAR2	336	D79951-406
SLAR2	336	D79951-407
SLAR2	336	D79951-408
SLAR2	336	D79951-409
SLAR2	336	D79951-410
SLAR2	336	D79951-411
SLAR2	336	D79951-412
SLAR2	336	D79951-413
SLAR2	336	D90159-403

## Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAQW	336	D79951-404
SLAQW	336	D79951-405
SLAQW	336	D79951-406
SLAQW	336	D79951-407
SLAQW	336	D79951-408
SLAQW	336	D79951-409
SLAQW	336	D79951-410
SLAQW	336	D79951-411
SLAQW	336	D79951-412
SLAQW	336	D79951-413
SLAQW	336	D90159-403

## Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAA2	297	D79951-404
SLAA2	297	D79951-405
SLAA2	297	D79951-406
SLAA2	297	D79951-407
SLAA2	297	D79951-408
SLAA2	297	D79951-409
SLAA2	297	D79951-410
SLAA2	297	D79951-411
SLAA2	297	D79951-412
SLAA2	297	D79951-413
SLAA2	297	D90159-403

## Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAA3	297	D79951-404
SLAA3	297	D79951-405
SLAA3	297	D79951-406
SLAA3	297	D79951-407



SLAA3	297	D79951-408
SLAA3	297	D79951-409
SLAA3	297	D79951-410
SLAA3	297	D79951-411
SLAA3	297	D79951-412
SLAA3	297	D79951-413
SLAA3	297	D90159-403

## Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	297	D79951-404
SLAA9	297	D79951-405
SLAA9	297	D79951-406
SLAA9	297	D79951-407
SLAA9	297	D79951-408
SLAA9	297	D79951-409
SLAA9	297	D79951-410
SLAA9	297	D79951-411
SLAA9	297	D79951-412
SLAA9	297	D79951-413
SLAA9	297	D90159-403