

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG33FB

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	484	D81072-303
SLAWZ	484	D81072-304
SLAWZ	484	D81072-305
SLAWZ	484	D81072-306
SLAWZ	484	D81072-307
SLAWZ	484	D81072-308
SLAWZ	484	D81072-309
SLAWZ	484	D81072-310

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	484	D81072-303
SLAX2	484	D81072-304
SLAX2	484	D81072-305
SLAX2	484	D81072-306
SLAX2	484	D81072-307
SLAX2	484	D81072-308
SLAX2	484	D81072-309
SLAX2	484	D81072-310

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLACS	297	D81072-303
SLACS	297	D81072-304
SLACS	297	D81072-305
SLACS	297	D81072-306
SLACS	297	D81072-307
SLACS	297	D81072-308
SLACS	297	D81072-309
SLACS	297	D81072-310

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACT	297	D81072-303
SLACT	297	D81072-304
SLACT	297	D81072-305
SLACT	297	D81072-306
SLACT	297	D81072-307
SLACT	297	D81072-308
SLACT	297	D81072-309
SLACT	297	D81072-310

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACU	297	D81072-303
SLACU	297	D81072-304
SLACU	297	D81072-305
SLACU	297	D81072-306
SLACU	297	D81072-307
SLACU	297	D81072-308
SLACU	297	D81072-309
SLACU	297	D81072-310

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB8W	484	D81072-303
SLB8W	484	D81072-304
SLB8W	484	D81072-305
SLB8W	484	D81072-306
SLB8W	484	D81072-307
SLB8W	484	D81072-308
SLB8W	484	D81072-309
SLB8W	484	D81072-310

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	484	D81072-303
SLGAE	484	D81072-304
SLGAE	484	D81072-305
SLGAE	484	D81072-306
SLGAE	484	D81072-307
SLGAE	484	D81072-308
SLGAE	484	D81072-309
SLGAE	484	D81072-310

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	484	D81072-303
SLB8V	484	D81072-303
SLAWQ	484	D81072-304
SLB8V	484	D81072-304

SLAWQ	484	D81072-305
SLB8V	484	D81072-305
SLAWQ	484	D81072-306
SLB8V	484	D81072-306
SLAWQ	484	D81072-307
SLB8V	484	D81072-307
SLAWQ	484	D81072-308
SLB8V	484	D81072-308
SLAWQ	484	D81072-309
SLB8V	484	D81072-309
SLAWQ	484	D81072-310
SLB8V	484	D81072-310

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY	484	D81072-303
SLGYY	484	D81072-304
SLGYY	484	D81072-305
SLGYY	484	D81072-306
SLGYY	484	D81072-307
SLGYY	484	D81072-308
SLGYY	484	D81072-309
SLGYY	484	D81072-310

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	484	D81072-303
SLAWR	484	D81072-304
SLAWR	484	D81072-305
SLAWR	484	D81072-306
SLAWR	484	D81072-307
SLAWR	484	D81072-308
SLAWR	484	D81072-309
SLAWR	484	D81072-310

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	484	D81072-303
SLG9U	484	D81072-304
SLG9U	484	D81072-305
SLG9U	484	D81072-306
SLG9U	484	D81072-307
SLG9U	484	D81072-308
SLG9U	484	D81072-309
SLG9U	484	D81072-310

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	484	D81072-303
SLB6B	484	D81072-304
SLB6B	484	D81072-305
SLB6B	484	D81072-306
SLB6B	484	D81072-307
SLB6B	484	D81072-308
SLB6B	484	D81072-309
SLB6B	484	D81072-310

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	484	D81072-303
SLAWE	484	D81072-304
SLAWE	484	D81072-305

SLAWE	484	D81072-306
SLAWE	484	D81072-307
SLAWE	484	D81072-308
SLAWE	484	D81072-309
SLAWE	484	D81072-310

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	484	D81072-303
SLGT7	484	D81072-304
SLGT7	484	D81072-305
SLGT7	484	D81072-306
SLGT7	484	D81072-307
SLGT7	484	D81072-308
SLGT7	484	D81072-309
SLGT7	484	D81072-310

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	484	D81072-303
SLGT6	484	D81072-304
SLGT6	484	D81072-305
SLGT6	484	D81072-306
SLGT6	484	D81072-307
SLGT6	484	D81072-308
SLGT6	484	D81072-309
SLGT6	484	D81072-310

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	484	D81072-303
SLGUR	484	D81072-303
SLB5W	484	D81072-304
SLGUR	484	D81072-304
SLB5W	484	D81072-305
SLGUR	484	D81072-305
SLB5W	484	D81072-306
SLGUR	484	D81072-306
SLB5W	484	D81072-307
SLGUR	484	D81072-307
SLB5W	484	D81072-308
SLGUR	484	D81072-308
SLB5W	484	D81072-309
SLGUR	484	D81072-309
SLB5W	484	D81072-310
SLGUR	484	D81072-310

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	484	D81072-303
SLG9T	484	D81072-304
SLG9T	484	D81072-305
SLG9T	484	D81072-306
SLG9T	484	D81072-307
SLG9T	484	D81072-308
SLG9T	484	D81072-309
SLG9T	484	D81072-310

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	484	D81072-303

SLG9S	484	D81072-303
SLB5M	484	D81072-304
SLG9S	484	D81072-304
SLB5M	484	D81072-305
SLG9S	484	D81072-305
SLB5M	484	D81072-306
SLG9S	484	D81072-306
SLB5M	484	D81072-307
SLG9S	484	D81072-307
SLB5M	484	D81072-308
SLG9S	484	D81072-308
SLB5M	484	D81072-309
SLG9S	484	D81072-309
SLB5M	484	D81072-310
SLG9S	484	D81072-310

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	297	D81072-303
SLACQ	297	D81072-304
SLACQ	297	D81072-305
SLACQ	297	D81072-306
SLACQ	297	D81072-307
SLACQ	297	D81072-308
SLACQ	297	D81072-309
SLACQ	297	D81072-310

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	297	D81072-303
SLACR	297	D81072-304
SLACR	297	D81072-305
SLACR	297	D81072-306
SLACR	297	D81072-307

SLACR	297	D81072-308
SLACR	297	D81072-309
SLACR	297	D81072-310

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	484	D81072-303
SLB9L	484	D81072-304
SLB9L	484	D81072-305
SLB9L	484	D81072-306
SLB9L	484	D81072-307
SLB9L	484	D81072-308
SLB9L	484	D81072-309
SLB9L	484	D81072-310

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	484	D81072-303
SLB9K	484	D81072-303
SLAPK	484	D81072-304
SLB9K	484	D81072-304
SLAPK	484	D81072-305
SLB9K	484	D81072-305
SLAPK	484	D81072-306
SLB9K	484	D81072-306
SLAPK	484	D81072-307
SLB9K	484	D81072-307
SLAPK	484	D81072-308
SLB9K	484	D81072-308
SLAPK	484	D81072-309
SLB9K	484	D81072-309
SLAPK	484	D81072-310
SLB9K	484	D81072-310

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	484	D81072-303
SLB9J	484	D81072-303
SLAPL	484	D81072-304
SLB9J	484	D81072-304
SLAPL	484	D81072-305
SLB9J	484	D81072-305
SLAPL	484	D81072-306
SLB9J	484	D81072-306
SLAPL	484	D81072-307
SLB9J	484	D81072-307
SLAPL	484	D81072-308
SLB9J	484	D81072-308
SLAPL	484	D81072-309
SLB9J	484	D81072-309
SLAPL	484	D81072-310
SLB9J	484	D81072-310

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	345	D81072-303
SLAPN		D81072-304
SLAPN		D81072-305
SLAPN		D81072-306
SLAPN		D81072-307
SLAPN		D81072-308
SLAPN		D81072-309
SLAPN		D81072-310

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	484	D81072-303
SLAPP	484	D81072-304
SLAPP	484	D81072-305
SLAPP	484	D81072-306
SLAPP	484	D81072-307
SLAPP	484	D81072-308
SLAPP	484	D81072-309
SLAPP	484	D81072-310

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	484	D81072-303
SLGTD	484	D81072-304
SLGTD	484	D81072-305
SLGTD	484	D81072-306
SLGTD	484	D81072-307
SLGTD	484	D81072-308
SLGTD	484	D81072-309
SLGTD	484	D81072-310

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	484	D81072-303
SLGTE	484	D81072-303
SLB9Z	484	D81072-304
SLGTE	484	D81072-304
SLB9Z	484	D81072-305
SLGTE	484	D81072-305
SLB9Z	484	D81072-306

SLGTE	484	D81072-306
SLB9Z	484	D81072-307
SLGTE	484	D81072-307
SLB9Z	484	D81072-308
SLGTE	484	D81072-308
SLB9Z	484	D81072-309
SLGTE	484	D81072-309
SLB9Z	484	D81072-310
SLGTE	484	D81072-310

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	484	D81072-303
SLGW3	484	D81072-303
SLB9Y	484	D81072-304
SLGW3	484	D81072-304
SLB9Y	484	D81072-305
SLGW3	484	D81072-305
SLB9Y	484	D81072-306
SLGW3	484	D81072-306
SLB9Y	484	D81072-307
SLGW3	484	D81072-307
SLB9Y	484	D81072-308
SLGW3	484	D81072-308
SLB9Y	484	D81072-309
SLGW3	484	D81072-309
SLB9Y	484	D81072-310
SLGW3	484	D81072-310

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	484	D81072-303
SLAPB	484	D81072-304
SLAPB	484	D81072-305

SLAPB	484	D81072-306
SLAPB	484	D81072-307
SLAPB	484	D81072-308
SLAPB	484	D81072-309
SLAPB	484	D81072-310

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz
[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	484	D81072-303
SLAVN	484	D81072-303
SLAPC	484	D81072-304
SLAVN	484	D81072-304
SLAPC	484	D81072-305
SLAVN	484	D81072-305
SLAPC	484	D81072-306
SLAVN	484	D81072-306
SLAPC	484	D81072-307
SLAVN	484	D81072-307
SLAPC	484	D81072-308
SLAVN	484	D81072-308
SLAPC	484	D81072-309
SLAVN	484	D81072-309
SLAPC	484	D81072-310
SLAVN	484	D81072-310

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz
[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	297	D81072-303
SLA9U	297	D81072-304
SLA9U	297	D81072-305
SLA9U	297	D81072-306
SLA9U	297	D81072-307
SLA9U	297	D81072-308
SLA9U	297	D81072-309

SLA9U

297

D81072-310

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE	Min. BIOS 484	AA Rev(s) D81072-303
SLGUE	484	D81072-304
SLGUE	484	D81072-305
SLGUE	484	D81072-306
SLGUE	484	D81072-307
SLGUE	484	D81072-308
SLGUE	484	D81072-309
SLGUE	484	D81072-310

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V	Min. BIOS 297	AA Rev(s) D81072-303
SLA9V	297	D81072-304
SLA9V	297	D81072-305
SLA9V	297	D81072-306
SLA9V	297	D81072-307
SLA9V	297	D81072-308
SLA9V	297	D81072-309
SLA9V	297	D81072-310

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF	Min. BIOS 484	AA Rev(s) D81072-303

SLGUF	484	D81072-304
SLGUF	484	D81072-305
SLGUF	484	D81072-306
SLGUF	484	D81072-307
SLGUF	484	D81072-308
SLGUF	484	D81072-309
SLGUF	484	D81072-310

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	484	D81072-303
SLGUG	484	D81072-304
SLGUG	484	D81072-305
SLGUG	484	D81072-306
SLGUG	484	D81072-307
SLGUG	484	D81072-308
SLGUG	484	D81072-309
SLGUG	484	D81072-310

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	297	D81072-303
SLA9X	297	D81072-304
SLA9X	297	D81072-305
SLA9X	297	D81072-306
SLA9X	297	D81072-307
SLA9X	297	D81072-308
SLA9X	297	D81072-309
SLA9X	297	D81072-310

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	484	D81072-303
SLGYP	484	D81072-304
SLGYP	484	D81072-305
SLGYP	484	D81072-306
SLGYP	484	D81072-307
SLGYP	484	D81072-308
SLGYP	484	D81072-309
SLGYP	484	D81072-310

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	484	D81072-303
SLGUH	484	D81072-304
SLGUH	484	D81072-305
SLGUH	484	D81072-306
SLGUH	484	D81072-307
SLGUH	484	D81072-308
SLGUH	484	D81072-309
SLGUH	484	D81072-310

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	484	D81072-303
SLGU9	484	D81072-304
SLGU9	484	D81072-305
SLGU9	484	D81072-306
SLGU9	484	D81072-307
SLGU9	484	D81072-308
SLGU9	484	D81072-309

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS 484	AA Rev(s) D81072-303 D81072-304 D81072-305 D81072-306 D81072-307 D81072-308 D81072-309 D81072-310

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS 484	AA Rev(s) D81072-303 D81072-304 D81072-305 D81072-306 D81072-307 D81072-308 D81072-309 D81072-310

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ	Min. BIOS 484	AA Rev(s) D81072-303

SLGTJ	D81072-304
SLGTJ	D81072-305
SLGTJ	D81072-306
SLGTJ	D81072-307
SLGTJ	D81072-308
SLGTJ	D81072-309
SLGTJ	D81072-310

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9V	484	D81072-303
SLGTK	484	D81072-303
SLB9V	484	D81072-304
SLGTK	484	D81072-304
SLB9V	484	D81072-305
SLGTK	484	D81072-305
SLB9V	484	D81072-306
SLGTK	484	D81072-306
SLB9V	484	D81072-307
SLGTK	484	D81072-307
SLB9V	484	D81072-308
SLGTK	484	D81072-308
SLB9V	484	D81072-309
SLGTK	484	D81072-309
SLB9V	484	D81072-310
SLGTK	484	D81072-310

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	484	D81072-303
SLGTL	484	D81072-303
SLB9U	484	D81072-304
SLGTL	484	D81072-304
SLB9U	484	D81072-305

SLGTL	484	D81072-305
SLB9U	484	D81072-306
SLGTL	484	D81072-306
SLB9U	484	D81072-307
SLGTL	484	D81072-307
SLB9U	484	D81072-308
SLGTL	484	D81072-308
SLB9U	484	D81072-309
SLGTL	484	D81072-309
SLB9U	484	D81072-310
SLGTL	484	D81072-310

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	497	D81072-303
SLB9T	484	D81072-303
SLAY7	497	D81072-304
SLB9T	484	D81072-304
SLAY7	497	D81072-305
SLB9T	484	D81072-305
SLAY7	497	D81072-306
SLB9T	484	D81072-306
SLAY7	497	D81072-307
SLB9T	484	D81072-307
SLAY7	497	D81072-308
SLB9T	484	D81072-308
SLAY7	497	D81072-309
SLB9T	484	D81072-309
SLAY7	497	D81072-310
SLB9T	484	D81072-310

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	297	D81072-303

SLALT	297	D81072-304
SLALT	297	D81072-305
SLALT	297	D81072-306
SLALT	297	D81072-307
SLALT	297	D81072-308
SLALT	297	D81072-309
SLALT	297	D81072-310

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA94	336	D81072-303
SLA94	336	D81072-304
SLA94	336	D81072-305
SLA94	336	D81072-306
SLA94	336	D81072-307
SLA94	336	D81072-308
SLA94	336	D81072-309
SLA94	336	D81072-310

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA95	336	D81072-303
SLA95	336	D81072-304
SLA95	336	D81072-305
SLA95	336	D81072-306
SLA95	336	D81072-307
SLA95	336	D81072-308
SLA95	336	D81072-309
SLA95	336	D81072-310

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz
[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	336	D81072-303
SLA98	336	D81072-304
SLA98	336	D81072-305
SLA98	336	D81072-306
SLA98	336	D81072-307
SLA98	336	D81072-308
SLA98	336	D81072-309
SLA98	336	D81072-310

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY	484	D81072-303
SLGTY	484	D81072-304
SLGTY	484	D81072-305
SLGTY	484	D81072-306
SLGTY	484	D81072-307
SLGTY	484	D81072-308
SLGTY	484	D81072-309
SLGTY	484	D81072-310

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTZ	484	D81072-303
SLGTZ	484	D81072-304
SLGTZ	484	D81072-305
SLGTZ	484	D81072-306
SLGTZ	484	D81072-307
SLGTZ	484	D81072-308
SLGTZ	484	D81072-309

SLGTZ

484

D81072-310

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLGU4
SLGU4
SLGU4
SLGU4
SLGU4
SLGU4
SLGU4
SLGU4

Min. BIOS
484
484
484
484
484
484
484
484

AA Rev(s)
D81072-303
D81072-304
D81072-305
D81072-306
D81072-307
D81072-308
D81072-309
D81072-310

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLGU5
SLGU5
SLGU5
SLGU5
SLGU5
SLGU5
SLGU5
SLGU5

Min. BIOS
484
484
484
484
484
484
484
484

AA Rev(s)
D81072-303
D81072-304
D81072-305
D81072-306
D81072-307
D81072-308
D81072-309
D81072-310

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLB9D

Min. BIOS
484

AA Rev(s)
D81072-303

SLB9D	484	D81072-304
SLB9D	484	D81072-305
SLB9D	484	D81072-306
SLB9D	484	D81072-307
SLB9D	484	D81072-308
SLB9D	484	D81072-309
SLB9D	484	D81072-310

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	484	D81072-303
SLB9C	484	D81072-303
SLAPM	484	D81072-304
SLB9C	484	D81072-304
SLAPM	484	D81072-305
SLB9C	484	D81072-305
SLAPM	484	D81072-306
SLB9C	484	D81072-306
SLAPM	484	D81072-307
SLB9C	484	D81072-307
SLAPM	484	D81072-308
SLB9C	484	D81072-308
SLAPM	484	D81072-309
SLB9C	484	D81072-309
SLAPM	484	D81072-310
SLB9C	484	D81072-310

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	497	D81072-303
SLA8W	497	D81072-304
SLA8W	497	D81072-305
SLA8W	497	D81072-306
SLA8W	497	D81072-307

SLA8W	497	D81072-308
SLA8W	497	D81072-309
SLA8W	497	D81072-310

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		D81072-303
SLB9R		D81072-304
SLB9R		D81072-305
SLB9R		D81072-306
SLB9R		D81072-307
SLB9R		D81072-308
SLB9R		D81072-309
SLB9R		D81072-310

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	336	D81072-303
SLA8X	336	D81072-304
SLA8X	336	D81072-305
SLA8X	336	D81072-306
SLA8X	336	D81072-307
SLA8X	336	D81072-308
SLA8X	336	D81072-309
SLA8X	336	D81072-310

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA8Y	336	D81072-303
SLA8Y	336	D81072-304
SLA8Y	336	D81072-305
SLA8Y	336	D81072-306
SLA8Y	336	D81072-307
SLA8Y	336	D81072-308
SLA8Y	336	D81072-309
SLA8Y	336	D81072-310

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	336	D81072-303
SLA8Z	336	D81072-304
SLA8Z	336	D81072-305
SLA8Z	336	D81072-306
SLA8Z	336	D81072-307
SLA8Z	336	D81072-308
SLA8Z	336	D81072-309
SLA8Z	336	D81072-310

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA93	336	D81072-303
SLA93	336	D81072-304
SLA93	336	D81072-305
SLA93	336	D81072-306
SLA93	336	D81072-307
SLA93	336	D81072-308
SLA93	336	D81072-309
SLA93	336	D81072-310

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAQY	497	D81072-303
SLAQY	497	D81072-304
SLAQY	497	D81072-305
SLAQY	497	D81072-306
SLAQY	497	D81072-307
SLAQY	497	D81072-308
SLAQY	497	D81072-309
SLAQY	497	D81072-310

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	497	D81072-303
SLAQZ	497	D81072-304
SLAQZ	497	D81072-305
SLAQZ	497	D81072-306
SLAQZ	497	D81072-307
SLAQZ	497	D81072-308
SLAQZ	497	D81072-309
SLAQZ	497	D81072-310

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	497	D81072-303
SLAR2	497	D81072-304
SLAR2	497	D81072-305
SLAR2	497	D81072-306

SLAR2	497	D81072-307
SLAR2	497	D81072-308
SLAR2	497	D81072-309
SLAR2	497	D81072-310

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	497	D81072-303
SLAQW	497	D81072-304
SLAQW	497	D81072-305
SLAQW	497	D81072-306
SLAQW	497	D81072-307
SLAQW	497	D81072-308
SLAQW	497	D81072-309
SLAQW	497	D81072-310

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	297	D81072-303
SLAA2	297	D81072-304
SLAA2	297	D81072-305
SLAA2	297	D81072-306
SLAA2	297	D81072-307
SLAA2	297	D81072-308
SLAA2	297	D81072-309
SLAA2	297	D81072-310

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAA3	297	D81072-303
SLAA3	297	D81072-304
SLAA3	297	D81072-305
SLAA3	297	D81072-306
SLAA3	297	D81072-307
SLAA3	297	D81072-308
SLAA3	297	D81072-309
SLAA3	297	D81072-310

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAA9	297	D81072-303
SLAA9	297	D81072-304
SLAA9	297	D81072-305
SLAA9	297	D81072-306
SLAA9	297	D81072-307
SLAA9	297	D81072-308
SLAA9	297	D81072-309
SLAA9	297	D81072-310