

Intel® Desktop Compatibility Tool

Found 52 Compatible Processor(s) for Board DG41AN

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE SLGAE SLGAE	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U SLG9U	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7 SLGT7 SLGT7	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLG9T SLG9T SLG9T SLG9T SLG9T	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L SLB9L SLB9L	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK	Min. BIOS 11 11	AA Rev(s) E92991-300 E92991-300 E92991-400 E92991-400 E92991-401 E92991-401 E92991-402 E92991-402 E92991-403

SLB9K

E92991-403

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J	Min. BIOS 11 11	AA Rev(s) E92991-300 E92991-300 E92991-400 E92991-400 E92991-401 E92991-401 E92991-402 E92991-402 E92991-403 E92991-403

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPN SLAPN SLAPN SLAPN SLAPN	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPP SLAPP	Min. BIOS	AA Rev(s) E92991-300 E92991-400

SLAPP	11	E92991-401
SLAPP		E92991-402
SLAPP		E92991-403

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		E92991-300
SLGTD		E92991-400
SLGTD		E92991-401
SLGTD		E92991-402
SLGTD		E92991-403

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z		E92991-300
SLGTE		E92991-300
SLB9Z		E92991-400
SLGTE		E92991-400
SLB9Z		E92991-401
SLGTE	11	E92991-401
SLB9Z		E92991-402
SLGTE		E92991-402
SLB9Z		E92991-403
SLGTE		E92991-403

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLB9Y	E92991-300
SLGW3	E92991-300
SLB9Y	E92991-400
SLGW3	E92991-400
SLB9Y	E92991-401
SLGW3	E92991-401
SLB9Y	E92991-402
SLGW3	E92991-402
SLB9Y	E92991-403
SLGW3	E92991-403

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLAPB	Min. BIOS	AA Rev(s) E92991-300
SLAPB		E92991-400
SLAPB	11	E92991-401
SLAPB		E92991-402
SLAPB		E92991-403

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLAPC	Min. BIOS	AA Rev(s) E92991-300
SLAVN		E92991-300
SLAPC		E92991-400
SLAVN		E92991-400
SLAPC	11	E92991-401
SLAVN	11	E92991-401
SLAPC		E92991-402
SLAVN		E92991-402
SLAPC		E92991-403
SLAVN		E92991-403

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9U SLA9U SLA9U SLA9U SLA9U	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE SLGUE SLGUE SLGUE	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V SLA9V SLA9V SLA9V SLA9V	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF SLGUF SLGUF SLGUF	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG SLGUG SLGUG SLGUG	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X SLA9X SLA9X SLA9X	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLGYP		E92991-300
SLGYP		E92991-400
SLGYP	11	E92991-401
SLGYP		E92991-402
SLGYP		E92991-403

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH		E92991-300
SLGUH		E92991-400
SLGUH	11	E92991-401
SLGUH		E92991-402
SLGUH		E92991-403

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9		E92991-300
SLGU9		E92991-400
SLGU9		E92991-401
SLGU9		E92991-402
SLGU9		E92991-403

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG		E92991-300

SLGTG		E92991-400
SLGTG	11	E92991-401
SLGTG		E92991-402
SLGTG		E92991-403

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTH		E92991-300
SLGTH		E92991-400
SLGTH	11	E92991-401
SLGTH		E92991-402
SLGTH		E92991-403

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ		E92991-300
SLGTJ		E92991-400
SLGTJ	11	E92991-401
SLGTJ		E92991-402
SLGTJ		E92991-403

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9V		E92991-300
SLGTK		E92991-300
SLB9V		E92991-400
SLGTK		E92991-400

SLB9V	E92991-401
SLGTK	E92991-401
SLB9V	E92991-402
SLGTK	E92991-402
SLB9V	E92991-403
SLGTK	E92991-403

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E92991-300
SLGTL		E92991-300
SLB9U		E92991-400
SLGTL		E92991-400
SLB9U		E92991-401
SLGTL		E92991-401
SLB9U		E92991-402
SLGTL		E92991-402
SLB9U		E92991-403
SLGTL		E92991-403

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7		E92991-300
SLB9T		E92991-300
SLAY7		E92991-400
SLB9T		E92991-400
SLAY7	11	E92991-401
SLB9T		E92991-401
SLAY7		E92991-402
SLB9T		E92991-402
SLAY7		E92991-403
SLB9T		E92991-403

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT SLALT SLALT	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94 SLA94	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95 SLA95	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98 SLA98	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ	Min. BIOS 11	AA Rev(s) E92991-401 E92991-402 E92991-403

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLGU4	E92991-401
SLGU4	E92991-402
SLGU4	E92991-403

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E92991-401 E92991-402 E92991-403

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM	Min. BIOS 11 11	AA Rev(s) E92991-300 E92991-300 E92991-400 E92991-400 E92991-401 E92991-401 E92991-402

SLB9C	E92991-402
SLAPM	E92991-403
SLB9C	E92991-403

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W	Min. BIOS	AA Rev(s) E92991-300
SLA8W		E92991-400
SLA8W	11	E92991-401
SLA8W		E92991-402
SLA8W		E92991-403

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R	Min. BIOS	AA Rev(s) E92991-300
SLB9R		E92991-400
SLB9R		E92991-401
SLB9R		E92991-402
SLB9R		E92991-403

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X	Min. BIOS	AA Rev(s) E92991-300
SLA8X		E92991-400
SLA8X	11	E92991-401
SLA8X		E92991-402
SLA8X		E92991-403

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Celeron® E1600 | Frequency: 2.40 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY SLAQY SLAQY SLAQY SLAQY	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Celeron® E1500 | Frequency: 2.20 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS 11	AA Rev(s) E92991-300 E92991-400 E92991-401 E92991-402 E92991-403

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW		E92991-300
SLAQW		E92991-400
SLAQW	11	E92991-401
SLAQW		E92991-402
SLAQW		E92991-403

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2		E92991-300
SLAA2		E92991-400
SLAA2	11	E92991-401
SLAA2		E92991-402
SLAA2		E92991-403

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3		E92991-300
SLAA3		E92991-400
SLAA3	11	E92991-401
SLAA3		E92991-402
SLAA3		E92991-403

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLAA9
SLAA9
SLAA9
SLAA9
SLAA9

11

E92991-300
E92991-400
E92991-401
E92991-402
E92991-403