

# Intel® Desktop Compatibility Tool

Found 53 Compatible Processor(s) for Board DG41BI

## Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W	Min. BIOS	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS 12 12	AA Rev(s) E82430-100 E82430-100 E82430-101 E82430-101

## Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec # SLGYY SLGYY	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWR SLAWR	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B	Min. BIOS	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	12	E82430-100
SLAWE		E82430-101

## Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	12	E82430-100
SLGT7		E82430-101

## Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	12	E82430-100
SLGT6		E82430-101

## Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	12	E82430-100
SLGUR	12	E82430-100
SLB5W		E82430-101
SLGUR		E82430-101

## Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	12	E82430-100
SLG9T		E82430-101

## Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	12	E82430-100
SLG9S	12	E82430-100
SLB5M		E82430-101
SLG9S		E82430-101

## Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	12	E82430-100
SLB9L		E82430-101

## Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	12	E82430-100
SLB9K	12	E82430-100
SLAPK		E82430-101
SLB9K		E82430-101

## Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL SLB9J SLAPL SLB9J	Min. BIOS 12 12	AA Rev(s) E82430-100 E82430-100 E82430-101 E82430-101

## Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPN SLAPN	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPP SLAPP	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLGTD	Min. BIOS	AA Rev(s) E82430-100

## Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Z SLGTE SLB9Z SLGTE	Min. BIOS  12	AA Rev(s) E82430-100 E82430-100 E82430-101 E82430-101

## Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Y SLGW3 SLB9Y SLGW3	Min. BIOS	AA Rev(s) E82430-100 E82430-100 E82430-101 E82430-101

## Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLAPB SLAPB	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	12	E82430-100
SLAVN	12	E82430-100
SLAPC		E82430-101
SLAVN		E82430-101

## Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	12	E82430-100
SLGUE		E82430-101

## Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	12	E82430-100
SLGUF		E82430-101

## Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	12	E82430-100
SLGUG		E82430-101

## Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGYP  
SLGYP

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGUH  
SLGUH

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGU9  
SLGU9

Min. BIOS

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGTG  
SLGTG

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGTH  
SLGTH

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGTJ  
SLGTJ

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLB9V  
SLGTK  
SLB9V  
SLGTK

Min. BIOS

AA Rev(s)  
E82430-100  
E82430-100  
E82430-101  
E82430-101

## Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache  
2 MB

Graphics  
No

Max TDP  
65

Spec #  
SLB9U  
SLGTL  
SLB9U  
SLGTL

Min. BIOS

AA Rev(s)  
E82430-100  
E82430-100  
E82430-101  
E82430-101

## Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLAY7 SLB9T SLAY7 SLB9T	Min. BIOS 12	AA Rev(s) E82430-100 E82430-100 E82430-101 E82430-101

## Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95	Min. BIOS 12	AA Rev(s) E82430-100

SLA95

E82430-101

## Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY	Min. BIOS	AA Rev(s) E82430-100 E82430-101

## Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4	Min. BIOS	AA Rev(s) E82430-100

SLGU4

E82430-101

## Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache  
1 MB

Graphics  
No

Max TDP  
65

Spec #  
SLGU5  
SLGU5

Min. BIOS

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache  
1 MB

Graphics  
No

Max TDP  
65

Spec #  
SLA8W  
SLA8W

Min. BIOS  
12

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache  
1 MB

Graphics  
No

Max TDP  
65

Spec #  
SLB9R  
SLB9R

Min. BIOS

AA Rev(s)  
E82430-100  
E82430-101

## Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache  
1 MB

Graphics  
No

Max TDP  
65

Spec #  
SLA8X

Min. BIOS  
12

AA Rev(s)  
E82430-100

**Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz**[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

**Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz**[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

**Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz**[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

**Intel® Celeron® E1600 | Frequency: 2.40 GHz**[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY	Min. BIOS 12	AA Rev(s) E82430-100

SLAQY

E82430-101

## Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101

## Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW	Min. BIOS 12	AA Rev(s) E82430-100 E82430-101