

Intel® Desktop Compatibility Tool

Found 58 Compatible Processor(s) for Board DG41CN

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W SLB8W SLB8W	Min. BIOS	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 65
Spec # SLGAE SLGAE SLGAE	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V	Min. BIOS 11 11	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLGYY SLGYY SLGYY	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWR SLAWR SLAWR	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B	Min. BIOS	AA Rev(s) E82429-100 E82429-101

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7 SLGT7	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLB5W	11	E82429-100
SLGUR	11	E82429-100
SLB5W		E82429-101
SLGUR		E82429-101
SLB5W		E82429-102
SLGUR		E82429-102

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	11	E82429-100
SLG9T		E82429-101
SLG9T		E82429-102

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	11	E82429-100
SLG9S	11	E82429-100
SLB5M		E82429-101
SLG9S		E82429-101
SLB5M		E82429-102
SLG9S		E82429-102

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	11	E82429-100

SLACQ
SLACQ

E82429-101
E82429-102

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACR SLACR SLACR	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K	Min. BIOS 11 11	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J	Min. BIOS 11 11	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPN SLAPN SLAPN	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPP SLAPP SLAPP	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

More Information

Cache 3 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLGTD
SLGTD
SLGTD

E82429-100
E82429-101
E82429-102

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE

Min. BIOS
11

AA Rev(s)
E82429-100
E82429-100
E82429-101
E82429-101
E82429-102
E82429-102

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Y
SLGW3
SLB9Y
SLGW3
SLB9Y
SLGW3

Min. BIOS

AA Rev(s)
E82429-100
E82429-100
E82429-101
E82429-101
E82429-102
E82429-102

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLAPB
SLAPB
SLAPB

Min. BIOS
11

AA Rev(s)
E82429-100
E82429-101
E82429-102

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	11	E82429-100
SLAVN	11	E82429-100
SLAPC		E82429-101
SLAVN		E82429-101
SLAPC		E82429-102
SLAVN		E82429-102

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	11	E82429-100
SLA9U		E82429-101
SLA9U		E82429-102

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	11	E82429-100
SLGUE		E82429-101
SLGUE		E82429-102

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	11	E82429-100
SLA9V		E82429-101
SLA9V		E82429-102

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	11	E82429-100
SLGUF		E82429-101
SLGUF		E82429-102

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	11	E82429-100
SLGUG		E82429-101
SLGUG		E82429-102

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	11	E82429-100
SLA9X		E82429-101
SLA9X		E82429-102

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP SLGYP	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9 SLGU9	Min. BIOS	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK	Min. BIOS	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL	Min. BIOS	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLAY7 SLB9T SLAY7 SLB9T SLAY7 SLB9T	Min. BIOS 11	AA Rev(s) E82429-100 E82429-100 E82429-101 E82429-101 E82429-102 E82429-102

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLA94	11	E82429-100
SLA94		E82429-101
SLA94		E82429-102

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	11	E82429-100
SLA95		E82429-101
SLA95		E82429-102

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	11	E82429-100
SLA98		E82429-101
SLA98		E82429-102

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		E82429-100
SLGTY		E82429-101
SLGTY		E82429-102

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Celeron® E3300 | Frequency: 2.50 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E82429-100 E82429-101 E82429-102

Intel® Celeron® E3200 | Frequency: 2.40 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W SLA8W SLA8W	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y	Min. BIOS 11	AA Rev(s) E82429-100 E82429-101 E82429-102

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLA8Z	11	E82429-100
SLA8Z		E82429-101
SLA8Z		E82429-102

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93	Min. BIOS 11	AA Rev(s) E82429-100
SLA93		E82429-101
SLA93		E82429-102

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY	Min. BIOS 11	AA Rev(s) E82429-100
SLAQY		E82429-101
SLAQY		E82429-102

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ	Min. BIOS 11	AA Rev(s) E82429-100
SLAQZ		E82429-101
SLAQZ		E82429-102

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAR2
SLAR2
SLAR2

Min. BIOS
11

AA Rev(s)
E82429-100
E82429-101
E82429-102

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache
512 KB

Graphics
No

Max TDP
65

Spec #
SLAQW
SLAQW
SLAQW

Min. BIOS
11

AA Rev(s)
E82429-100
E82429-101
E82429-102