

Intel® Desktop Compatibility Tool

Found 52 Compatible Processor(s) for Board DG41MJ

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	2	E54659-200
SLGAE	2	E54659-203
SLGAE	2	E54659-204
SLGAE		E54659-205
SLGAE		E54659-206

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	2	E54659-200
SLG9U		E54659-203
SLG9U		E54659-204
SLG9U		E54659-205
SLG9U		E54659-206

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	2	E54659-200
SLGT7		E54659-203
SLGT7		E54659-204
SLGT7		E54659-205
SLGT7		E54659-206

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	2	E54659-200
SLG9T	2	E54659-203
SLG9T	2	E54659-204
SLG9T		E54659-205
SLG9T		E54659-206

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	2	E54659-200
SLB9L	2	E54659-203
SLB9L	2	E54659-204
SLB9L		E54659-205
SLB9L		E54659-206

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	2	E54659-200
SLB9K	2	E54659-200
SLAPK	2	E54659-203
SLB9K	2	E54659-203
SLAPK	2	E54659-204
SLB9K	2	E54659-204
SLAPK		E54659-205
SLB9K		E54659-205
SLAPK		E54659-206

SLB9K

E54659-206

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	2	E54659-200
SLB9J	2	E54659-200
SLAPL	2	E54659-203
SLB9J	2	E54659-203
SLAPL	2	E54659-204
SLB9J	2	E54659-204
SLAPL		E54659-205
SLB9J		E54659-205
SLAPL		E54659-206
SLB9J		E54659-206

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	2	E54659-200
SLAPN		E54659-203
SLAPN		E54659-204
SLAPN		E54659-205
SLAPN		E54659-206

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	2	E54659-200
SLAPP	2	E54659-203

SLAPP	2	E54659-204
SLAPP		E54659-205
SLAPP		E54659-206

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		E54659-200
SLGTD		E54659-203
SLGTD		E54659-204
SLGTD		E54659-205
SLGTD		E54659-206

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z		E54659-200
SLGTE	2	E54659-200
SLB9Z		E54659-203
SLGTE		E54659-203
SLB9Z		E54659-204
SLGTE		E54659-204
SLB9Z		E54659-205
SLGTE		E54659-205
SLB9Z		E54659-206
SLGTE		E54659-206

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLB9Y	E54659-200
SLGW3	E54659-200
SLB9Y	E54659-203
SLGW3	E54659-203
SLB9Y	E54659-204
SLGW3	E54659-204
SLB9Y	E54659-205
SLGW3	E54659-205
SLB9Y	E54659-206
SLGW3	E54659-206

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	2	E54659-200
SLAPB	2	E54659-203
SLAPB	2	E54659-204
SLAPB		E54659-205
SLAPB		E54659-206

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	2	E54659-200
SLAVN	2	E54659-200
SLAPC	2	E54659-203
SLAVN	2	E54659-203
SLAPC	2	E54659-204
SLAVN	2	E54659-204
SLAPC		E54659-205
SLAVN		E54659-205
SLAPC		E54659-206
SLAVN		E54659-206

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9U	Min. BIOS 2	AA Rev(s) E54659-200
SLA9U	2	E54659-203
SLA9U	2	E54659-204
SLA9U		E54659-205
SLA9U		E54659-206

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE	Min. BIOS 2	AA Rev(s) E54659-200
SLGUE		E54659-203
SLGUE		E54659-204
SLGUE		E54659-205
SLGUE		E54659-206

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9V	Min. BIOS 2	AA Rev(s) E54659-200
SLA9V	2	E54659-203
SLA9V	2	E54659-204
SLA9V		E54659-205
SLA9V		E54659-206

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	2	E54659-200
SLGUF		E54659-203
SLGUF		E54659-204
SLGUF		E54659-205
SLGUF		E54659-206

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	2	E54659-200
SLGUG		E54659-203
SLGUG		E54659-204
SLGUG		E54659-205
SLGUG		E54659-206

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	2	E54659-200
SLA9X	2	E54659-203
SLA9X	2	E54659-204
SLA9X		E54659-205
SLA9X		E54659-206

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGYP	2	E54659-200
SLGYP		E54659-203
SLGYP		E54659-204
SLGYP		E54659-205
SLGYP		E54659-206

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	2	E54659-200
SLGUH		E54659-203
SLGUH		E54659-204
SLGUH		E54659-205
SLGUH		E54659-206

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9		E54659-200
SLGU9		E54659-203
SLGU9		E54659-204
SLGU9		E54659-205
SLGU9		E54659-206

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG	2	E54659-200

SLGTG	E54659-203
SLGTG	E54659-204
SLGTG	E54659-205
SLGTG	E54659-206

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK	Min. BIOS	AA Rev(s) E54659-200 E54659-200 E54659-203 E54659-203

SLB9V	E54659-204
SLGTK	E54659-204
SLB9V	E54659-205
SLGTK	E54659-205
SLB9V	E54659-206
SLGTK	E54659-206

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E54659-200
SLGTL		E54659-200
SLB9U		E54659-203
SLGTL		E54659-203
SLB9U		E54659-204
SLGTL		E54659-204
SLB9U		E54659-205
SLGTL		E54659-205
SLB9U		E54659-206
SLGTL		E54659-206

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9T		E54659-200
SLB9T		E54659-203
SLB9T		E54659-204
SLAY7		E54659-205
SLB9T		E54659-205
SLAY7		E54659-206
SLB9T		E54659-206

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLALT
SLALT
SLALT
SLALT
SLALT

Min. BIOS
2

AA Rev(s)
E54659-200
E54659-203
E54659-204
E54659-205
E54659-206

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA94
SLA94
SLA94
SLA94
SLA94

Min. BIOS
2
2
2

AA Rev(s)
E54659-200
E54659-203
E54659-204
E54659-205
E54659-206

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA95
SLA95
SLA95
SLA95
SLA95

Min. BIOS
2
2
2

AA Rev(s)
E54659-200
E54659-203
E54659-204
E54659-205
E54659-206

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #	Min. BIOS	AA Rev(s)
SLA98	2	E54659-200
SLA98	2	E54659-203
SLA98	2	E54659-204
SLA98		E54659-205
SLA98		E54659-206

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY		E54659-200
SLGTY		E54659-203
SLGTY		E54659-204
SLGTY		E54659-205
SLGTY		E54659-206

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTZ	2	E54659-200
SLGTZ		E54659-203
SLGTZ		E54659-204
SLGTZ		E54659-205
SLGTZ		E54659-206

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU4		E54659-200

SLGU4	E54659-203
SLGU4	E54659-204
SLGU4	E54659-205
SLGU4	E54659-206

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9C SLB9C SLB9C SLAPM	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205

SLB9C	E54659-205
SLAPM	E54659-206
SLB9C	E54659-206

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	2	E54659-200
SLA8W	2	E54659-203
SLA8W	2	E54659-204
SLA8W		E54659-205
SLA8W		E54659-206

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9R		E54659-200
SLB9R		E54659-203
SLB9R		E54659-204
SLB9R		E54659-205
SLB9R		E54659-206

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	2	E54659-200
SLA8X	2	E54659-203
SLA8X	2	E54659-204
SLA8X		E54659-205
SLA8X		E54659-206

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Y	2	E54659-200
SLA8Y	2	E54659-203
SLA8Y	2	E54659-204
SLA8Y		E54659-205
SLA8Y		E54659-206

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	2	E54659-200
SLA8Z	2	E54659-203
SLA8Z	2	E54659-204
SLA8Z		E54659-205
SLA8Z		E54659-206

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA93	2	E54659-200
SLA93	2	E54659-203
SLA93	2	E54659-204
SLA93		E54659-205
SLA93		E54659-206

Intel® Celeron® E1600 | Frequency: 2.40 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY SLAQY SLAQY SLAQY SLAQY	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Intel® Celeron® E1500 | Frequency: 2.20 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

More Information

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS 2 2 2	AA Rev(s) E54659-200 E54659-203 E54659-204 E54659-205 E54659-206

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

More Information

Cache	Graphics	Max TDP
-------	----------	---------

512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	2	E54659-200
SLAQW	2	E54659-203
SLAQW	2	E54659-204
SLAQW		E54659-205
SLAQW		E54659-206

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2		E54659-205
SLAA2		E54659-206

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3		E54659-205
SLAA3		E54659-206

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9		E54659-205
SLAA9		E54659-206

