

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG41RQ

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ	Min. BIOS 7	AA Rev(s) E54511-201
SLAWZ	7	E54511-202
SLAWZ	7	E54511-203
SLAWZ		E54511-204
SLAWZ		E54511-205
SLAWZ	7	E67810-200

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2	Min. BIOS 7	AA Rev(s) E54511-201
SLAX2	7	E54511-202
SLAX2	7	E54511-203
SLAX2		E54511-204
SLAX2		E54511-205
SLAX2	7	E67810-200

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACS	Min. BIOS 7	AA Rev(s) E54511-201
SLACS	7	E54511-202
SLACS	7	E54511-203

SLACS		E54511-204
SLACS		E54511-205
SLACS	7	E67810-200

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACT	7	E54511-201
SLACT	7	E54511-202
SLACT	7	E54511-203
SLACT		E54511-204
SLACT		E54511-205
SLACT	7	E67810-200

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACU	7	E54511-201
SLACU	7	E54511-202
SLACU	7	E54511-203
SLACU		E54511-204
SLACU		E54511-205
SLACU	7	E67810-200

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB8W	7	E54511-201
SLB8W	7	E54511-202
SLB8W	7	E54511-203

SLB8W		E54511-204
SLB8W		E54511-205
SLB8W	7	E67810-200

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	7	E54511-201
SLGAE	7	E54511-202
SLGAE	7	E54511-203
SLGAE		E54511-204
SLGAE		E54511-205
SLGAE	7	E67810-200

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	7	E54511-201
SLB8V	7	E54511-201
SLAWQ	7	E54511-202
SLB8V	7	E54511-202
SLAWQ	7	E54511-203
SLB8V	7	E54511-203
SLAWQ		E54511-204
SLB8V		E54511-204
SLAWQ		E54511-205
SLB8V		E54511-205
SLAWQ	7	E67810-200
SLB8V	7	E67810-200

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGYY	7	E54511-201
SLGYY		E54511-202
SLGYY		E54511-203
SLGYY		E54511-204
SLGYY		E54511-205
SLGYY		E67810-200

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	7	E54511-201
SLAWR	7	E54511-202
SLAWR	7	E54511-203
SLAWR		E54511-204
SLAWR		E54511-205
SLAWR	7	E67810-200

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	7	E54511-201
SLG9U	7	E54511-202
SLG9U	7	E54511-203
SLG9U		E54511-204
SLG9U		E54511-205
SLG9U	7	E67810-200

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	7	E54511-201
SLB6B	7	E54511-202
SLB6B	7	E54511-203
SLB6B		E54511-204
SLB6B		E54511-205
SLB6B	7	E67810-200

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	7	E54511-201
SLAWE	7	E54511-202
SLAWE	7	E54511-203
SLAWE		E54511-204
SLAWE		E54511-205
SLAWE	7	E67810-200

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7	7	E54511-201
SLGT7		E54511-202
SLGT7		E54511-203
SLGT7		E54511-204
SLGT7		E54511-205
SLGT7		E67810-200

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	7	E54511-201
SLGT6		E54511-202
SLGT6		E54511-203
SLGT6		E54511-204
SLGT6		E54511-205
SLGT6		E67810-200

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	7	E54511-201
SLGUR	7	E54511-201
SLB5W	7	E54511-202
SLGUR		E54511-202
SLB5W	7	E54511-203
SLGUR		E54511-203
SLB5W		E54511-204
SLGUR		E54511-204
SLB5W		E54511-205
SLGUR		E54511-205
SLB5W	7	E67810-200
SLGUR		E67810-200

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	7	E54511-201
SLG9T	7	E54511-202
SLG9T	7	E54511-203
SLG9T		E54511-204
SLG9T		E54511-205
SLG9T	7	E67810-200

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	7	E54511-201
SLG9S	7	E54511-201
SLB5M	7	E54511-202
SLG9S		E54511-202
SLB5M	7	E54511-203
SLG9S		E54511-203
SLB5M		E54511-204
SLG9S		E54511-204
SLB5M		E54511-205
SLG9S		E54511-205
SLB5M	7	E67810-200
SLG9S		E67810-200

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	7	E54511-201
SLACQ	7	E54511-202
SLACQ	7	E54511-203
SLACQ		E54511-204
SLACQ		E54511-205
SLACQ	7	E67810-200

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	7	E54511-201

SLACR	7	E54511-202
SLACR	7	E54511-203
SLACR		E54511-204
SLACR		E54511-205
SLACR	7	E67810-200

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	7	E54511-201
SLB9L	7	E54511-202
SLB9L		E54511-203
SLB9L		E54511-204
SLB9L		E54511-205

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	7	E54511-201
SLB9K	7	E54511-201
SLAPK	7	E54511-202
SLB9K	7	E54511-202
SLAPK		E54511-203
SLB9K		E54511-203
SLAPK		E54511-204
SLB9K		E54511-204
SLAPK		E54511-205
SLB9K		E54511-205

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLAPL	7	E54511-201
SLB9J	7	E54511-201
SLAPL	7	E54511-202
SLB9J	7	E54511-202
SLAPL		E54511-203
SLB9J		E54511-203
SLAPL		E54511-204
SLB9J		E54511-204
SLAPL		E54511-205
SLB9J		E54511-205

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	7	E54511-201
SLAPN		E54511-202
SLAPN		E54511-203
SLAPN		E54511-204
SLAPN		E54511-205

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	7	E54511-201
SLAPP	7	E54511-202
SLAPP		E54511-203
SLAPP		E54511-204
SLAPP		E54511-205

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD		E54511-202
SLGTD		E54511-203
SLGTD		E54511-204
SLGTD		E54511-205

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	7	E54511-201
SLGTE	7	E54511-201
SLB9Z	7	E54511-202
SLGTE		E54511-202
SLB9Z	7	E54511-203
SLGTE		E54511-203
SLB9Z		E54511-204
SLGTE		E54511-204
SLB9Z		E54511-205
SLGTE		E54511-205
SLB9Z	7	E67810-200
SLGTE		E67810-200

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	7	E54511-201
SLGW3		E54511-201
SLB9Y	7	E54511-202
SLGW3		E54511-202
SLB9Y	7	E54511-203
SLGW3		E54511-203
SLB9Y		E54511-204
SLGW3		E54511-204

SLB9Y		E54511-205
SLGW3		E54511-205
SLB9Y	7	E67810-200
SLGW3		E67810-200

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	7	E54511-201
SLAPB	7	E54511-202
SLAPB	7	E54511-203
SLAPB		E54511-204
SLAPB		E54511-205
SLAPB	7	E67810-200

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	7	E54511-201
SLAVN	7	E54511-201
SLAPC	7	E54511-202
SLAVN	7	E54511-202
SLAPC	7	E54511-203
SLAVN	7	E54511-203
SLAPC		E54511-204
SLAVN		E54511-204
SLAPC		E54511-205
SLAVN		E54511-205
SLAPC	7	E67810-200
SLAVN	7	E67810-200

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz
[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	7	E54511-201
SLA9U	7	E54511-202
SLA9U	7	E54511-203
SLA9U		E54511-204
SLA9U		E54511-205
SLA9U	7	E67810-200

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	7	E54511-201
SLGUE		E54511-202
SLGUE		E54511-203
SLGUE		E54511-204
SLGUE		E54511-205
SLGUE		E67810-200

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V	7	E54511-201
SLA9V	7	E54511-202
SLA9V	7	E54511-203
SLA9V		E54511-204
SLA9V		E54511-205
SLA9V	7	E67810-200

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUF SLGUF SLGUF SLGUF SLGUF SLGUF	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUG SLGUG SLGUG SLGUG SLGUG SLGUG	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9X SLA9X SLA9X SLA9X SLA9X SLA9X	Min. BIOS 7 7 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGYP SLGYP SLGYP SLGYP SLGYP SLGYP	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUH SLGUH SLGUH SLGUH SLGUH SLGUH	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9	Min. BIOS	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9V	7	E54511-201
SLGTK		E54511-201
SLB9V	7	E54511-202
SLGTK		E54511-202
SLB9V	7	E54511-203
SLGTK		E54511-203
SLB9V		E54511-204
SLGTK		E54511-204
SLB9V		E54511-205
SLGTK		E54511-205
SLB9V	7	E67810-200
SLGTK		E67810-200

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	7	E54511-201
SLGTL		E54511-201
SLB9U	7	E54511-202
SLGTL		E54511-202
SLB9U	7	E54511-203
SLGTL		E54511-203
SLB9U		E54511-204
SLGTL		E54511-204
SLB9U		E54511-205
SLGTL		E54511-205
SLB9U	7	E67810-200
SLGTL		E67810-200

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLAY7	7	E54511-201
SLB9T		E54511-201
SLAY7	7	E54511-202
SLB9T		E54511-202
SLAY7	7	E54511-203
SLB9T		E54511-203
SLAY7		E54511-204
SLB9T		E54511-204
SLAY7		E54511-205
SLB9T		E54511-205
SLAY7	7	E67810-200
SLB9T		E67810-200

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	7	E54511-201
SLALT	7	E54511-202
SLALT	7	E54511-203
SLALT		E54511-204
SLALT		E54511-205
SLALT	7	E67810-200

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94	7	E54511-201
SLA94	7	E54511-202
SLA94	7	E54511-203
SLA94		E54511-204
SLA94		E54511-205
SLA94	7	E67810-200

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	7	E54511-201
SLA95	7	E54511-202
SLA95	7	E54511-203
SLA95		E54511-204
SLA95		E54511-205
SLA95	7	E67810-200

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	7	E54511-201
SLA98	7	E54511-202
SLA98	7	E54511-203
SLA98		E54511-204
SLA98		E54511-205
SLA98	7	E67810-200

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTY	7	E54511-201
SLGTY		E54511-202
SLGTY		E54511-203
SLGTY		E54511-204
SLGTY		E54511-205
SLGTY		E67810-200

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Celeron® E3300 | Frequency: 2.50 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Celeron® E3200 | Frequency: 2.40 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Xeon® E3120 | Frequency: 3.16 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205

Intel® Xeon® E3110 | Frequency: 3.00 GHz

More Information

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C SLAPM SLB9C	Min. BIOS 7 7 7	AA Rev(s) E54511-201 E54511-201 E54511-202 E54511-202 E54511-203 E54511-203 E54511-204 E54511-204 E54511-205 E54511-205

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

More Information

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8W SLA8W SLA8W SLA8W SLA8W SLA8W	Min. BIOS 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X SLA8X SLA8X SLA8X	Min. BIOS 7 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS 7 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8Z	7	E54511-201
SLA8Z	7	E54511-202
SLA8Z	7	E54511-203
SLA8Z		E54511-204
SLA8Z		E54511-205
SLA8Z	7	E67810-200

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA93	7	E54511-201
SLA93	7	E54511-202
SLA93	7	E54511-203
SLA93		E54511-204
SLA93		E54511-205
SLA93	7	E67810-200

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQY	7	E54511-201
SLAQY		E54511-202
SLAQY		E54511-203
SLAQY		E54511-204
SLAQY		E54511-205
SLAQY		E67810-200

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS 7 7 7 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW SLAQW SLAQW SLAQW SLAQW	Min. BIOS 7 7 7 7 7 7	AA Rev(s) E54511-201 E54511-202 E54511-203 E54511-204 E54511-205 E67810-200

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	7	E54511-201
SLAA2	7	E54511-202
SLAA2	7	E54511-203
SLAA2		E54511-204
SLAA2		E54511-205
SLAA2	7	E67810-200

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	7	E54511-201
SLAA3	7	E54511-202
SLAA3	7	E54511-203
SLAA3		E54511-204
SLAA3		E54511-205
SLAA3	7	E67810-200

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	7	E54511-201
SLAA9	7	E54511-202
SLAA9	7	E54511-203
SLAA9		E54511-204
SLAA9		E54511-205
SLAA9	7	E67810-200

