

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DG43RK

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACS SLACS SLACS SLACS SLACS | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACT SLACT SLACT SLACT SLACT | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACU SLACU SLACU SLACU SLACU | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLB8W SLB8W SLB8W SLB8W SLB8W | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

More Information

| | | |
|---|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 65 |
| Spec # SLGAE SLGAE SLGAE SLGAE SLGAE | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

More Information

| | | |
|--|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V SLAWQ SLB8V | Min. BIOS | AA Rev(s) E78175-300 E78175-300 E78175-401 E78175-401 E78175-402 E78175-402 E78175-403 E78175-403 E78175-404 E78175-404 |

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

More Information

| | | |
|---|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 95 |
| Spec # SLGYY SLGYY SLGYY SLGYY SLGYY | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 12 MB | Graphics No | Max TDP 95 |
| Spec # SLAWR SLAWR SLAWR SLAWR SLAWR | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLG9U SLG9U SLG9U SLG9U SLG9U | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 95 |
| Spec # SLB6B SLB6B SLB6B SLB6B SLB6B | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 95 |
| Spec # SLAWE SLAWE SLAWE SLAWE SLAWE | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # SLGT7 SLGT7 SLGT7 SLGT7 SLGT7 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 4 MB | Graphics No | Max TDP 95 |
| Spec # SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 4 MB | Graphics No | Max TDP 95 |
|---------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLB5W | | E78175-300 |
| SLGUR | | E78175-300 |
| SLB5W | | E78175-401 |
| SLGUR | | E78175-401 |
| SLB5W | | E78175-402 |
| SLGUR | | E78175-402 |
| SLB5W | | E78175-403 |
| SLGUR | | E78175-403 |
| SLB5W | | E78175-404 |
| SLGUR | | E78175-404 |

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLG9T | | E78175-300 |
| SLG9T | | E78175-401 |
| SLG9T | | E78175-402 |
| SLG9T | | E78175-403 |
| SLG9T | | E78175-404 |

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 95 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB5M | | E78175-300 |
| SLG9S | | E78175-300 |
| SLB5M | | E78175-401 |
| SLG9S | | E78175-401 |
| SLB5M | | E78175-402 |
| SLG9S | | E78175-402 |
| SLB5M | | E78175-403 |
| SLG9S | | E78175-403 |
| SLB5M | | E78175-404 |
| SLG9S | | E78175-404 |

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACQ SLACQ SLACQ SLACQ SLACQ | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 8 MB | Graphics No | Max TDP 95 |
| Spec # SLACR SLACR SLACR SLACR SLACR | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLB9L SLB9L SLB9L SLB9L SLB9L | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

More Information

| | | |
|--|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K | Min. BIOS | AA Rev(s) E78175-300 E78175-300 E78175-401 E78175-401 E78175-402 E78175-402 E78175-403 E78175-403 E78175-404 E78175-404 |

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

More Information

| | | |
|--|----------------|---|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J SLAPL SLB9J | Min. BIOS | AA Rev(s) E78175-300 E78175-300 E78175-401 E78175-401 E78175-402 E78175-402 E78175-403 E78175-403 E78175-404 E78175-404 |

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

More Information

| | | |
|--------------------------|----------------|---------------------------------------|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLAPN SLAPN | Min. BIOS | AA Rev(s) E78175-300 E78175-401 |

SLAPN
SLAPN
SLAPN

E78175-402
E78175-403
E78175-404

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLAPP
SLAPP
SLAPP
SLAPP
SLAPP

Min. BIOS

AA Rev(s)
E78175-300
E78175-401
E78175-402
E78175-403
E78175-404

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLGTD
SLGTD
SLGTD
SLGTD
SLGTD

Min. BIOS

AA Rev(s)
E78175-300
E78175-401
E78175-402
E78175-403
E78175-404

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z

Min. BIOS

AA Rev(s)
E78175-300
E78175-300
E78175-401
E78175-401
E78175-402

| | |
|-------|------------|
| SLGTE | E78175-402 |
| SLB9Z | E78175-403 |
| SLGTE | E78175-403 |
| SLB9Z | E78175-404 |
| SLGTE | E78175-404 |

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz
[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 3 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9Y | | E78175-300 |
| SLGW3 | | E78175-300 |
| SLB9Y | | E78175-401 |
| SLGW3 | | E78175-401 |
| SLB9Y | | E78175-402 |
| SLGW3 | | E78175-402 |
| SLB9Y | | E78175-403 |
| SLGW3 | | E78175-403 |
| SLB9Y | | E78175-404 |
| SLGW3 | | E78175-404 |

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz
[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 3 MB | Graphics No | Max TDP 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPB | | E78175-300 |
| SLAPB | | E78175-401 |
| SLAPB | | E78175-402 |
| SLAPB | | E78175-403 |
| SLAPB | | E78175-404 |

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz
[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 3 MB | Graphics No | Max TDP 65 |
|---------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLAPC | | E78175-300 |
| SLAVN | | E78175-300 |
| SLAPC | | E78175-401 |
| SLAVN | | E78175-401 |
| SLAPC | | E78175-402 |
| SLAVN | | E78175-402 |
| SLAPC | | E78175-403 |
| SLAVN | | E78175-403 |
| SLAPC | | E78175-404 |
| SLAVN | | E78175-404 |

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA9U | | E78175-300 |
| SLA9U | | E78175-401 |
| SLA9U | | E78175-402 |
| SLA9U | | E78175-403 |
| SLA9U | | E78175-404 |

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGUE | | E78175-300 |
| SLGUE | | E78175-401 |
| SLGUE | | E78175-402 |
| SLGUE | | E78175-403 |
| SLGUE | | E78175-404 |

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # SLA9V SLA9V SLA9V SLA9V SLA9V | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGUF SLGUF SLGUF SLGUF SLGUF | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGUG SLGUG SLGUG SLGUG SLGUG | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 4 MB | Graphics No | Max TDP 65 |
|---------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLA9X | | E78175-300 |
| SLA9X | | E78175-401 |
| SLA9X | | E78175-402 |
| SLA9X | | E78175-403 |
| SLA9X | | E78175-404 |

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGYP | | E78175-300 |
| SLGYP | | E78175-401 |
| SLGYP | | E78175-402 |
| SLGYP | | E78175-403 |
| SLGYP | | E78175-404 |

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGUH | | E78175-300 |
| SLGUH | | E78175-401 |
| SLGUH | | E78175-402 |
| SLGUH | | E78175-403 |
| SLGUH | | E78175-404 |

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU9 | | E78175-300 |

| | |
|-------|------------|
| SLGU9 | E78175-401 |
| SLGU9 | E78175-402 |
| SLGU9 | E78175-403 |
| SLGU9 | E78175-404 |

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGTG SLGTG SLGTG SLGTG SLGTG | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGTH SLGTH SLGTH SLGTH SLGTH | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

| | | |
|--|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLGTJ SLGTJ SLGTJ SLGTJ | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 |

SLGTJ

E78175-404

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

| | | |
|--|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK | Min. BIOS | AA Rev(s) E78175-300 E78175-300 E78175-401 E78175-401 E78175-402 E78175-402 E78175-403 E78175-403 E78175-404 E78175-404 |

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

| | | |
|--|----------------|---|
| Cache 2 MB | Graphics No | Max TDP 65 |
| Spec # SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL SLB9U SLGTL | Min. BIOS | AA Rev(s) E78175-300 E78175-300 E78175-401 E78175-401 E78175-402 E78175-402 E78175-403 E78175-403 E78175-404 E78175-404 |

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|-------|----------|---------|
| Cache | Graphics | Max TDP |
|-------|----------|---------|

| | | |
|--------|-----------|------------|
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAY7 | | E78175-300 |
| SLB9T | | E78175-300 |
| SLAY7 | | E78175-401 |
| SLB9T | | E78175-401 |
| SLAY7 | | E78175-402 |
| SLB9T | | E78175-402 |
| SLAY7 | | E78175-403 |
| SLB9T | | E78175-403 |
| SLAY7 | | E78175-404 |
| SLB9T | | E78175-404 |

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz
[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLALT | | E78175-300 |
| SLALT | | E78175-401 |
| SLALT | | E78175-402 |
| SLALT | | E78175-403 |
| SLALT | | E78175-404 |

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz
[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 2 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA94 | | E78175-300 |
| SLA94 | | E78175-401 |
| SLA94 | | E78175-402 |
| SLA94 | | E78175-403 |
| SLA94 | | E78175-404 |

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz
[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA95
SLA95
SLA95
SLA95
SLA95

Min. BIOS

AA Rev(s)
E78175-300
E78175-401
E78175-402
E78175-403
E78175-404

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA98
SLA98
SLA98
SLA98
SLA98

Min. BIOS

AA Rev(s)
E78175-300
E78175-401
E78175-402
E78175-403
E78175-404

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLGTY
SLGTY
SLGTY
SLGTY
SLGTY

Min. BIOS

AA Rev(s)
E78175-300
E78175-401
E78175-402
E78175-403
E78175-404

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLGTZ | | E78175-300 |
| SLGTZ | | E78175-401 |
| SLGTZ | | E78175-402 |
| SLGTZ | | E78175-403 |
| SLGTZ | | E78175-404 |

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU4 | | E78175-300 |
| SLGU4 | | E78175-401 |
| SLGU4 | | E78175-402 |
| SLGU4 | | E78175-403 |
| SLGU4 | | E78175-404 |

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLGU5 | | E78175-300 |
| SLGU5 | | E78175-401 |
| SLGU5 | | E78175-402 |
| SLGU5 | | E78175-403 |
| SLGU5 | | E78175-404 |

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 6 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9D | | E78175-300 |

| | |
|-------|------------|
| SLB9D | E78175-401 |
| SLB9D | E78175-402 |
| SLB9D | E78175-403 |
| SLB9D | E78175-404 |

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|-----------------|----------------|-------------------------|
| Cache 6 MB | Graphics No | Max TDP 65 |
| Spec # SLAPM | Min. BIOS | AA Rev(s) E78175-300 |
| SLB9C | | E78175-300 |
| SLAPM | | E78175-401 |
| SLB9C | | E78175-401 |
| SLAPM | | E78175-402 |
| SLB9C | | E78175-402 |
| SLAPM | | E78175-403 |
| SLB9C | | E78175-403 |
| SLAPM | | E78175-404 |
| SLB9C | | E78175-404 |

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|-----------------|----------------|-------------------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLA8W | Min. BIOS | AA Rev(s) E78175-300 |
| SLA8W | | E78175-401 |
| SLA8W | | E78175-402 |
| SLA8W | | E78175-403 |
| SLA8W | | E78175-404 |

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|---------------|----------------|---------------|
| Cache 1 MB | Graphics No | Max TDP 65 |
|---------------|----------------|---------------|

| | | |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s) |
| SLB9R | | E78175-300 |
| SLB9R | | E78175-401 |
| SLB9R | | E78175-402 |
| SLB9R | | E78175-403 |
| SLB9R | | E78175-404 |

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA8X | | E78175-300 |
| SLA8X | | E78175-401 |
| SLA8X | | E78175-402 |
| SLA8X | | E78175-403 |
| SLA8X | | E78175-404 |

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA8Y | | E78175-300 |
| SLA8Y | | E78175-401 |
| SLA8Y | | E78175-402 |
| SLA8Y | | E78175-403 |
| SLA8Y | | E78175-404 |

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 1 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLA8Z | | E78175-300 |

| | |
|-------|------------|
| SLA8Z | E78175-401 |
| SLA8Z | E78175-402 |
| SLA8Z | E78175-403 |
| SLA8Z | E78175-404 |

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 1 MB | Graphics No | Max TDP 65 |
| Spec # SLA93 SLA93 SLA93 SLA93 SLA93 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 512 KB | Graphics No | Max TDP 65 |
| Spec # SLAQY SLAQY SLAQY SLAQY SLAQY | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

| | | |
|--|----------------|---|
| Cache 512 KB | Graphics No | Max TDP 65 |
| Spec # SLAQZ SLAQZ SLAQZ SLAQZ | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 |

SLAQZ

E78175-404

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 512 KB | Graphics No | Max TDP 65 |
| Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 512 KB | Graphics No | Max TDP 65 |
| Spec # SLAQW SLAQW SLAQW SLAQW SLAQW | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

| | | |
|---|----------------|---|
| Cache 4 MB | Graphics No | Max TDP 65 |
| Spec # SLAA2 SLAA2 SLAA2 SLAA2 SLAA2 | Min. BIOS | AA Rev(s) E78175-300 E78175-401 E78175-402 E78175-403 E78175-404 |

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAA3 | | E78175-300 |
| SLAA3 | | E78175-401 |
| SLAA3 | | E78175-402 |
| SLAA3 | | E78175-403 |
| SLAA3 | | E78175-404 |

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

| | | |
|--------|-----------|------------|
| Cache | Graphics | Max TDP |
| 4 MB | No | 65 |
| Spec # | Min. BIOS | AA Rev(s) |
| SLAA9 | | E78175-300 |
| SLAA9 | | E78175-401 |
| SLAA9 | | E78175-402 |
| SLAA9 | | E78175-403 |
| SLAA9 | | E78175-404 |