

Intel® Desktop Compatibility Tool

Found 33 Compatible Processor(s) for Board DH61SKCH

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 65
Spec # SR00E	Min. BIOS 9	AA Rev(s) G35198-100

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 65
Spec # SR009	Min. BIOS 9	AA Rev(s) G35198-100

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics HD 3000	Max TDP 65
Spec # SR0BB	Min. BIOS 9	AA Rev(s) G35198-100

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 65
Spec # SR00S	Min. BIOS 9	AA Rev(s) G35198-100

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05W

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0AY

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR060

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05Y

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0BA

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR05Z

Min. BIOS
9

AA Rev(s)
G35198-100

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05C

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR057

Min. BIOS

AA Rev(s)
G35198-100

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0MF

Min. BIOS

AA Rev(s)
G35198-100

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR058

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05Q

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05P

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RS

Min. BIOS

AA Rev(s)
G35198-100

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066	Min. BIOS	AA Rev(s) G35198-100

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059	Min. BIOS	AA Rev(s) G35198-100

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05U	Min. BIOS 9	AA Rev(s) G35198-100

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05S	Min. BIOS 9	AA Rev(s) G35198-100

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR05T

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05R

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RZ

Min. BIOS

AA Rev(s)
G35198-100

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR061

Min. BIOS

AA Rev(s)
G35198-100

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05J

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR05K

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05H

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S8

Min. BIOS

AA Rev(s)
G35198-100

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0GR

Min. BIOS
9

AA Rev(s)
G35198-100

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0BY	Min. BIOS 9	AA Rev(s) G35198-100

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec # SR00M	Min. BIOS 9	AA Rev(s) G35198-100

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 20
Spec # SR070	Min. BIOS 9	AA Rev(s) G35198-100

Add-in graphics card required