

Intel® Desktop Compatibility Tool

Found 46 Compatible Processor(s) for Board DH67VR

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	67	G27177-200
SR0DG	67	G27177-201

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	105	G27177-200
SR00E	105	G27177-201

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	105	G27177-200
SR00C	105	G27177-201

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00B	105	G27177-200
SR00B	105	G27177-201

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	67	G27177-200
SR0QH	67	G27177-201

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	67	G27177-200
SR009	67	G27177-201

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	105	G27177-200
SR008	105	G27177-201

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	105	G27177-200
SR00T	105	G27177-201

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	67	G27177-200
SR0G1	67	G27177-201

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	67	G27177-200
SR0BB	67	G27177-201

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	105	G27177-200
SR00S	105	G27177-201

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	105	G27177-200
SR00Q	105	G27177-201

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	67	G27177-200
SR0G2	67	G27177-201

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	105	G27177-200
SR02L	105	G27177-201

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	105	G27177-200
SR02K	105	G27177-201

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	105	G27177-200
SR00D	105	G27177-201

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	105	G27177-200
SR05W	105	G27177-201

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	105	G27177-200
SR0AY	105	G27177-201

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	105	G27177-200
SR060	105	G27177-201

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz
[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05Y
SR05Y

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0BA
SR0BA

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR05Z
SR05Z

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05C
SR05C

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR057
SR057

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0MF
SR0MF

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR058
SR058

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05Q
SR05Q

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05P
SR05P

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RS
SR0RS

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR066
SR066

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR059
SR059

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	105	G27177-200
SR05U	105	G27177-201

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	67	G27177-200
SR05S	67	G27177-201

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	105	G27177-200
SR05T	105	G27177-201

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	105	G27177-200
SR05R	105	G27177-201

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RZ
SR0RZ

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR061
SR061

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05J
SR05J

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR05K
SR05K

Min. BIOS
67
67

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05H
SR05H

Min. BIOS
105
105

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S7
SR0S7

Min. BIOS
67
67

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S8
SR0S8

Min. BIOS

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0GR
SR0GR

Min. BIOS
67
67

AA Rev(s)
G27177-200
G27177-201

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	105	G27177-200
SR0BY	105	G27177-201

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	105	G27177-200
SR00M	105	G27177-201

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	105	G27177-200
SR070	105	G27177-201

Add-in graphics card required