

Intel® Desktop Compatibility Tool

Found 68 Compatible Processor(s) for Board DP43TF

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACS SLACS SLACS	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402

SLACS

E34878-403

SLACS

E34878-404

Add-in graphics card required

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLACT

E34878-400

SLACT

E34878-401

SLACT

E34878-402

SLACT

E34878-403

SLACT

E34878-404

Add-in graphics card required

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache

8 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLACU

E34878-400

SLACU

E34878-401

SLACU

E34878-402

SLACU

E34878-403

SLACU

E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache

12 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLB8W

E34878-400

SLB8W

E34878-401

SLB8W

E34878-402

SLB8W

E34878-403

SLB8W

E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache

12 MB

Graphics

No

Max TDP

65

Spec #

Min. BIOS

AA Rev(s)

SLGAE

E34878-400

SLGAE

E34878-401

SLGAE

E34878-402

SLGAE

E34878-403

SLGAE

E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache

12 MB

Graphics

No

Max TDP

95

Spec #

Min. BIOS

AA Rev(s)

SLAWQ

E34878-400

SLB8V

E34878-400

SLAWQ

E34878-401

SLB8V

E34878-401

SLAWQ

E34878-402

SLB8V

E34878-402

SLAWQ

E34878-403

SLB8V

E34878-403

SLAWQ

E34878-404

SLB8V

E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache

6 MB

Graphics

No

Max TDP

95

Spec #	Min. BIOS	AA Rev(s)
SLGYY		E34878-400
SLGYY		E34878-401
SLGYY		E34878-402
SLGYY		E34878-403
SLGYY		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR		E34878-400
SLAWR		E34878-401
SLAWR		E34878-402
SLAWR		E34878-403
SLAWR		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U		E34878-400
SLG9U		E34878-401
SLG9U		E34878-402
SLG9U		E34878-403
SLG9U		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB6B		E34878-400
SLB6B		E34878-401
SLB6B		E34878-402
SLB6B		E34878-403
SLB6B		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE		E34878-400
SLAWE		E34878-401
SLAWE		E34878-402
SLAWE		E34878-403
SLAWE		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGT7		E34878-400
SLGT7		E34878-401
SLGT7		E34878-402
SLGT7		E34878-403
SLGT7		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLGT6		E34878-400
SLGT6		E34878-401
SLGT6		E34878-402
SLGT6		E34878-403
SLGT6		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SLB5W		E34878-400
SLGUR		E34878-400
SLB5W		E34878-401
SLGUR		E34878-401
SLB5W		E34878-402
SLGUR		E34878-402
SLB5W		E34878-403
SLGUR		E34878-403
SLB5W		E34878-404
SLGUR		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLG9T		E34878-400
SLG9T		E34878-401
SLG9T		E34878-402
SLG9T		E34878-403
SLG9T		E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S	Min. BIOS	AA Rev(s) E34878-400 E34878-400 E34878-401 E34878-401 E34878-402 E34878-402 E34878-403 E34878-403 E34878-404 E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACQ SLACQ SLACQ SLACQ SLACQ	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 95
Spec # SLACR SLACR SLACR SLACR	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403

SLACR

E34878-404

Add-in graphics card required

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9L SLB9L SLB9L SLB9L SLB9L	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K SLAPK SLB9K	Min. BIOS	AA Rev(s) E34878-400 E34878-400 E34878-401 E34878-401 E34878-402 E34878-402 E34878-403 E34878-403 E34878-404 E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAPL		E34878-400
SLB9J		E34878-400
SLAPL		E34878-401
SLB9J		E34878-401
SLAPL		E34878-402
SLB9J		E34878-402
SLAPL		E34878-403
SLB9J		E34878-403
SLAPL		E34878-404
SLB9J		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN		E34878-400
SLAPN		E34878-401
SLAPN		E34878-402
SLAPN		E34878-403
SLAPN		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP		E34878-400
SLAPP		E34878-401
SLAPP		E34878-402
SLAPP		E34878-403
SLAPP		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLGTD SLGTD SLGTD SLGTD SLGTD	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE SLB9Z SLGTE	Min. BIOS	AA Rev(s) E34878-400 E34878-400 E34878-401 E34878-401 E34878-402 E34878-402 E34878-403 E34878-403 E34878-404 E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics No	Max TDP 65
Spec # SLB9Y SLGW3 SLB9Y SLGW3	Min. BIOS	AA Rev(s) E34878-400 E34878-400 E34878-401 E34878-401

SLB9Y	E34878-402
SLGW3	E34878-402
SLB9Y	E34878-403
SLGW3	E34878-403
SLB9Y	E34878-404
SLGW3	E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB		E34878-400
SLAPB		E34878-401
SLAPB		E34878-402
SLAPB		E34878-403
SLAPB		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E34878-400
SLAVN		E34878-400
SLAPC		E34878-401
SLAVN		E34878-401
SLAPC		E34878-402
SLAVN		E34878-402
SLAPC		E34878-403
SLAVN		E34878-403
SLAPC		E34878-404
SLAVN		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U		E34878-400
SLA9U		E34878-401
SLA9U		E34878-402
SLA9U		E34878-403
SLA9U		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUE		E34878-400
SLGUE		E34878-401
SLGUE		E34878-402
SLGUE		E34878-403
SLGUE		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9V		E34878-400
SLA9V		E34878-401
SLA9V		E34878-402
SLA9V		E34878-403
SLA9V		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF		E34878-400
SLGUF		E34878-401
SLGUF		E34878-402
SLGUF		E34878-403
SLGUF		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG		E34878-400
SLGUG		E34878-401
SLGUG		E34878-402
SLGUG		E34878-403
SLGUG		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

More Information

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X		E34878-400
SLA9X		E34878-401
SLA9X		E34878-402
SLA9X		E34878-403
SLA9X		E34878-404

Add-in graphics card required

Intel® Pentium® E6500K | Frequency: 2.93 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP		E34878-400
SLGYP		E34878-401
SLGYP		E34878-402
SLGYP		E34878-403
SLGYP		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH		E34878-400
SLGUH		E34878-401
SLGUH		E34878-402
SLGUH		E34878-403
SLGUH		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9		E34878-400
SLGU9		E34878-401
SLGU9		E34878-402
SLGU9		E34878-403
SLGU9		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTG		E34878-400
SLGTG		E34878-401
SLGTG		E34878-402
SLGTG		E34878-403
SLGTG		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTH		E34878-400
SLGTH		E34878-401
SLGTH		E34878-402
SLGTH		E34878-403
SLGTH		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTJ		E34878-400
SLGTJ		E34878-401
SLGTJ		E34878-402
SLGTJ		E34878-403
SLGTJ		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9V		E34878-400
SLGTK		E34878-400
SLB9V		E34878-401
SLGTK		E34878-401
SLB9V		E34878-402
SLGTK		E34878-402
SLB9V		E34878-403
SLGTK		E34878-403
SLB9V		E34878-404
SLGTK		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E34878-400
SLGTL		E34878-400
SLB9U		E34878-401
SLGTL		E34878-401
SLB9U		E34878-402
SLGTL		E34878-402
SLB9U		E34878-403
SLGTL		E34878-403
SLB9U		E34878-404
SLGTL		E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

More Information

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)

SLAY7	E34878-400
SLB9T	E34878-400
SLAY7	E34878-401
SLB9T	E34878-401
SLAY7	E34878-402
SLB9T	E34878-402
SLAY7	E34878-403
SLB9T	E34878-403
SLAY7	E34878-404
SLB9T	E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT		E34878-400
SLALT		E34878-401
SLALT		E34878-402
SLALT		E34878-403
SLALT		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA94		E34878-400
SLA94		E34878-401
SLA94		E34878-402
SLA94		E34878-403
SLA94		E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA95
SLA95
SLA95
SLA95
SLA95

Min. BIOS

AA Rev(s)
E34878-400
E34878-401
E34878-402
E34878-403
E34878-404

Add-in graphics card required

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache
2 MB

Graphics
No

Max TDP
65

Spec #
SLA98
SLA98
SLA98
SLA98
SLA98

Min. BIOS

AA Rev(s)
E34878-400
E34878-401
E34878-402
E34878-403
E34878-404

Add-in graphics card required

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLGTY
SLGTY
SLGTY
SLGTY
SLGTY

Min. BIOS

AA Rev(s)
E34878-400
E34878-401
E34878-402
E34878-403
E34878-404

Add-in graphics card required

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLB9D
SLB9D
SLB9D
SLB9D
SLB9D

Min. BIOS

AA Rev(s)
E34878-400
E34878-401
E34878-402
E34878-403
E34878-404

Add-in graphics card required

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C

Min. BIOS

AA Rev(s)
E34878-400
E34878-400
E34878-401
E34878-401
E34878-402
E34878-402
E34878-403
E34878-403
E34878-404
E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLA8W
SLA8W
SLA8W
SLA8W
SLA8W

Min. BIOS

AA Rev(s)
E34878-400
E34878-401
E34878-402
E34878-403
E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X SLA8X SLA8X	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY SLAQY SLAQY SLAQY SLAQY	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW SLAQW SLAQW SLAQW	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA2 SLAA2 SLAA2 SLAA2 SLAA2	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA3 SLAA3 SLAA3 SLAA3 SLAA3	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLAA9 SLAA9 SLAA9 SLAA9 SLAA9	Min. BIOS	AA Rev(s) E34878-400 E34878-401 E34878-402 E34878-403 E34878-404

Add-in graphics card required

