

# Intel® Desktop Compatibility Tool

Found 24 Compatible Processor(s) for Board DP55SB

## Intel® Xeon® X3480 | Frequency: 3.07 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBPT  | 4905      | E47220-304 |
| SLBPT  | 4905      | E47220-305 |
| SLBPT  | 4905      | E47220-306 |
| SLBPT  | 4905      | E47220-307 |

Add-in graphics card required

## Intel® Xeon® X3470 | Frequency: 2.93 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBJH  | 3878      | E47220-304 |
| SLBJH  | 3878      | E47220-305 |
| SLBJH  | 3878      | E47220-306 |
| SLBJH  | 3878      | E47220-307 |

Add-in graphics card required

## Intel® Xeon® X3460 | Frequency: 2.80 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBJK  | 3878      | E47220-304 |
| SLBJK  | 3878      | E47220-305 |
| SLBJK  | 3878      | E47220-306 |
| SLBJK  | 3878      | E47220-307 |

Add-in graphics card required

## Intel® Xeon® X3440 | Frequency: 2.53 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBLF  | 3878      | E47220-304 |
| SLBLF  | 3878      | E47220-305 |
| SLBLF  | 3878      | E47220-306 |
| SLBLF  | 3878      | E47220-307 |

Add-in graphics card required

## Intel® Xeon® X3430 | Frequency: 2.40 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBLJ  | 3878      | E47220-304 |
| SLBLJ  | 3878      | E47220-305 |
| SLBLJ  | 3878      | E47220-306 |
| SLBLJ  | 3878      | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i7-875K | Frequency: 2.93 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBS2  | 4905      | E47220-304 |
| SLBS2  | 4905      | E47220-305 |
| SLBS2  | 4905      | E47220-306 |
| SLBS2  | 4905      | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i7-870S | Frequency: 2.67 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>82           |
| Spec #<br>SLBQ7 | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBQ7           |                   | E47220-305              |
| SLBQ7           |                   | E47220-306              |
| SLBQ7           |                   | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i7-870 | Frequency: 2.93 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>95           |
| Spec #<br>SLBJG | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBJG           | 3878              | E47220-305              |
| SLBJG           | 3878              | E47220-306              |
| SLBJG           | 3878              | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i7-860S | Frequency: 2.53 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>82           |
| Spec #<br>SLBLG | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBLG           | 3878              | E47220-305              |
| SLBLG           | 3878              | E47220-306              |
| SLBLG           | 3878              | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i7-860 | Frequency: 2.80 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>95           |
| Spec #<br>SLBJJ | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBJJ           | 3878              | E47220-305              |
| SLBJJ           | 3878              | E47220-306              |
| SLBJJ           | 3878              | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-760 | Frequency: 2.80 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>95           |
| Spec #<br>SLBRP | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBRP           |                   | E47220-305              |
| SLBRP           |                   | E47220-306              |
| SLBRP           |                   | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-750S | Frequency: 2.40 GHz

[More Information](#)

|                 |                   |                         |
|-----------------|-------------------|-------------------------|
| Cache<br>8 MB   | Graphics<br>No    | Max TDP<br>82           |
| Spec #<br>SLBLH | Min. BIOS<br>3878 | AA Rev(s)<br>E47220-304 |
| SLBLH           | 3878              | E47220-305              |
| SLBLH           | 3878              | E47220-306              |
| SLBLH           | 3878              | E47220-307              |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-750 | Frequency: 2.66 GHz

[More Information](#)

|        |           |            |
|--------|-----------|------------|
| Cache  | Graphics  | Max TDP    |
| 8 MB   | No        | 95         |
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBLC  | 3878      | E47220-304 |
| SLBLC  | 3878      | E47220-305 |
| SLBLC  | 3878      | E47220-306 |
| SLBLC  | 3878      | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-680 | Frequency: 3.60 GHz

[More Information](#)

|        |             |            |
|--------|-------------|------------|
| Cache  | Graphics    | Max TDP    |
| 4 MB   | HD Graphics | 73         |
| Spec # | Min. BIOS   | AA Rev(s)  |
| SLBTM  | 5531        | E47220-304 |
| SLBTM  | 5531        | E47220-305 |
| SLBTM  | 5531        | E47220-306 |
| SLBTM  | 5531        | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-670 | Frequency: 3.46 GHz

[More Information](#)

|        |             |            |
|--------|-------------|------------|
| Cache  | Graphics    | Max TDP    |
| 4 MB   | HD Graphics | 73         |
| Spec # | Min. BIOS   | AA Rev(s)  |
| SLBLT  | 4905        | E47220-304 |
| SLBLT  | 4905        | E47220-305 |
| SLBLT  | 4905        | E47220-306 |
| SLBLT  | 4905        | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-661 | Frequency: 3.33 GHz

[More Information](#)

|               |                         |               |
|---------------|-------------------------|---------------|
| Cache<br>4 MB | Graphics<br>HD Graphics | Max TDP<br>87 |
| Spec #        | Min. BIOS               | AA Rev(s)     |
| SLBNE         | 4905                    | E47220-304    |
| SLBTB         | 4905                    | E47220-304    |
| SLBNE         | 4905                    | E47220-305    |
| SLBTB         |                         | E47220-305    |
| SLBNE         | 4905                    | E47220-306    |
| SLBTB         |                         | E47220-306    |
| SLBNE         | 4905                    | E47220-307    |
| SLBTB         |                         | E47220-307    |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-660 | Frequency: 3.33 GHz

[More Information](#)

|               |                         |               |
|---------------|-------------------------|---------------|
| Cache<br>4 MB | Graphics<br>HD Graphics | Max TDP<br>73 |
| Spec #        | Min. BIOS               | AA Rev(s)     |
| SLBLV         | 4905                    | E47220-304    |
| SLBTK         | 4905                    | E47220-304    |
| SLBLV         | 4905                    | E47220-305    |
| SLBTK         |                         | E47220-305    |
| SLBLV         | 4905                    | E47220-306    |
| SLBTK         |                         | E47220-306    |
| SLBLV         | 4905                    | E47220-307    |
| SLBTK         |                         | E47220-307    |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-655K | Frequency: 3.20 GHz

[More Information](#)

|               |                         |               |
|---------------|-------------------------|---------------|
| Cache<br>4 MB | Graphics<br>HD Graphics | Max TDP<br>73 |
|---------------|-------------------------|---------------|

|        |           |            |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBXL  | 4905      | E47220-304 |
| SLBXL  |           | E47220-305 |
| SLBXL  |           | E47220-306 |
| SLBXL  |           | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i5-650 | Frequency: 3.20 GHz

[More Information](#)

|       |             |         |
|-------|-------------|---------|
| Cache | Graphics    | Max TDP |
| 4 MB  | HD Graphics | 73      |

|        |           |            |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBLK  | 4905      | E47220-304 |
| SLBTJ  | 4905      | E47220-304 |
| SLBLK  | 4905      | E47220-305 |
| SLBTJ  |           | E47220-305 |
| SLBLK  | 4905      | E47220-306 |
| SLBTJ  |           | E47220-306 |
| SLBLK  | 4905      | E47220-307 |
| SLBTJ  |           | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i3-560 | Frequency: 3.33 GHz

[More Information](#)

|       |             |         |
|-------|-------------|---------|
| Cache | Graphics    | Max TDP |
| 4 MB  | HD Graphics | 73      |

|        |           |            |
|--------|-----------|------------|
| Spec # | Min. BIOS | AA Rev(s)  |
| SLBY2  | 4905      | E47220-304 |
| SLBY2  |           | E47220-305 |
| SLBY2  |           | E47220-306 |
| SLBY2  |           | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i3-550 | Frequency: 3.20 GHz

## More Information

|        |             |            |
|--------|-------------|------------|
| Cache  | Graphics    | Max TDP    |
| 4 MB   | HD Graphics | 73         |
| Spec # | Min. BIOS   | AA Rev(s)  |
| SLBUD  | 5531        | E47220-304 |
| SLBUD  | 5531        | E47220-305 |
| SLBUD  | 5531        | E47220-306 |
| SLBUD  | 5531        | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i3-540 | Frequency: 3.06 GHz

### More Information

|        |             |            |
|--------|-------------|------------|
| Cache  | Graphics    | Max TDP    |
| 4 MB   | HD Graphics | 73         |
| Spec # | Min. BIOS   | AA Rev(s)  |
| SLBMQ  | 4905        | E47220-304 |
| SLBTD  | 4905        | E47220-304 |
| SLBMQ  | 4905        | E47220-305 |
| SLBTD  |             | E47220-305 |
| SLBMQ  | 4905        | E47220-306 |
| SLBTD  |             | E47220-306 |
| SLBMQ  | 4905        | E47220-307 |
| SLBTD  |             | E47220-307 |

Add-in graphics card required

## Previous Generation Intel® Core™ i3-530 | Frequency: 2.93 GHz

### More Information

|        |             |            |
|--------|-------------|------------|
| Cache  | Graphics    | Max TDP    |
| 4 MB   | HD Graphics | 73         |
| Spec # | Min. BIOS   | AA Rev(s)  |
| SLBLR  | 4905        | E47220-304 |
| SLBX7  | 4905        | E47220-304 |
| SLBLR  | 4905        | E47220-305 |
| SLBX7  |             | E47220-305 |
| SLBLR  | 4905        | E47220-306 |
| SLBX7  |             | E47220-306 |



SLBLR  
SLBX7

4905

E47220-307  
E47220-307

Add-in graphics card required

## Intel® Pentium® G6950 | Frequency: 2.80 GHz

[More Information](#)

Cache  
3 MB

Graphics  
Yes

Max TDP  
73

Spec #  
SLBMS  
SLBMS  
SLBMS  
SLBMS

Min. BIOS  
4905  
4905  
4905  
4905

AA Rev(s)  
E47220-304  
E47220-305  
E47220-306  
E47220-307

Add-in graphics card required