

# Intel® Desktop Compatibility Tool

Found 24 Compatible Processor(s) for Board DP55WB

## Intel® Xeon® X3480 | Frequency: 3.07 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBPT	165	E64798-204
SLBPT	165	E64798-205
SLBPT	165	E64798-206
SLBPT	165	E64798-207
SLBPT	319	E64798-208

Add-in graphics card required

## Intel® Xeon® X3470 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJH	165	E64798-204
SLBJH	165	E64798-205
SLBJH	165	E64798-206
SLBJH	165	E64798-207
SLBJH	319	E64798-208

Add-in graphics card required

## Intel® Xeon® X3460 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJK	165	E64798-204
SLBJK	165	E64798-205
SLBJK	165	E64798-206

SLBJK	165	E64798-207
SLBJK	319	E64798-208

Add-in graphics card required

## Intel® Xeon® X3440 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBLF	165	E64798-204
SLBLF	165	E64798-205
SLBLF	165	E64798-206
SLBLF	165	E64798-207
SLBLF	319	E64798-208

Add-in graphics card required

## Intel® Xeon® X3430 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBLJ	165	E64798-204
SLBLJ	165	E64798-205
SLBLJ	165	E64798-206
SLBLJ	165	E64798-207
SLBLJ	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i7-875K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBS2	122	E64798-204
SLBS2	122	E64798-205

SLBS2	122	E64798-206
SLBS2	122	E64798-207
SLBS2	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i7-870S | Frequency: 2.67 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82
Spec #	Min. BIOS	AA Rev(s)
SLBQ7	122	E64798-204
SLBQ7		E64798-205
SLBQ7		E64798-206
SLBQ7		E64798-207
SLBQ7	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i7-870 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJG	122	E64798-204
SLBJG		E64798-205
SLBJG		E64798-206
SLBJG		E64798-207
SLBJG	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i7-860S | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82

Spec #	Min. BIOS	AA Rev(s)
SLBLG	122	E64798-204
SLBLG		E64798-205
SLBLG		E64798-206
SLBLG		E64798-207
SLBLG	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i7-860 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBJJ	122	E64798-204
SLBJJ		E64798-205
SLBJJ		E64798-206
SLBJJ		E64798-207
SLBJJ	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-760 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBRP	122	E64798-204
SLBRP		E64798-205
SLBRP		E64798-206
SLBRP		E64798-207
SLBRP	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-750S | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	82
Spec #	Min. BIOS	AA Rev(s)
SLBLH	122	E64798-204
SLBLH		E64798-205
SLBLH		E64798-206
SLBLH		E64798-207
SLBLH	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLBLC	122	E64798-204
SLBLC		E64798-205
SLBLC		E64798-206
SLBLC		E64798-207
SLBLC	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-680 | Frequency: 3.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBTM	293	E64798-204
SLBTM	293	E64798-205
SLBTM	293	E64798-206
SLBTM	293	E64798-207
SLBTM	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-670 | Frequency: 3.46 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLT	165	E64798-204
SLBLT	165	E64798-205
SLBLT	165	E64798-206
SLBLT	165	E64798-207
SLBLT	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-661 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	87
Spec #	Min. BIOS	AA Rev(s)
SLBNE	165	E64798-204
SLBTB	293	E64798-204
SLBNE	165	E64798-205
SLBTB	293	E64798-205
SLBNE	165	E64798-206
SLBTB	293	E64798-206
SLBNE	165	E64798-207
SLBTB		E64798-207
SLBNE	319	E64798-208
SLBTB		E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-660 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLV	165	E64798-204

SLBTK	293	E64798-204
SLBLV	165	E64798-205
SLBTK		E64798-205
SLBLV	165	E64798-206
SLBTK	293	E64798-206
SLBLV	165	E64798-207
SLBTK		E64798-207
SLBLV	319	E64798-208
SLBTK		E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-655K | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBXL	293	E64798-204
SLBXL	293	E64798-205
SLBXL	293	E64798-206
SLBXL	293	E64798-207
SLBXL	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i5-650 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLK	165	E64798-204
SLBTJ	293	E64798-204
SLBLK	165	E64798-205
SLBTJ	293	E64798-205
SLBLK	165	E64798-206
SLBTJ	293	E64798-206
SLBLK	165	E64798-207
SLBTJ	293	E64798-207
SLBLK	319	E64798-208
SLBTJ	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i3-560 | Frequency: 3.33 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBY2	Min. BIOS 293	AA Rev(s) E64798-204
SLBY2	293	E64798-205
SLBY2	293	E64798-206
SLBY2	293	E64798-207
SLBY2	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i3-550 | Frequency: 3.20 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBUD	Min. BIOS 293	AA Rev(s) E64798-204
SLBUD	293	E64798-205
SLBUD	293	E64798-206
SLBUD	293	E64798-207
SLBUD	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i3-540 | Frequency: 3.06 GHz

[More Information](#)

Cache 4 MB	Graphics HD Graphics	Max TDP 73
Spec # SLBMQ	Min. BIOS 165	AA Rev(s) E64798-204
SLBTD	293	E64798-204
SLBMQ	165	E64798-205



SLBTD	293	E64798-205
SLBMQ	165	E64798-206
SLBTD	293	E64798-206
SLBMQ	165	E64798-207
SLBTD	293	E64798-207
SLBMQ	319	E64798-208
SLBTD	319	E64798-208

Add-in graphics card required

## Previous Generation Intel® Core™ i3-530 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	HD Graphics	73
Spec #	Min. BIOS	AA Rev(s)
SLBLR	165	E64798-204
SLBX7	293	E64798-204
SLBLR	165	E64798-205
SLBX7	293	E64798-205
SLBLR	165	E64798-206
SLBX7	293	E64798-206
SLBLR	165	E64798-207
SLBX7	293	E64798-207
SLBLR	319	E64798-208
SLBX7	319	E64798-208

Add-in graphics card required

## Intel® Pentium® G6950 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	Yes	73
Spec #	Min. BIOS	AA Rev(s)
SLBMS	165	E64798-204
SLBMS	165	E64798-205
SLBMS	165	E64798-206
SLBMS	165	E64798-207
SLBMS	319	E64798-208

Add-in graphics card required

