

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DP67BG

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	2161	G10491-300
SR0PN	2161	G10491-301
SR0PN	2161	G10491-302
SR0PN	2161	G10491-303
SR0PN	2161	G10491-304
SR0PN	2161	G10491-305
SR0PN	2161	G10491-306
SR0PN	2161	G10491-307
SR0PN	2161	G10491-400
SR0PN	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	2161	G10491-300
SR0PL	2161	G10491-301
SR0PL	2161	G10491-302
SR0PL	2161	G10491-303
SR0PL	2161	G10491-304
SR0PL	2161	G10491-305
SR0PL	2161	G10491-306
SR0PL	2161	G10491-307
SR0PL	2161	G10491-400
SR0PL	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	2161	G10491-300
SR0PK	2161	G10491-301
SR0PK	2161	G10491-302
SR0PK	2161	G10491-303
SR0PK	2161	G10491-304
SR0PK	2161	G10491-305
SR0PK	2161	G10491-306
SR0PK	2161	G10491-307
SR0PK	2161	G10491-400
SR0PK	2161	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	1569	G10491-300
SR0DG	1569	G10491-301
SR0DG	1569	G10491-302
SR0DG	1569	G10491-303
SR0DG	1569	G10491-304
SR0DG	1569	G10491-305
SR0DG	1569	G10491-306
SR0DG	1569	G10491-307
SR0DG	1569	G10491-400
SR0DG	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR00E	1569	G10491-300
SR00E	1569	G10491-301
SR00E	1569	G10491-302
SR00E	1569	G10491-303
SR00E	1569	G10491-304
SR00E	1569	G10491-305
SR00E	1569	G10491-306
SR00E	1569	G10491-307
SR00E	1569	G10491-400
SR00E	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR00C	1569	G10491-300
SR00C	1569	G10491-301
SR00C	1569	G10491-302
SR00C	1569	G10491-303
SR00C	1569	G10491-304
SR00C	1569	G10491-305
SR00C	1569	G10491-306
SR00C	1569	G10491-307
SR00C	1569	G10491-400
SR00C	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00B	1569	G10491-300
SR00B	1569	G10491-301
SR00B	1569	G10491-302
SR00B	1569	G10491-303

SR00B	1569	G10491-304
SR00B	1569	G10491-305
SR00B	1569	G10491-306
SR00B	1569	G10491-307
SR00B	1569	G10491-400
SR00B	1569	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	2161	G10491-300
SR0T9	2161	G10491-301
SR0T9	2161	G10491-302
SR0T9	2161	G10491-303
SR0T9	2161	G10491-304
SR0T9	2161	G10491-305
SR0T9	2161	G10491-306
SR0T9	2161	G10491-307
SR0T9	2161	G10491-400
SR0T9	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	2161	G10491-300
SR0PM	2161	G10491-301
SR0PM	2161	G10491-302
SR0PM	2161	G10491-303
SR0PM	2161	G10491-304
SR0PM	2161	G10491-305
SR0PM	2161	G10491-306
SR0PM	2161	G10491-307
SR0PM	2161	G10491-400
SR0PM	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	2161	G10491-300
SR0T7	2161	G10491-301
SR0T7	2161	G10491-302
SR0T7	2161	G10491-303
SR0T7	2161	G10491-304
SR0T7	2161	G10491-305
SR0T7	2161	G10491-306
SR0T7	2161	G10491-307
SR0T7	2161	G10491-400
SR0T7	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	2161	G10491-300
SR0P0	2161	G10491-301
SR0P0	2161	G10491-302
SR0P0	2161	G10491-303
SR0P0	2161	G10491-304
SR0P0	2161	G10491-305
SR0P0	2161	G10491-306
SR0P0	2161	G10491-307
SR0P0	2161	G10491-400
SR0P0	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	2161	G10491-300
SR0RJ	2161	G10491-301
SR0RJ	2161	G10491-302
SR0RJ	2161	G10491-303
SR0RJ	2161	G10491-304
SR0RJ	2161	G10491-305
SR0RJ	2161	G10491-306
SR0RJ	2161	G10491-307
SR0RJ	2161	G10491-400
SR0RJ	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	2161	G10491-300
SR0TA	2161	G10491-301
SR0TA	2161	G10491-302
SR0TA	2161	G10491-303
SR0TA	2161	G10491-304
SR0TA	2161	G10491-305
SR0TA	2161	G10491-306
SR0TA	2161	G10491-307
SR0TA	2161	G10491-400
SR0TA	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	2161	G10491-300
SR0T8	2161	G10491-301

SR0T8	2161	G10491-302
SR0T8	2161	G10491-303
SR0T8	2161	G10491-304
SR0T8	2161	G10491-305
SR0T8	2161	G10491-306
SR0T8	2161	G10491-307
SR0T8	2161	G10491-400
SR0T8	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	2161	G10491-300
SR0P2	2161	G10491-301
SR0P2	2161	G10491-302
SR0P2	2161	G10491-303
SR0P2	2161	G10491-304
SR0P2	2161	G10491-305
SR0P2	2161	G10491-306
SR0P2	2161	G10491-307
SR0P2	2161	G10491-400
SR0P2	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	2161	G10491-300
SR0PF	2161	G10491-301
SR0PF	2161	G10491-302
SR0PF	2161	G10491-303
SR0PF	2161	G10491-304
SR0PF	2161	G10491-305
SR0PF	2161	G10491-306
SR0PF	2161	G10491-307

SR0PF	2161	G10491-400
SR0PF	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	2161	G10491-300
SR0WS	2161	G10491-301
SR0WS	2161	G10491-302
SR0WS	2161	G10491-303
SR0WS	2161	G10491-304
SR0WS	2161	G10491-305
SR0WS	2161	G10491-306
SR0WS	2161	G10491-307
SR0WS	2161	G10491-400
SR0WS	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G10491-300
SR0YH		G10491-301
SR0YH		G10491-302
SR0YH		G10491-303
SR0YH		G10491-304
SR0YH		G10491-305
SR0YH		G10491-306
SR0YH		G10491-307
SR0YH		G10491-400
SR0YH		G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0YZ		G10491-300
SR0YZ		G10491-301
SR0YZ		G10491-302
SR0YZ		G10491-303
SR0YZ		G10491-304
SR0YZ		G10491-305
SR0YZ		G10491-306
SR0YZ		G10491-307
SR0YZ		G10491-400
SR0YZ		G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0RQ	2161	G10491-300
SR0RQ	2161	G10491-301
SR0RQ	2161	G10491-302
SR0RQ	2161	G10491-303
SR0RQ	2161	G10491-304
SR0RQ	2161	G10491-305
SR0RQ	2161	G10491-306
SR0RQ	2161	G10491-307
SR0RQ	2161	G10491-400
SR0RQ	2161	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0QH	1569	G10491-300
SR0QH	1569	G10491-301
SR0QH	1569	G10491-302
SR0QH	1569	G10491-303
SR0QH	1569	G10491-304
SR0QH	1569	G10491-305
SR0QH	1569	G10491-306
SR0QH	1569	G10491-307
SR0QH	1569	G10491-400
SR0QH	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR009	1569	G10491-300
SR009	1569	G10491-301
SR009	1569	G10491-302
SR009	1569	G10491-303
SR009	1569	G10491-304
SR009	1569	G10491-305
SR009	1569	G10491-306
SR009	1569	G10491-307
SR009	1569	G10491-400
SR009	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR008	1569	G10491-300
SR008	1569	G10491-301
SR008	1569	G10491-302
SR008	1569	G10491-303

SR008	1569	G10491-304
SR008	1569	G10491-305
SR008	1569	G10491-306
SR008	1569	G10491-307
SR008	1569	G10491-400
SR008	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00T	1569	G10491-300
SR00T	1569	G10491-301
SR00T	1569	G10491-302
SR00T	1569	G10491-303
SR00T	1569	G10491-304
SR00T	1569	G10491-305
SR00T	1569	G10491-306
SR00T	1569	G10491-307
SR00T	1569	G10491-400
SR00T	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	1569	G10491-300
SR0G1	1569	G10491-301
SR0G1	1569	G10491-302
SR0G1	1569	G10491-303
SR0G1	1569	G10491-304
SR0G1	1569	G10491-305
SR0G1	1569	G10491-306
SR0G1	1569	G10491-307
SR0G1	1569	G10491-400
SR0G1	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	1569	G10491-300
SR0BB	1569	G10491-301
SR0BB	1569	G10491-302
SR0BB	1569	G10491-303
SR0BB	1569	G10491-304
SR0BB	1569	G10491-305
SR0BB	1569	G10491-306
SR0BB	1569	G10491-307
SR0BB	1569	G10491-400
SR0BB	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	1569	G10491-300
SR00S	1569	G10491-301
SR00S	1569	G10491-302
SR00S	1569	G10491-303
SR00S	1569	G10491-304
SR00S	1569	G10491-305
SR00S	1569	G10491-306
SR00S	1569	G10491-307
SR00S	1569	G10491-400
SR00S	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	1569	G10491-300
SR00Q	1569	G10491-301
SR00Q	1569	G10491-302
SR00Q	1569	G10491-303
SR00Q	1569	G10491-304
SR00Q	1569	G10491-305
SR00Q	1569	G10491-306
SR00Q	1569	G10491-307
SR00Q	1569	G10491-400
SR00Q	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	1569	G10491-300
SR0G2	1569	G10491-301
SR0G2	1569	G10491-302
SR0G2	1569	G10491-303
SR0G2	1569	G10491-304
SR0G2	1569	G10491-305
SR0G2	1569	G10491-306
SR0G2	1569	G10491-307
SR0G2	1569	G10491-400
SR0G2	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	1569	G10491-300
SR02L	1569	G10491-301

SR02L	1569	G10491-302
SR02L	1569	G10491-303
SR02L	1569	G10491-304
SR02L	1569	G10491-305
SR02L	1569	G10491-306
SR02L	1569	G10491-307
SR02L	1569	G10491-400
SR02L	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	1569	G10491-300
SR02K	1569	G10491-301
SR02K	1569	G10491-302
SR02K	1569	G10491-303
SR02K	1569	G10491-304
SR02K	1569	G10491-305
SR02K	1569	G10491-306
SR02K	1569	G10491-307
SR02K	1569	G10491-400
SR02K	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	1569	G10491-300
SR00D	1569	G10491-301
SR00D	1569	G10491-302
SR00D	1569	G10491-303
SR00D	1569	G10491-304
SR00D	1569	G10491-305
SR00D	1569	G10491-306
SR00D	1569	G10491-307

SR00D	1569	G10491-400
SR00D	1569	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YX	2161	G10491-300
SR0YX	2161	G10491-301
SR0YX	2161	G10491-302
SR0YX	2161	G10491-303
SR0YX	2161	G10491-304
SR0YX	2161	G10491-305
SR0YX	2161	G10491-306
SR0YX	2161	G10491-307
SR0YX	2161	G10491-400
SR0YX	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	2161	G10491-300
SR0YL	2161	G10491-301
SR0YL	2161	G10491-302
SR0YL	2161	G10491-303
SR0YL	2161	G10491-304
SR0YL	2161	G10491-305
SR0YL	2161	G10491-306
SR0YL	2161	G10491-307
SR0YL	2161	G10491-400
SR0YL	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	2161	G10491-300
SR0RH	2161	G10491-301
SR0RH	2161	G10491-302
SR0RH	2161	G10491-303
SR0RH	2161	G10491-304
SR0RH	2161	G10491-305
SR0RH	2161	G10491-306
SR0RH	2161	G10491-307
SR0RH	2161	G10491-400
SR0RH	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	2161	G10491-300
SR0RF	2161	G10491-301
SR0RF	2161	G10491-302
SR0RF	2161	G10491-303
SR0RF	2161	G10491-304
SR0RF	2161	G10491-305
SR0RF	2161	G10491-306
SR0RF	2161	G10491-307
SR0RF	2161	G10491-400
SR0RF	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35

Spec #	Min. BIOS	AA Rev(s)
SR0RE	2161	G10491-300
SR0RE	2161	G10491-301
SR0RE	2161	G10491-302
SR0RE	2161	G10491-303
SR0RE	2161	G10491-304
SR0RE	2161	G10491-305
SR0RE	2161	G10491-306
SR0RE	2161	G10491-307
SR0RE	2161	G10491-400
SR0RE	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0RG	2161	G10491-300
SR0RG	2161	G10491-301
SR0RG	2161	G10491-302
SR0RG	2161	G10491-303
SR0RG	2161	G10491-304
SR0RG	2161	G10491-305
SR0RG	2161	G10491-306
SR0RG	2161	G10491-307
SR0RG	2161	G10491-400
SR0RG	2161	G10491-401

Add-in graphics card required

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55

Spec #	Min. BIOS	AA Rev(s)
SR0YY	2161	G10491-300
SR0YY	2161	G10491-301
SR0YY	2161	G10491-302
SR0YY	2161	G10491-303

SR0YY	2161	G10491-304
SR0YY	2161	G10491-305
SR0YY	2161	G10491-306
SR0YY	2161	G10491-307
SR0YY	2161	G10491-400
SR0YY	2161	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	1900	G10491-300
SR05W	1900	G10491-301
SR05W	1900	G10491-302
SR05W	1900	G10491-303
SR05W	1900	G10491-304
SR05W	1900	G10491-305
SR05W	1900	G10491-306
SR05W	1900	G10491-307
SR05W	1569	G10491-400
SR05W	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	1569	G10491-300
SR0AY	1569	G10491-301
SR0AY	1569	G10491-302
SR0AY	1569	G10491-303
SR0AY	1569	G10491-304
SR0AY	1569	G10491-305
SR0AY	1569	G10491-306
SR0AY	1569	G10491-307
SR0AY	1569	G10491-400
SR0AY	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	1900	G10491-300
SR060	1900	G10491-301
SR060	1900	G10491-302
SR060	1900	G10491-303
SR060	1900	G10491-304
SR060	1900	G10491-305
SR060	1900	G10491-306
SR060	1900	G10491-307
SR060	1569	G10491-400
SR060	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	1900	G10491-300
SR05Y	1900	G10491-301
SR05Y	1900	G10491-302
SR05Y	1900	G10491-303
SR05Y	1900	G10491-304
SR05Y	1900	G10491-305
SR05Y	1900	G10491-306
SR05Y	1900	G10491-307
SR05Y	1569	G10491-400
SR05Y	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	1569	G10491-300
SR0BA	1569	G10491-301
SR0BA	1569	G10491-302
SR0BA	1569	G10491-303
SR0BA	1569	G10491-304
SR0BA	1569	G10491-305
SR0BA	1569	G10491-306
SR0BA	1569	G10491-307
SR0BA	1569	G10491-400
SR0BA	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	1900	G10491-300
SR05Z	1900	G10491-301
SR05Z	1900	G10491-302
SR05Z	1900	G10491-303
SR05Z	1900	G10491-304
SR05Z	1900	G10491-305
SR05Z	1900	G10491-306
SR05Z	1900	G10491-307
SR05Z	1569	G10491-400
SR05Z	1569	G10491-401

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	1900	G10491-300
SR05C	1900	G10491-301

SR05C	1900	G10491-302
SR05C	1900	G10491-303
SR05C	1900	G10491-304
SR05C	1900	G10491-305
SR05C	1900	G10491-306
SR05C	1900	G10491-307
SR05C	1569	G10491-400
SR05C	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G10491-300
SR057		G10491-301
SR057		G10491-302
SR057		G10491-303
SR057		G10491-304
SR057		G10491-305
SR057		G10491-306
SR057		G10491-307
SR057		G10491-400
SR057		G10491-401

Add-in graphics card required

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G10491-300
SR0MF		G10491-301
SR0MF		G10491-302
SR0MF		G10491-303
SR0MF		G10491-304
SR0MF		G10491-305
SR0MF		G10491-306
SR0MF		G10491-307

SR0MF

G10491-400

SR0MF

G10491-401

Add-in graphics card required

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache

3 MB

Graphics

HD Graphics

Max TDP

65

Spec #

Min. BIOS

AA Rev(s)

SR058

1900

G10491-300

SR058

1900

G10491-301

SR058

1900

G10491-302

SR058

1900

G10491-303

SR058

1900

G10491-304

SR058

1900

G10491-305

SR058

1900

G10491-306

SR058

1900

G10491-307

SR058

1569

G10491-400

SR058

1569

G10491-401

Add-in graphics card required

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache

3 MB

Graphics

HD Graphics

Max TDP

65

Spec #

Min. BIOS

AA Rev(s)

SR05Q

1900

G10491-300

SR05Q

1900

G10491-301

SR05Q

1900

G10491-302

SR05Q

1900

G10491-303

SR05Q

1900

G10491-304

SR05Q

1900

G10491-305

SR05Q

1900

G10491-306

SR05Q

1900

G10491-307

SR05Q

1569

G10491-400

SR05Q

1569

G10491-401

Add-in graphics card required

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	1900	G10491-300
SR05P	1900	G10491-301
SR05P	1900	G10491-302
SR05P	1900	G10491-303
SR05P	1900	G10491-304
SR05P	1900	G10491-305
SR05P	1900	G10491-306
SR05P	1900	G10491-307
SR05P	1569	G10491-400
SR05P	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G10491-300
SR0RS		G10491-301
SR0RS		G10491-302
SR0RS		G10491-303
SR0RS		G10491-304
SR0RS		G10491-305
SR0RS		G10491-306
SR0RS		G10491-307
SR0RS		G10491-400
SR0RS		G10491-401

Add-in graphics card required

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR066		G10491-300
SR066		G10491-301
SR066		G10491-302
SR066		G10491-303
SR066		G10491-304
SR066		G10491-305
SR066		G10491-306
SR066		G10491-307
SR066		G10491-400
SR066		G10491-401

Add-in graphics card required

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65

Spec #	Min. BIOS	AA Rev(s)
SR059		G10491-300
SR059		G10491-301
SR059		G10491-302
SR059		G10491-303
SR059		G10491-304
SR059		G10491-305
SR059		G10491-306
SR059		G10491-307
SR059		G10491-400
SR059		G10491-401

Add-in graphics card required

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR05U	1900	G10491-300
SR05U	1900	G10491-301
SR05U	1900	G10491-302
SR05U	1900	G10491-303

SR05U	1900	G10491-304
SR05U	1900	G10491-305
SR05U	1900	G10491-306
SR05U	1900	G10491-307
SR05U	1569	G10491-400
SR05U	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	1569	G10491-300
SR05S	1569	G10491-301
SR05S	1569	G10491-302
SR05S	1569	G10491-303
SR05S	1569	G10491-304
SR05S	1569	G10491-305
SR05S	1569	G10491-306
SR05S	1569	G10491-307
SR05S	1569	G10491-400
SR05S	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	1900	G10491-300
SR05T	1900	G10491-301
SR05T	1900	G10491-302
SR05T	1900	G10491-303
SR05T	1900	G10491-304
SR05T	1900	G10491-305
SR05T	1900	G10491-306
SR05T	1900	G10491-307
SR05T	1569	G10491-400
SR05T	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	1900	G10491-300
SR05R	1900	G10491-301
SR05R	1900	G10491-302
SR05R	1900	G10491-303
SR05R	1900	G10491-304
SR05R	1900	G10491-305
SR05R	1900	G10491-306
SR05R	1900	G10491-307
SR05R	1569	G10491-400
SR05R	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RZ		G10491-300
SR0RZ		G10491-301
SR0RZ		G10491-302
SR0RZ		G10491-303
SR0RZ		G10491-304
SR0RZ		G10491-305
SR0RZ		G10491-306
SR0RZ		G10491-307
SR0RZ		G10491-400
SR0RZ		G10491-401

Add-in graphics card required

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G10491-300
SR061		G10491-301
SR061		G10491-302
SR061		G10491-303
SR061		G10491-304
SR061		G10491-305
SR061		G10491-306
SR061		G10491-307
SR061		G10491-400
SR061		G10491-401

Add-in graphics card required

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	1900	G10491-300
SR05J	1900	G10491-301
SR05J	1900	G10491-302
SR05J	1900	G10491-303
SR05J	1900	G10491-304
SR05J	1900	G10491-305
SR05J	1900	G10491-306
SR05J	1900	G10491-307
SR05J	1569	G10491-400
SR05J	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	1569	G10491-300
SR05K	1569	G10491-301

SR05K	1569	G10491-302
SR05K	1569	G10491-303
SR05K	1569	G10491-304
SR05K	1569	G10491-305
SR05K	1569	G10491-306
SR05K	1569	G10491-307
SR05K	1569	G10491-400
SR05K	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	1900	G10491-300
SR05H	1900	G10491-301
SR05H	1900	G10491-302
SR05H	1900	G10491-303
SR05H	1900	G10491-304
SR05H	1900	G10491-305
SR05H	1900	G10491-306
SR05H	1900	G10491-307
SR05H	1569	G10491-400
SR05H	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	1569	G10491-300
SR0S7	1569	G10491-301
SR0S7	1569	G10491-302
SR0S7	1569	G10491-303
SR0S7	1569	G10491-304
SR0S7	1569	G10491-305
SR0S7	1569	G10491-306
SR0S7	1569	G10491-307

SR0S7	1569	G10491-400
SR0S7	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G10491-300
SR0S8		G10491-301
SR0S8		G10491-302
SR0S8		G10491-303
SR0S8		G10491-304
SR0S8		G10491-305
SR0S8		G10491-306
SR0S8		G10491-307
SR0S8		G10491-400
SR0S8		G10491-401

Add-in graphics card required

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	1569	G10491-300
SR0GR	1569	G10491-301
SR0GR	1569	G10491-302
SR0GR	1569	G10491-303
SR0GR	1569	G10491-304
SR0GR	1569	G10491-305
SR0GR	1569	G10491-306
SR0GR	1569	G10491-307
SR0GR	1569	G10491-400
SR0GR	1569	G10491-401

Add-in graphics card required

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	1900	G10491-300
SR0BY	1900	G10491-301
SR0BY	1900	G10491-302
SR0BY	1900	G10491-303
SR0BY	1900	G10491-304
SR0BY	1900	G10491-305
SR0BY	1900	G10491-306
SR0BY	1900	G10491-307
SR0BY	1569	G10491-400
SR0BY	1569	G10491-401

Add-in graphics card required

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	2161	G10491-300
SR0YT	2161	G10491-301
SR0YT	2161	G10491-302
SR0YT	2161	G10491-303
SR0YT	2161	G10491-304
SR0YT	2161	G10491-305
SR0YT	2161	G10491-306
SR0YT	2161	G10491-307
SR0YT	2161	G10491-400
SR0YT	2161	G10491-401

Add-in graphics card required

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0YU	2161	G10491-300
SR0YU	2161	G10491-301
SR0YU	2161	G10491-302
SR0YU	2161	G10491-303
SR0YU	2161	G10491-304
SR0YU	2161	G10491-305
SR0YU	2161	G10491-306
SR0YU	2161	G10491-307
SR0YU	2161	G10491-400
SR0YU	2161	G10491-401

Add-in graphics card required

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR0UF	2161	G10491-300
SR0UF	2161	G10491-301
SR0UF	2161	G10491-302
SR0UF	2161	G10491-303
SR0UF	2161	G10491-304
SR0UF	2161	G10491-305
SR0UF	2161	G10491-306
SR0UF	2161	G10491-307
SR0UF	2161	G10491-400
SR0UF	2161	G10491-401

Add-in graphics card required

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR163	2161	G10491-300
SR163	2161	G10491-301
SR163	2161	G10491-302
SR163	2161	G10491-303

SR163	2161	G10491-304
SR163	2161	G10491-305
SR163	2161	G10491-306
SR163	2161	G10491-307
SR163	2161	G10491-400
SR163	2161	G10491-401

Add-in graphics card required

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	2161	G10491-300
SR10H	2161	G10491-301
SR10H	2161	G10491-302
SR10H	2161	G10491-303
SR10H	2161	G10491-304
SR10H	2161	G10491-305
SR10H	2161	G10491-306
SR10H	2161	G10491-307
SR10H	2161	G10491-400
SR10H	2161	G10491-401

Add-in graphics card required

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	2161	G10491-300
SR10J	2161	G10491-301
SR10J	2161	G10491-302
SR10J	2161	G10491-303
SR10J	2161	G10491-304
SR10J	2161	G10491-305
SR10J	2161	G10491-306
SR10J	2161	G10491-307
SR10J	2161	G10491-400
SR10J	2161	G10491-401

Add-in graphics card required

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	2161	G10491-300
SR16A	2161	G10491-301
SR16A	2161	G10491-302
SR16A	2161	G10491-303
SR16A	2161	G10491-304
SR16A	2161	G10491-305
SR16A	2161	G10491-306
SR16A	2161	G10491-307
SR16A	2161	G10491-400
SR16A	2161	G10491-401

Add-in graphics card required

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	2161	G10491-300
SR10L	2161	G10491-301
SR10L	2161	G10491-302
SR10L	2161	G10491-303
SR10L	2161	G10491-304
SR10L	2161	G10491-305
SR10L	2161	G10491-306
SR10L	2161	G10491-307
SR10L	2161	G10491-400
SR10L	2161	G10491-401

Add-in graphics card required

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10K	2161	G10491-300
SR10K	2161	G10491-301
SR10K	2161	G10491-302
SR10K	2161	G10491-303
SR10K	2161	G10491-304
SR10K	2161	G10491-305
SR10K	2161	G10491-306
SR10K	2161	G10491-307
SR10K	2161	G10491-400
SR10K	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	87
Spec #	Min. BIOS	AA Rev(s)
SR0PC	2161	G10491-300
SR0PC	2161	G10491-301
SR0PC	2161	G10491-302
SR0PC	2161	G10491-303
SR0PC	2161	G10491-304
SR0PC	2161	G10491-305
SR0PC	2161	G10491-306
SR0PC	2161	G10491-307
SR0PC	2161	G10491-400
SR0PC	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PA	2161	G10491-300
SR0PA	2161	G10491-301

SR0PA	2161	G10491-302
SR0PA	2161	G10491-303
SR0PA	2161	G10491-304
SR0PA	2161	G10491-305
SR0PA	2161	G10491-306
SR0PA	2161	G10491-307
SR0PA	2161	G10491-400
SR0PA	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2500	45
Spec #	Min. BIOS	AA Rev(s)
SR0PB	2161	G10491-300
SR0PB	2161	G10491-301
SR0PB	2161	G10491-302
SR0PB	2161	G10491-303
SR0PB	2161	G10491-304
SR0PB	2161	G10491-305
SR0PB	2161	G10491-306
SR0PB	2161	G10491-307
SR0PB	2161	G10491-400
SR0PB	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45
Spec #	Min. BIOS	AA Rev(s)
SR00M	1569	G10491-300
SR00M	1569	G10491-301
SR00M	1569	G10491-302
SR00M	1569	G10491-303
SR00M	1569	G10491-304
SR00M	1569	G10491-305
SR00M	1569	G10491-306
SR00M	1569	G10491-307

SR00M	1569	G10491-400
SR00M	1569	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0P9	2161	G10491-300
SR0P9	2161	G10491-301
SR0P9	2161	G10491-302
SR0P9	2161	G10491-303
SR0P9	2161	G10491-304
SR0P9	2161	G10491-305
SR0P9	2161	G10491-306
SR0P9	2161	G10491-307
SR0P9	2161	G10491-400
SR0P9	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	2161	G10491-300
SR0P4	2161	G10491-301
SR0P4	2161	G10491-302
SR0P4	2161	G10491-303
SR0P4	2161	G10491-304
SR0P4	2161	G10491-305
SR0P4	2161	G10491-306
SR0P4	2161	G10491-307
SR0P4	2161	G10491-400
SR0P4	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	2161	G10491-300
SR0PJ	2161	G10491-301
SR0PJ	2161	G10491-302
SR0PJ	2161	G10491-303
SR0PJ	2161	G10491-304
SR0PJ	2161	G10491-305
SR0PJ	2161	G10491-306
SR0PJ	2161	G10491-307
SR0PJ	2161	G10491-400
SR0PJ	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	2161	G10491-300
SR0PH	2161	G10491-301
SR0PH	2161	G10491-302
SR0PH	2161	G10491-303
SR0PH	2161	G10491-304
SR0PH	2161	G10491-305
SR0PH	2161	G10491-306
SR0PH	2161	G10491-307
SR0PH	2161	G10491-400
SR0PH	2161	G10491-401

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20

Spec #	Min. BIOS	AA Rev(s)
SR070	1900	G10491-300
SR070	1900	G10491-301
SR070	1900	G10491-302
SR070	1900	G10491-303
SR070	1900	G10491-304
SR070	1900	G10491-305
SR070	1900	G10491-306
SR070	1900	G10491-307
SR070	1569	G10491-400
SR070	1569	G10491-401

Add-in graphics card required