

Intel® Desktop Compatibility Tool

Found 63 Compatible Processor(s) for Board DQ43AP

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ SLAWZ	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2 SLAX2	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLB8W	Min. BIOS	AA Rev(s) E60578-200

SLB8W	E60578-201
SLB8W	E60578-202
SLB8W	E60578-203
SLB8W	E60578-204
SLB8W	E60578-205
SLB8W	E60578-206

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGAE		E60578-200
SLGAE		E60578-201
SLGAE		E60578-202
SLGAE		E60578-203
SLGAE		E60578-204
SLGAE		E60578-205
SLGAE		E60578-206

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ		E60578-200
SLB8V		E60578-200
SLAWQ		E60578-201
SLB8V		E60578-201
SLAWQ		E60578-202
SLB8V		E60578-202
SLAWQ		E60578-203
SLB8V		E60578-203
SLAWQ		E60578-204
SLB8V		E60578-204
SLAWQ		E60578-205
SLB8V		E60578-205
SLAWQ		E60578-206
SLB8V		E60578-206

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLGYY SLGYY SLGYY SLGYY SLGYY SLGYY SLGYY	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 95
Spec # SLAWR SLAWR SLAWR SLAWR SLAWR SLAWR SLAWR	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLG9U SLG9U SLG9U SLG9U SLG9U	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204

SLG9U
SLG9U

E60578-205
E60578-206

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLB6B SLB6B SLB6B SLB6B SLB6B SLB6B SLB6B	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SLAWE SLAWE SLAWE SLAWE SLAWE SLAWE SLAWE	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLGT7 SLGT7	Min. BIOS	AA Rev(s) E60578-200 E60578-201

SLGT7	E60578-202
SLGT7	E60578-203
SLGT7	E60578-204
SLGT7	E60578-205
SLGT7	E60578-206

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 SLGT6 SLGT6	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR SLB5W SLGUR	Min. BIOS	AA Rev(s) E60578-200 E60578-200 E60578-201 E60578-201 E60578-202 E60578-202 E60578-203 E60578-203 E60578-204 E60578-204 E60578-205 E60578-205 E60578-206 E60578-206

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLG9T SLG9T SLG9T SLG9T SLG9T SLG9T SLG9T	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 95
Spec # SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S SLB5M SLG9S	Min. BIOS	AA Rev(s) E60578-200 E60578-200 E60578-201 E60578-201 E60578-202 E60578-202 E60578-203 E60578-203 E60578-204 E60578-204 E60578-205 E60578-205 E60578-206 E60578-206

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLB9L		E60578-200
SLB9L		E60578-201
SLB9L		E60578-202
SLB9L		E60578-203
SLB9L		E60578-204
SLB9L		E60578-205
SLB9L		E60578-206

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK		E60578-200
SLB9K		E60578-200
SLAPK		E60578-201
SLB9K		E60578-201
SLAPK		E60578-202
SLB9K		E60578-202
SLAPK		E60578-203
SLB9K		E60578-203
SLAPK		E60578-204
SLB9K		E60578-204
SLAPK		E60578-205
SLB9K		E60578-205
SLAPK		E60578-206
SLB9K		E60578-206

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPL		E60578-200
SLB9J		E60578-200
SLAPL		E60578-201
SLB9J		E60578-201
SLAPL		E60578-202

SLB9J	E60578-202
SLAPL	E60578-203
SLB9J	E60578-203
SLAPL	E60578-204
SLB9J	E60578-204
SLAPL	E60578-205
SLB9J	E60578-205
SLAPL	E60578-206
SLB9J	E60578-206

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN		E60578-200
SLAPN		E60578-201
SLAPN		E60578-202
SLAPN		E60578-203
SLAPN		E60578-204
SLAPN		E60578-205
SLAPN		E60578-206

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP		E60578-200
SLAPP		E60578-201
SLAPP		E60578-202
SLAPP		E60578-203
SLAPP		E60578-204
SLAPP		E60578-205
SLAPP		E60578-206

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLGTD
SLGTD
SLGTD
SLGTD
SLGTD
SLGTD
SLGTD

Min. BIOS

AA Rev(s)
E60578-200
E60578-201
E60578-202
E60578-203
E60578-204
E60578-205
E60578-206

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE
SLB9Z
SLGTE

Min. BIOS

AA Rev(s)
E60578-200
E60578-200
E60578-201
E60578-201
E60578-202
E60578-202
E60578-203
E60578-203
E60578-204
E60578-204
E60578-205
E60578-205
E60578-206
E60578-206

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
No

Max TDP
65

Spec #
SLB9Y
SLGW3

Min. BIOS

AA Rev(s)
E60578-200
E60578-200

SLB9Y	E60578-201
SLGW3	E60578-201
SLB9Y	E60578-202
SLGW3	E60578-202
SLB9Y	E60578-203
SLGW3	E60578-203
SLB9Y	E60578-204
SLGW3	E60578-204
SLB9Y	E60578-205
SLGW3	E60578-205
SLB9Y	E60578-206
SLGW3	E60578-206

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB		E60578-200
SLAPB		E60578-201
SLAPB		E60578-202
SLAPB		E60578-203
SLAPB		E60578-204
SLAPB		E60578-205
SLAPB		E60578-206

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC		E60578-200
SLAVN		E60578-200
SLAPC		E60578-201
SLAVN		E60578-201
SLAPC		E60578-202
SLAVN		E60578-202
SLAPC		E60578-203
SLAVN		E60578-203
SLAPC		E60578-204

SLAVN	E60578-204
SLAPC	E60578-205
SLAVN	E60578-205
SLAPC	E60578-206
SLAVN	E60578-206

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz
[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec # SLA9U SLA9U SLA9U SLA9U SLA9U SLA9U SLA9U	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz
[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE SLGUE	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz
[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
---------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLA9V		E60578-200
SLA9V		E60578-201
SLA9V		E60578-202
SLA9V		E60578-203
SLA9V		E60578-204
SLA9V		E60578-205
SLA9V		E60578-206

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF		E60578-200
SLGUF		E60578-201
SLGUF		E60578-202
SLGUF		E60578-203
SLGUF		E60578-204
SLGUF		E60578-205
SLGUF		E60578-206

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG		E60578-200
SLGUG		E60578-201
SLGUG		E60578-202
SLGUG		E60578-203
SLGUG		E60578-204
SLGUG		E60578-205
SLGUG		E60578-206

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X		E60578-200
SLA9X		E60578-201
SLA9X		E60578-202
SLA9X		E60578-203
SLA9X		E60578-204
SLA9X		E60578-205
SLA9X		E60578-206

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP		E60578-200
SLGYP		E60578-201
SLGYP		E60578-202
SLGYP		E60578-203
SLGYP		E60578-204
SLGYP		E60578-205
SLGYP		E60578-206

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH		E60578-200
SLGUH		E60578-201
SLGUH		E60578-202
SLGUH		E60578-203
SLGUH		E60578-204
SLGUH		E60578-205
SLGUH		E60578-206

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9 SLGU9	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E5800 | Frequency: 3.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG SLGTG	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E5700 | Frequency: 3.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTH SLGTH SLGTH SLGTH SLGTH SLGTH	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205

Legacy Intel® Pentium® E5500 | Frequency: 2.80 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ SLGTJ	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E5400 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK SLB9V SLGTK	Min. BIOS	AA Rev(s) E60578-200 E60578-200 E60578-201 E60578-201 E60578-202 E60578-202 E60578-203 E60578-203 E60578-204 E60578-204 E60578-205 E60578-205 E60578-206 E60578-206

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLB9U		E60578-200
SLGTL		E60578-200
SLB9U		E60578-201
SLGTL		E60578-201
SLB9U		E60578-202
SLGTL		E60578-202
SLB9U		E60578-203
SLGTL		E60578-203
SLB9U		E60578-204
SLGTL		E60578-204
SLB9U		E60578-205
SLGTL		E60578-205
SLB9U		E60578-206
SLGTL		E60578-206

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAY7		E60578-200
SLB9T		E60578-200
SLAY7		E60578-201
SLB9T		E60578-201
SLAY7		E60578-202
SLB9T		E60578-202
SLAY7		E60578-203
SLB9T		E60578-203
SLAY7		E60578-204
SLB9T		E60578-204
SLAY7		E60578-205
SLB9T		E60578-205
SLAY7		E60578-206
SLB9T		E60578-206

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLALT SLALT SLALT SLALT SLALT SLALT SLALT	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA94 SLA94 SLA94 SLA94 SLA94 SLA94 SLA94	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA95 SLA95 SLA95 SLA95 SLA95 SLA95 SLA95	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics No	Max TDP 65
Spec # SLA98 SLA98 SLA98 SLA98 SLA98 SLA98 SLA98	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Celeron® E3500 | Frequency: 2.70 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTY SLGTY SLGTY SLGTY SLGTY SLGTY SLGTY	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Celeron® E3400 | Frequency: 2.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ SLGTZ	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Celeron® E3300 | Frequency: 2.50 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4 SLGU4	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Celeron® E3200 | Frequency: 2.40 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5 SLGU5	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 65
Spec # SLB9D SLB9D SLB9D SLB9D SLB9D	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204

SLB9D
SLB9D

E60578-205
E60578-206

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
65

Spec #
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C
SLAPM
SLB9C

Min. BIOS

AA Rev(s)
E60578-200
E60578-200
E60578-201
E60578-201
E60578-202
E60578-202
E60578-203
E60578-203
E60578-204
E60578-204
E60578-205
E60578-205
E60578-206
E60578-206

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache
1 MB

Graphics
No

Max TDP
65

Spec #
SLA8W
SLA8W
SLA8W
SLA8W
SLA8W
SLA8W
SLA8W

Min. BIOS

AA Rev(s)
E60578-200
E60578-201
E60578-202
E60578-203
E60578-204
E60578-205
E60578-206

Legacy Intel® Pentium® E2210 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLB9R SLB9R SLB9R SLB9R SLB9R SLB9R SLB9R	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8X SLA8X SLA8X SLA8X SLA8X SLA8X SLA8X	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y SLA8Y	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z SLA8Z	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93 SLA93 SLA93 SLA93 SLA93 SLA93 SLA93	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQY SLAQY SLAQY SLAQY SLAQY SLAQY	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205

SLAQY

E60578-206

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ SLAQZ	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2 SLAR2	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202 E60578-203 E60578-204 E60578-205 E60578-206

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
Spec # SLAQW SLAQW SLAQW	Min. BIOS	AA Rev(s) E60578-200 E60578-201 E60578-202

SLAQW	E60578-203
SLAQW	E60578-204
SLAQW	E60578-205
SLAQW	E60578-206

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA2		E60578-200
SLAA2		E60578-201
SLAA2		E60578-202
SLAA2		E60578-203
SLAA2		E60578-204
SLAA2		E60578-205
SLAA2		E60578-206

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SLAA3		E60578-200
SLAA3		E60578-201
SLAA3		E60578-202
SLAA3		E60578-203
SLAA3		E60578-204
SLAA3		E60578-205
SLAA3		E60578-206

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache 4 MB	Graphics No	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)

SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9
SLAA9

E60578-200
E60578-201
E60578-202
E60578-203
E60578-204
E60578-205
E60578-206