

# Intel® Desktop Compatibility Tool

Found 46 Compatible Processor(s) for Board DQ67OW

## 2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR0DG	41	G12528-300
SR0DG	41	G12528-301
SR0DG	41	G12528-302
SR0DG	41	G12528-303
SR0DG	41	G12528-304
SR0DG	41	G12528-305
SR0DG	41	G12528-306
SR0DG	41	G12528-307
SR0DG	41	G12528-308
SR0DG	41	G12528-309
SR0DG	41	G12528-310
SR0DG	41	G12528-311

## 2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00E	41	G12528-300
SR00E	41	G12528-301
SR00E	41	G12528-302
SR00E	41	G12528-303
SR00E	41	G12528-304
SR00E	41	G12528-305
SR00E	41	G12528-306
SR00E	41	G12528-307
SR00E	41	G12528-308
SR00E	41	G12528-309
SR00E	41	G12528-310
SR00E	41	G12528-311

## 2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR00C	41	G12528-300
SR00C	41	G12528-301
SR00C	41	G12528-302
SR00C	41	G12528-303
SR00C	41	G12528-304
SR00C	41	G12528-305
SR00C	41	G12528-306
SR00C	41	G12528-307
SR00C	41	G12528-308
SR00C	41	G12528-309
SR00C	41	G12528-310
SR00C	41	G12528-311

## 2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00B	41	G12528-300
SR00B	41	G12528-301
SR00B	41	G12528-302
SR00B	41	G12528-303
SR00B	41	G12528-304
SR00B	41	G12528-305
SR00B	41	G12528-306
SR00B	41	G12528-307
SR00B	41	G12528-308
SR00B	41	G12528-309
SR00B	41	G12528-310
SR00B	41	G12528-311

## 2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	41	G12528-300
SR0QH	41	G12528-301
SR0QH	41	G12528-302
SR0QH	41	G12528-303
SR0QH	41	G12528-304
SR0QH	41	G12528-305
SR0QH	41	G12528-306
SR0QH	41	G12528-307
SR0QH	41	G12528-308
SR0QH	41	G12528-309
SR0QH	41	G12528-310
SR0QH	41	G12528-311

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	41	G12528-300
SR009	41	G12528-301
SR009	41	G12528-302
SR009	41	G12528-303
SR009	41	G12528-304
SR009	41	G12528-305
SR009	41	G12528-306
SR009	41	G12528-307
SR009	41	G12528-308
SR009	41	G12528-309
SR009	41	G12528-310
SR009	41	G12528-311

## 2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	95

Spec #	Min. BIOS	AA Rev(s)
SR008	41	G12528-300
SR008	41	G12528-301
SR008	41	G12528-302
SR008	41	G12528-303
SR008	41	G12528-304
SR008	41	G12528-305
SR008	41	G12528-306
SR008	41	G12528-307
SR008	41	G12528-308
SR008	41	G12528-309
SR008	41	G12528-310
SR008	41	G12528-311

## 2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00T	41	G12528-300
SR00T	41	G12528-301
SR00T	41	G12528-302
SR00T	41	G12528-303
SR00T	41	G12528-304
SR00T	41	G12528-305
SR00T	41	G12528-306
SR00T	41	G12528-307
SR00T	41	G12528-308
SR00T	41	G12528-309
SR00T	41	G12528-310
SR00T	41	G12528-311

## 2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95

Spec #	Min. BIOS	AA Rev(s)
SR0G1	41	G12528-300
SR0G1	41	G12528-301

SR0G1	41	G12528-302
SR0G1	41	G12528-303
SR0G1	41	G12528-304
SR0G1	41	G12528-305
SR0G1	41	G12528-306
SR0G1	41	G12528-307
SR0G1	41	G12528-308
SR0G1	41	G12528-309
SR0G1	41	G12528-310
SR0G1	41	G12528-311

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	41	G12528-300
SR0BB	41	G12528-301
SR0BB	41	G12528-302
SR0BB	41	G12528-303
SR0BB	41	G12528-304
SR0BB	41	G12528-305
SR0BB	41	G12528-306
SR0BB	41	G12528-307
SR0BB	41	G12528-308
SR0BB	41	G12528-309
SR0BB	41	G12528-310
SR0BB	41	G12528-311

## 2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	41	G12528-300
SR00S	41	G12528-301
SR00S	41	G12528-302
SR00S	41	G12528-303
SR00S	41	G12528-304

SR00S	41	G12528-305
SR00S	41	G12528-306
SR00S	41	G12528-307
SR00S	41	G12528-308
SR00S	41	G12528-309
SR00S	41	G12528-310
SR00S	41	G12528-311

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	41	G12528-300
SR00Q	41	G12528-301
SR00Q	41	G12528-302
SR00Q	41	G12528-303
SR00Q	41	G12528-304
SR00Q	41	G12528-305
SR00Q	41	G12528-306
SR00Q	41	G12528-307
SR00Q	41	G12528-308
SR00Q	41	G12528-309
SR00Q	41	G12528-310
SR00Q	41	G12528-311

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	41	G12528-300
SR0G2	41	G12528-301
SR0G2	41	G12528-302
SR0G2	41	G12528-303
SR0G2	41	G12528-304
SR0G2	41	G12528-305
SR0G2	41	G12528-306
SR0G2	41	G12528-307
SR0G2	41	G12528-308

SR0G2	41	G12528-309
SR0G2	41	G12528-310
SR0G2	41	G12528-311

Add-in graphics card required

## 2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02L	41	G12528-300
SR02L	41	G12528-301
SR02L	41	G12528-302
SR02L	41	G12528-303
SR02L	41	G12528-304
SR02L	41	G12528-305
SR02L	41	G12528-306
SR02L	41	G12528-307
SR02L	41	G12528-308
SR02L	41	G12528-309
SR02L	41	G12528-310
SR02L	41	G12528-311

## 2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR02K	41	G12528-300
SR02K	41	G12528-301
SR02K	41	G12528-302
SR02K	41	G12528-303
SR02K	41	G12528-304
SR02K	41	G12528-305
SR02K	41	G12528-306
SR02K	41	G12528-307
SR02K	41	G12528-308
SR02K	41	G12528-309
SR02K	41	G12528-310
SR02K	41	G12528-311

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz  
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00D	41	G12528-300
SR00D	41	G12528-301
SR00D	41	G12528-302
SR00D	41	G12528-303
SR00D	41	G12528-304
SR00D	41	G12528-305
SR00D	41	G12528-306
SR00D	41	G12528-307
SR00D	41	G12528-308
SR00D	41	G12528-309
SR00D	41	G12528-310
SR00D	41	G12528-311

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	41	G12528-300
SR05W	41	G12528-301
SR05W	41	G12528-302
SR05W	41	G12528-303
SR05W	41	G12528-304
SR05W	41	G12528-305
SR05W	41	G12528-306
SR05W	41	G12528-307
SR05W	41	G12528-308
SR05W	41	G12528-309
SR05W	41	G12528-310
SR05W	41	G12528-311

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz  
[More Information](#)



Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0AY	41	G12528-300
SR0AY	41	G12528-301
SR0AY	41	G12528-302
SR0AY	41	G12528-303
SR0AY	41	G12528-304
SR0AY	41	G12528-305
SR0AY	41	G12528-306
SR0AY	41	G12528-307
SR0AY	41	G12528-308
SR0AY	41	G12528-309
SR0AY	41	G12528-310
SR0AY	41	G12528-311

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	41	G12528-300
SR060	41	G12528-301
SR060	41	G12528-302
SR060	41	G12528-303
SR060	41	G12528-304
SR060	41	G12528-305
SR060	41	G12528-306
SR060	41	G12528-307
SR060	41	G12528-308
SR060	41	G12528-309
SR060	41	G12528-310
SR060	41	G12528-311

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz  
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65

Spec #	Min. BIOS	AA Rev(s)
SR05Y	41	G12528-300
SR05Y	41	G12528-301
SR05Y	41	G12528-302
SR05Y	41	G12528-303
SR05Y	41	G12528-304
SR05Y	41	G12528-305
SR05Y	41	G12528-306
SR05Y	41	G12528-307
SR05Y	41	G12528-308
SR05Y	41	G12528-309
SR05Y	41	G12528-310
SR05Y	41	G12528-311

## 2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65

Spec #	Min. BIOS	AA Rev(s)
SR0BA	41	G12528-300
SR0BA	41	G12528-301
SR0BA	41	G12528-302
SR0BA	41	G12528-303
SR0BA	41	G12528-304
SR0BA	41	G12528-305
SR0BA	41	G12528-306
SR0BA	41	G12528-307
SR0BA	41	G12528-308
SR0BA	41	G12528-309
SR0BA	41	G12528-310
SR0BA	41	G12528-311

## 2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35

Spec #	Min. BIOS	AA Rev(s)
SR05Z	41	G12528-300
SR05Z	41	G12528-301

SR05Z	41	G12528-302
SR05Z	41	G12528-303
SR05Z	41	G12528-304
SR05Z	41	G12528-305
SR05Z	41	G12528-306
SR05Z	41	G12528-307
SR05Z	41	G12528-308
SR05Z	41	G12528-309
SR05Z	41	G12528-310
SR05Z	41	G12528-311

## 2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR05C	41	G12528-300
SR05C	41	G12528-301
SR05C	41	G12528-302
SR05C	41	G12528-303
SR05C	41	G12528-304
SR05C	41	G12528-305
SR05C	41	G12528-306
SR05C	41	G12528-307
SR05C	41	G12528-308
SR05C	41	G12528-309
SR05C	41	G12528-310
SR05C	41	G12528-311

## Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec #	Min. BIOS	AA Rev(s)
SR057		G12528-300
SR057		G12528-301
SR057		G12528-302
SR057		G12528-303
SR057		G12528-304
SR057		G12528-305

SR057	G12528-306
SR057	G12528-307
SR057	G12528-308
SR057	G12528-309
SR057	G12528-310
SR057	G12528-311

## Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G12528-300
SR0MF		G12528-301
SR0MF		G12528-302
SR0MF		G12528-303
SR0MF		G12528-304
SR0MF		G12528-305
SR0MF		G12528-306
SR0MF		G12528-307
SR0MF		G12528-308
SR0MF		G12528-309
SR0MF		G12528-310
SR0MF		G12528-311

## Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	41	G12528-300
SR058	41	G12528-301
SR058	41	G12528-302
SR058	41	G12528-303
SR058	41	G12528-304
SR058	41	G12528-305
SR058	41	G12528-306
SR058	41	G12528-307
SR058	41	G12528-308
SR058	41	G12528-309

SR058	41	G12528-310
SR058	41	G12528-311

## Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	41	G12528-300
SR05Q	41	G12528-301
SR05Q	41	G12528-302
SR05Q	41	G12528-303
SR05Q	41	G12528-304
SR05Q	41	G12528-305
SR05Q	41	G12528-306
SR05Q	41	G12528-307
SR05Q	41	G12528-308
SR05Q	41	G12528-309
SR05Q	41	G12528-310
SR05Q	41	G12528-311

## Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	41	G12528-300
SR05P	41	G12528-301
SR05P	41	G12528-302
SR05P	41	G12528-303
SR05P	41	G12528-304
SR05P	41	G12528-305
SR05P	41	G12528-306
SR05P	41	G12528-307
SR05P	41	G12528-308
SR05P	41	G12528-309
SR05P	41	G12528-310
SR05P	41	G12528-311

## Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR0RS		G12528-300
SR0RS		G12528-301
SR0RS		G12528-302
SR0RS		G12528-303
SR0RS		G12528-304
SR0RS		G12528-305
SR0RS		G12528-306
SR0RS		G12528-307
SR0RS		G12528-308
SR0RS		G12528-309
SR0RS		G12528-310
SR0RS		G12528-311

## Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR066		G12528-300
SR066		G12528-301
SR066		G12528-302
SR066		G12528-303
SR066		G12528-304
SR066		G12528-305
SR066		G12528-306
SR066		G12528-307
SR066		G12528-308
SR066		G12528-309
SR066		G12528-310
SR066		G12528-311

## Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR059		G12528-300
SR059		G12528-301
SR059		G12528-302
SR059		G12528-303
SR059		G12528-304
SR059		G12528-305
SR059		G12528-306
SR059		G12528-307
SR059		G12528-308
SR059		G12528-309
SR059		G12528-310
SR059		G12528-311

## Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	41	G12528-300
SR05U	41	G12528-301
SR05U	41	G12528-302
SR05U	41	G12528-303
SR05U	41	G12528-304
SR05U	41	G12528-305
SR05U	41	G12528-306
SR05U	41	G12528-307
SR05U	41	G12528-308
SR05U	41	G12528-309
SR05U	41	G12528-310
SR05U	41	G12528-311

## Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)

SR05S	41	G12528-300
SR05S	41	G12528-301
SR05S	41	G12528-302
SR05S	41	G12528-303
SR05S	41	G12528-304
SR05S	41	G12528-305
SR05S	41	G12528-306
SR05S	41	G12528-307
SR05S	41	G12528-308
SR05S	41	G12528-309
SR05S	41	G12528-310
SR05S	41	G12528-311

## Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	41	G12528-300
SR05T	41	G12528-301
SR05T	41	G12528-302
SR05T	41	G12528-303
SR05T	41	G12528-304
SR05T	41	G12528-305
SR05T	41	G12528-306
SR05T	41	G12528-307
SR05T	41	G12528-308
SR05T	41	G12528-309
SR05T	41	G12528-310
SR05T	41	G12528-311

## Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	41	G12528-300
SR05R	41	G12528-301
SR05R	41	G12528-302
SR05R	41	G12528-303



SR05R	41	G12528-304
SR05R	41	G12528-305
SR05R	41	G12528-306
SR05R	41	G12528-307
SR05R	41	G12528-308
SR05R	41	G12528-309
SR05R	41	G12528-310
SR05R	41	G12528-311

## Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ	Min. BIOS	AA Rev(s) G12528-300
SR0RZ		G12528-301
SR0RZ		G12528-302
SR0RZ		G12528-303
SR0RZ		G12528-304
SR0RZ		G12528-305
SR0RZ		G12528-306
SR0RZ		G12528-307
SR0RZ		G12528-308
SR0RZ		G12528-309
SR0RZ		G12528-310
SR0RZ		G12528-311

## Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061	Min. BIOS	AA Rev(s) G12528-300
SR061		G12528-301
SR061		G12528-302
SR061		G12528-303
SR061		G12528-304
SR061		G12528-305
SR061		G12528-306
SR061		G12528-307

SR061	G12528-308
SR061	G12528-309
SR061	G12528-310
SR061	G12528-311

## Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	41	G12528-300
SR05J	41	G12528-301
SR05J	41	G12528-302
SR05J	41	G12528-303
SR05J	41	G12528-304
SR05J	41	G12528-305
SR05J	41	G12528-306
SR05J	41	G12528-307
SR05J	41	G12528-308
SR05J	41	G12528-309
SR05J	41	G12528-310
SR05J	41	G12528-311

## Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	41	G12528-300
SR05K	41	G12528-301
SR05K	41	G12528-302
SR05K	41	G12528-303
SR05K	41	G12528-304
SR05K	41	G12528-305
SR05K	41	G12528-306
SR05K	41	G12528-307
SR05K	41	G12528-308
SR05K	41	G12528-309
SR05K	41	G12528-310
SR05K	41	G12528-311

## Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05H	41	G12528-300
SR05H	41	G12528-301
SR05H	41	G12528-302
SR05H	41	G12528-303
SR05H	41	G12528-304
SR05H	41	G12528-305
SR05H	41	G12528-306
SR05H	41	G12528-307
SR05H	41	G12528-308
SR05H	41	G12528-309
SR05H	41	G12528-310
SR05H	41	G12528-311

## Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S7	41	G12528-300
SR0S7	41	G12528-301
SR0S7	41	G12528-302
SR0S7	41	G12528-303
SR0S7	41	G12528-304
SR0S7	41	G12528-305
SR0S7	41	G12528-306
SR0S7	41	G12528-307
SR0S7	41	G12528-308
SR0S7	41	G12528-309
SR0S7	41	G12528-310
SR0S7	41	G12528-311

## Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0S8		G12528-300
SR0S8		G12528-301
SR0S8		G12528-302
SR0S8		G12528-303
SR0S8		G12528-304
SR0S8		G12528-305
SR0S8		G12528-306
SR0S8		G12528-307
SR0S8		G12528-308
SR0S8		G12528-309
SR0S8		G12528-310
SR0S8		G12528-311

## Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	41	G12528-300
SR0GR	41	G12528-301
SR0GR	41	G12528-302
SR0GR	41	G12528-303
SR0GR	41	G12528-304
SR0GR	41	G12528-305
SR0GR	41	G12528-306
SR0GR	41	G12528-307
SR0GR	41	G12528-308
SR0GR	41	G12528-309
SR0GR	41	G12528-310
SR0GR	41	G12528-311

## Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35

Spec #	Min. BIOS	AA Rev(s)
SR0BY	41	G12528-300
SR0BY	41	G12528-301
SR0BY	41	G12528-302
SR0BY	41	G12528-303
SR0BY	41	G12528-304
SR0BY	41	G12528-305
SR0BY	41	G12528-306
SR0BY	41	G12528-307
SR0BY	41	G12528-308
SR0BY	41	G12528-309
SR0BY	41	G12528-310
SR0BY	41	G12528-311

## Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 2000	45

Spec #	Min. BIOS	AA Rev(s)
SR00M	41	G12528-300
SR00M	41	G12528-301
SR00M	41	G12528-302
SR00M	41	G12528-303
SR00M	41	G12528-304
SR00M	41	G12528-305
SR00M	41	G12528-306
SR00M	41	G12528-307
SR00M	41	G12528-308
SR00M	41	G12528-309
SR00M	41	G12528-310
SR00M	41	G12528-311

## Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20

Spec #	Min. BIOS	AA Rev(s)
SR070	41	G12528-300
SR070	41	G12528-301

SR070	41	G12528-302
SR070	41	G12528-303
SR070	41	G12528-304
SR070	41	G12528-305
SR070	41	G12528-306
SR070	41	G12528-307
SR070	41	G12528-308
SR070	41	G12528-309
SR070	41	G12528-310
SR070	41	G12528-311

Add-in graphics card required