

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DQ77MK

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	31	G39642-302
SR0PN	31	G39642-400
SR0PN	31	G39642-401
SR0PN	31	G39642-500

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	31	G39642-302
SR0PL	31	G39642-400
SR0PL	31	G39642-401
SR0PL	31	G39642-500

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	31	G39642-302
SR0PK	31	G39642-400
SR0PK	31	G39642-401
SR0PK	31	G39642-500

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR0DG	Min. BIOS 8	AA Rev(s) G39642-302
SR0DG	8	G39642-400
SR0DG	8	G39642-401
SR0DG	8	G39642-500

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 65
Spec # SR00E	Min. BIOS 8	AA Rev(s) G39642-302
SR00E	8	G39642-400
SR00E	8	G39642-401
SR00E	8	G39642-500

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR00C	Min. BIOS 8	AA Rev(s) G39642-302
SR00C	8	G39642-400
SR00C	8	G39642-401
SR00C	8	G39642-500

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 95
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR00B	8	G39642-302
SR00B	8	G39642-400
SR00B	8	G39642-401
SR00B	8	G39642-500

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	31	G39642-302
SR0T9	31	G39642-400
SR0T9	31	G39642-401
SR0T9	31	G39642-500

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	31	G39642-302
SR0PM	31	G39642-400
SR0PM	31	G39642-401
SR0PM	31	G39642-500

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	31	G39642-302
SR0T7	31	G39642-400
SR0T7	31	G39642-401
SR0T7	31	G39642-500

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	31	G39642-302
SR0P0	31	G39642-400
SR0P0	31	G39642-401
SR0P0	31	G39642-500

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	31	G39642-302
SR0RJ	31	G39642-400
SR0RJ	31	G39642-401
SR0RJ	31	G39642-500

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	31	G39642-302
SR0TA	31	G39642-400
SR0TA	31	G39642-401
SR0TA	31	G39642-500

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	31	G39642-302
SR0T8	31	G39642-400
SR0T8	31	G39642-401
SR0T8	31	G39642-500

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	31	G39642-302
SR0P2	31	G39642-400
SR0P2	31	G39642-401
SR0P2	31	G39642-500

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	31	G39642-302
SR0PF	31	G39642-400
SR0PF	31	G39642-401
SR0PF	31	G39642-500

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	31	G39642-302
SR0WS	31	G39642-400
SR0WS	31	G39642-401

SR0WS
Add-in graphics card required

31

G39642-500

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz [More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0YH SR0YH SR0YH SR0YH	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz [More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0YZ SR0YZ SR0YZ SR0YZ	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz [More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0RQ SR0RQ SR0RQ SR0RQ	Min. BIOS 31 31 31 31	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

More Information

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	8	G39642-302
SR0QH	8	G39642-400
SR0QH	8	G39642-401
SR0QH	8	G39642-500

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	8	G39642-302
SR009	8	G39642-400
SR009	8	G39642-401
SR009	8	G39642-500

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	8	G39642-302
SR008	8	G39642-400
SR008	8	G39642-401
SR008	8	G39642-500

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00T	8	G39642-302
SR00T	8	G39642-400
SR00T	8	G39642-401
SR00T	8	G39642-500

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	8	G39642-302
SR0G1	8	G39642-400
SR0G1	8	G39642-401
SR0G1	8	G39642-500

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	8	G39642-302
SR0BB	8	G39642-400
SR0BB	8	G39642-401
SR0BB	8	G39642-500

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	8	G39642-302
SR00S	8	G39642-400
SR00S	8	G39642-401

SR00S

8

G39642-500

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00Q
SR00Q
SR00Q
SR00Q

Min. BIOS
8
8
8
8

AA Rev(s)
G39642-302
G39642-400
G39642-401
G39642-500

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
95

Spec #
SR0G2
SR0G2
SR0G2
SR0G2

Min. BIOS
8
8
8
8

AA Rev(s)
G39642-302
G39642-400
G39642-401
G39642-500

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR02L
SR02L
SR02L
SR02L

Min. BIOS
8
8
8
8

AA Rev(s)
G39642-302
G39642-400
G39642-401
G39642-500

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

More Information

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec # SR02K	Min. BIOS 8	AA Rev(s) G39642-302
SR02K	8	G39642-400
SR02K	8	G39642-401
SR02K	8	G39642-500

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

More Information

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec # SR00D	Min. BIOS 8	AA Rev(s) G39642-302
SR00D	8	G39642-400
SR00D	8	G39642-401
SR00D	8	G39642-500

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

More Information

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0YX	Min. BIOS 31	AA Rev(s) G39642-302
SR0YX	31	G39642-400
SR0YX	31	G39642-401
SR0YX	31	G39642-500

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

More Information

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)

SR0YL	31	G39642-302
SR0YL	31	G39642-400
SR0YL	31	G39642-401
SR0YL	31	G39642-500

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	31	G39642-302
SR0RH	31	G39642-400
SR0RH	31	G39642-401
SR0RH	31	G39642-500

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	31	G39642-302
SR0RF	31	G39642-400
SR0RF	31	G39642-401
SR0RF	31	G39642-500

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	31	G39642-302
SR0RE	31	G39642-400
SR0RE	31	G39642-401
SR0RE	31	G39642-500

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0RG	Min. BIOS 31	AA Rev(s) G39642-302
SR0RG	31	G39642-400
SR0RG	31	G39642-401
SR0RG	31	G39642-500

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0YY	Min. BIOS 31	AA Rev(s) G39642-302
SR0YY	31	G39642-400
SR0YY	31	G39642-401
SR0YY	31	G39642-500

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 65
Spec # SR05W	Min. BIOS 8	AA Rev(s) G39642-302
SR05W	8	G39642-400
SR05W	8	G39642-401
SR05W	8	G39642-500

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 3000	Max TDP 65
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0AY	8	G39642-302
SR0AY	8	G39642-400
SR0AY	8	G39642-401
SR0AY	8	G39642-500

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	8	G39642-302
SR060	8	G39642-400
SR060	8	G39642-401
SR060	8	G39642-500

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	8	G39642-302
SR05Y	8	G39642-400
SR05Y	8	G39642-401
SR05Y	8	G39642-500

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	8	G39642-302
SR0BA	8	G39642-400
SR0BA	8	G39642-401
SR0BA	8	G39642-500

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	8	G39642-302
SR05Z	8	G39642-400
SR05Z	8	G39642-401
SR05Z	8	G39642-500

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	8	G39642-302
SR05C	8	G39642-400
SR05C	8	G39642-401
SR05C	8	G39642-500

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G39642-302
SR057		G39642-400
SR057		G39642-401
SR057		G39642-500

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G39642-302
SR0MF		G39642-400
SR0MF		G39642-401
SR0MF		G39642-500

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	8	G39642-302
SR058	8	G39642-400
SR058	8	G39642-401
SR058	8	G39642-500

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	8	G39642-302
SR05Q	8	G39642-400
SR05Q	8	G39642-401
SR05Q	8	G39642-500

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	8	G39642-302
SR05P	8	G39642-400
SR05P	8	G39642-401

SR05P

8

G39642-500

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RS SR0RS SR0RS SR0RS	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066 SR066 SR066 SR066	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059 SR059 SR059 SR059	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	8	G39642-302
SR05U	8	G39642-400
SR05U	8	G39642-401
SR05U	8	G39642-500

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	8	G39642-302
SR05S	8	G39642-400
SR05S	8	G39642-401
SR05S	8	G39642-500

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	8	G39642-302
SR05T	8	G39642-400
SR05T	8	G39642-401
SR05T	8	G39642-500

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	8	G39642-302

SR05R	8	G39642-400
SR05R	8	G39642-401
SR05R	8	G39642-500

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ SR0RZ SR0RZ SR0RZ	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061 SR061 SR061 SR061	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05J SR05J SR05J SR05J	Min. BIOS	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05K	Min. BIOS 8	AA Rev(s) G39642-302
SR05K	8	G39642-400
SR05K	8	G39642-401
SR05K	8	G39642-500

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05H	Min. BIOS 8	AA Rev(s) G39642-302
SR05H	8	G39642-400
SR05H	8	G39642-401
SR05H	8	G39642-500

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S7	Min. BIOS 8	AA Rev(s) G39642-302
SR0S7	8	G39642-400
SR0S7	8	G39642-401
SR0S7	8	G39642-500

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
-----------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0S8		G39642-302
SR0S8		G39642-400
SR0S8		G39642-401
SR0S8		G39642-500

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR	8	G39642-302
SR0GR	8	G39642-400
SR0GR	8	G39642-401
SR0GR	8	G39642-500

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	8	G39642-302
SR0BY	8	G39642-400
SR0BY	8	G39642-401
SR0BY	8	G39642-500

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	31	G39642-302
SR0YT	31	G39642-400
SR0YT	31	G39642-401
SR0YT	31	G39642-500

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YU	Min. BIOS 31	AA Rev(s) G39642-302
SR0YU	31	G39642-400
SR0YU	31	G39642-401
SR0YU	31	G39642-500

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0UF	Min. BIOS 31	AA Rev(s) G39642-302
SR0UF	31	G39642-400
SR0UF	31	G39642-401
SR0UF	31	G39642-500

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR163	Min. BIOS 31	AA Rev(s) G39642-302
SR163	31	G39642-400
SR163	31	G39642-401
SR163	31	G39642-500

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	31	G39642-302
SR10H	31	G39642-400
SR10H	31	G39642-401
SR10H	31	G39642-500

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	31	G39642-302
SR10J	31	G39642-400
SR10J	31	G39642-401
SR10J	31	G39642-500

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	31	G39642-302
SR16A	31	G39642-400
SR16A	31	G39642-401
SR16A	31	G39642-500

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	31	G39642-302
SR10L	31	G39642-400
SR10L	31	G39642-401

SR10L

31

G39642-500

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec # SR10K	Min. BIOS 31	AA Rev(s) G39642-302
SR10K	31	G39642-400
SR10K	31	G39642-401
SR10K	31	G39642-500

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 87
Spec # SR0PC	Min. BIOS 31	AA Rev(s) G39642-302
SR0PC	31	G39642-400
SR0PC	31	G39642-401
SR0PC	31	G39642-500

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0PA	Min. BIOS 31	AA Rev(s) G39642-302
SR0PA	31	G39642-400
SR0PA	31	G39642-401
SR0PA	31	G39642-500

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

More Information

Cache 8 MB	Graphics HD 2500	Max TDP 45
Spec # SR0PB SR0PB SR0PB SR0PB	Min. BIOS 31 31 31 31	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

More Information

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec # SR00M SR00M SR00M SR00M	Min. BIOS 8 8 8 8	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

More Information

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0P9 SR0P9 SR0P9 SR0P9	Min. BIOS 31 31 31 31	AA Rev(s) G39642-302 G39642-400 G39642-401 G39642-500

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 69
Spec #	Min. BIOS	AA Rev(s)

SR0P4	31	G39642-302
SR0P4	31	G39642-400
SR0P4	31	G39642-401
SR0P4	31	G39642-500

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	31	G39642-302
SR0PJ	31	G39642-400
SR0PJ	31	G39642-401
SR0PJ	31	G39642-500

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	31	G39642-302
SR0PH	31	G39642-400
SR0PH	31	G39642-401
SR0PH	31	G39642-500

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	8	G39642-302
SR070	8	G39642-400
SR070	8	G39642-401
SR070	8	G39642-500

Add-in graphics card required

