

Intel® Desktop Compatibility Tool

Found 62 Compatible Processor(s) for Board DX38BT

Intel® Xeon® X3360 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWZ	1513	D85848-503
SLAWZ	1513	D85848-504
SLAWZ	1513	D85848-505

Add-in graphics card required

Intel® Xeon® X3350 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAX2	1531	D85848-503
SLAX2	1531	D85848-504
SLAX2	1531	D85848-505

Add-in graphics card required

Quad-Core Intel® Xeon® X3230 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACS	1308	D85848-503
SLACS	1308	D85848-504
SLACS	1308	D85848-505

Add-in graphics card required

Quad-Core Intel® Xeon® X3220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACT	1308	D85848-503
SLACT	1308	D85848-504
SLACT	1308	D85848-505

Add-in graphics card required

Quad-Core Intel® Xeon® X3210 | Frequency: 2.13 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACU	1308	D85848-503
SLACU	1308	D85848-504
SLACU	1308	D85848-505

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLAN3	1478	D85848-503
SLAN3	1478	D85848-504
SLAN3	1478	D85848-505

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLAFN	1308	D85848-503

Add-in graphics card required

Intel® Core™2 Extreme Desktop QX6800 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLACP	1308	D85848-503
SLACP	1308	D85848-504
SLACP	1308	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9650 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB8W	1782	D85848-503
SLB8W	1782	D85848-504
SLB8W	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9550S | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGAE	1782	D85848-503
SLGAE	1782	D85848-504
SLGAE	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9550 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWQ	1478	D85848-503
SLB8V	1782	D85848-503
SLAWQ	1478	D85848-504
SLB8V	1782	D85848-504
SLAWQ	1478	D85848-505
SLB8V	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9505 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGY Y		D85848-503
SLGY Y		D85848-504
SLGY Y		D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9450 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWR	1513	D85848-503
SLAWR	1513	D85848-504
SLAWR	1513	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9400S | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9U	1782	D85848-503
SLG9U	1782	D85848-504
SLG9U	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB6B	1782	D85848-503
SLB6B	1782	D85848-504
SLB6B	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q9300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLAWE	1782	D85848-503
SLAWE	1782	D85848-504
SLAWE	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q8400S | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLGT7	1782	D85848-503
SLGT7	1782	D85848-504
SLGT7	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q8400 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLGT6	1782	D85848-503
SLGT6	1782	D85848-504
SLGT6	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q8300 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5W	1782	D85848-503
SLGUR	1782	D85848-503
SLB5W	1782	D85848-504
SLGUR	1782	D85848-504
SLB5W	1782	D85848-505
SLGUR	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q8200S | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLG9T	1782	D85848-503

SLG9T	1782	D85848-504
SLG9T	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q8200 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLB5M	1782	D85848-503
SLG9S	1782	D85848-503
SLB5M	1782	D85848-504
SLG9S	1782	D85848-504
SLB5M	1782	D85848-505
SLG9S	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q6700 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACQ	1308	D85848-503
SLACQ	1308	D85848-504
SLACQ	1308	D85848-505

Add-in graphics card required

Intel® Core™2 Quad Q6600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SLACR	1308	D85848-503
SLACR	1308	D85848-504
SLACR	1308	D85848-505

Add-in graphics card required

Legacy Intel® Core™2 E8600 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9L	1782	D85848-503
SLB9L	1782	D85848-504
SLB9L	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E8500 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPK	1478	D85848-503
SLB9K	1782	D85848-503
SLAPK	1478	D85848-504
SLB9K	1782	D85848-504
SLAPK	1478	D85848-505
SLB9K	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E8400 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPL	1478	D85848-503
SLB9J	1782	D85848-503
SLAPL	1478	D85848-504
SLB9J	1782	D85848-504
SLAPL	1478	D85848-505
SLB9J	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E8300 | Frequency: 2.83 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPN	1478	D85848-503
SLAPN	1478	D85848-504
SLAPN		D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E8200 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPP	1478	D85848-503
SLAPP	1478	D85848-504
SLAPP	1478	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E7600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGTD	1782	D85848-503
SLGTD	1782	D85848-504
SLGTD	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E7500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Z	1782	D85848-503
SLGTE	1782	D85848-503
SLB9Z	1782	D85848-504
SLGTE	1782	D85848-504
SLB9Z	1782	D85848-505
SLGTE	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E7400 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9Y	1782	D85848-503
SLGW3	1782	D85848-503
SLB9Y	1782	D85848-504
SLGW3	1782	D85848-504
SLB9Y	1782	D85848-505
SLGW3	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E7300 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPB	1782	D85848-503
SLAPB	1782	D85848-504
SLAPB	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E7200 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPC	1554	D85848-503
SLAVN	1554	D85848-503
SLAPC	1554	D85848-504
SLAVN	1554	D85848-504
SLAPC	1554	D85848-505
SLAVN	1554	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E6850 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9U	1308	D85848-503
SLA9U	1308	D85848-504
SLA9U	1308	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E6800 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUE	1782	D85848-503
SLGUE	1782	D85848-504
SLGUE	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E6750 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA9V	1308	D85848-503
SLA9V	1308	D85848-504
SLA9V	1308	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E6700 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUF	1782	D85848-503
SLGUF	1782	D85848-504
SLGUF	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E6600 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUG	1782	D85848-503
SLGUG	1782	D85848-504
SLGUG	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E6550 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA9X	1308	D85848-503
SLA9X	1308	D85848-504
SLA9X	1308	D85848-505

Add-in graphics card required

Intel® Pentium® E6500K | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGYP	1782	D85848-503
SLGYP	1782	D85848-504
SLGYP	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E6500 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGUH	1782	D85848-503
SLGUH	1782	D85848-504
SLGUH	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E6300 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLGU9	1782	D85848-503
SLGU9	1782	D85848-504
SLGU9	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E5300 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9U	1782	D85848-503
SLB9U	1782	D85848-504
SLB9U	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E5200 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAY7	1782	D85848-503
SLB9T	1782	D85848-503
SLAY7	1782	D85848-504
SLB9T	1782	D85848-504
SLAY7	1782	D85848-505
SLB9T	1782	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E4700 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLALT	1308	D85848-503
SLALT	1308	D85848-504
SLALT	1308	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E4600 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65

Spec #	Min. BIOS	AA Rev(s)
SLA94	1478	D85848-503
SLA94	1478	D85848-504
SLA94	1478	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E4500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA95	1478	D85848-503
SLA95	1478	D85848-504
SLA95	1478	D85848-505

Add-in graphics card required

Intel® Core™2 Duo Desktop E4400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA98	1478	D85848-503
SLA98	1478	D85848-504
SLA98	1478	D85848-505

Add-in graphics card required

Intel® Xeon® E3120 | Frequency: 3.16 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLB9D	1782	D85848-503
SLB9D	1782	D85848-504
SLB9D	1782	D85848-505

Add-in graphics card required

Intel® Xeon® E3110 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAPM	1513	D85848-503
SLB9C	1782	D85848-503
SLAPM	1513	D85848-504
SLB9C	1782	D85848-504
SLAPM	1513	D85848-505
SLB9C	1782	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E2220 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8W	1478	D85848-503
SLA8W	1478	D85848-504
SLA8W	1478	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E2200 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLA8X	1478	D85848-503
SLA8X	1478	D85848-504
SLA8X	1478	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E2180 | Frequency: 2.00 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Y	Min. BIOS 1478	AA Rev(s) D85848-503
SLA8Y	1478	D85848-504
SLA8Y	1478	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E2160 | Frequency: 1.80 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA8Z	Min. BIOS 1478	AA Rev(s) D85848-503
SLA8Z	1478	D85848-504
SLA8Z	1478	D85848-505

Add-in graphics card required

Legacy Intel® Pentium® E2140 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics No	Max TDP 65
Spec # SLA93	Min. BIOS 1478	AA Rev(s) D85848-503
SLA93	1478	D85848-504
SLA93	1478	D85848-505

Add-in graphics card required

Intel® Celeron® E1600 | Frequency: 2.40 GHz

[More Information](#)

Cache 512 KB	Graphics No	Max TDP 65
-----------------	----------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SLAQY	1478	D85848-503
SLAQY	1478	D85848-504
SLAQY	1478	D85848-505

Add-in graphics card required

Intel® Celeron® E1500 | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQZ	1478	D85848-503
SLAQZ	1478	D85848-504
SLAQZ	1478	D85848-505

Add-in graphics card required

Intel® Celeron® Dual-Core E1400 | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAR2	1478	D85848-503
SLAR2	1478	D85848-504
SLAR2	1478	D85848-505

Add-in graphics card required

Intel® Celeron® Dual-Core E1200 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
512 KB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAQW	1478	D85848-503
SLAQW	1478	D85848-504
SLAQW	1478	D85848-505

Add-in graphics card required

Dual-Core Intel® Xeon® 3085 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA2	1308	D85848-503
SLAA2	1308	D85848-504
SLAA2	1308	D85848-505

Add-in graphics card required

Dual-Core Intel® Xeon® 3075 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA3	1308	D85848-503
SLAA3	1308	D85848-504
SLAA3	1308	D85848-505

Add-in graphics card required

Dual-Core Intel® Xeon® 3065 | Frequency: 2.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
4 MB	No	65
Spec #	Min. BIOS	AA Rev(s)
SLAA9	1308	D85848-503
SLAA9	1308	D85848-504
SLAA9	1308	D85848-505

Add-in graphics card required