

# Intel® Desktop Compatibility Tool

Found 16 Compatible Processor(s) for Board DX58SO

## Intel® Xeon® W3690 | Frequency: 3.47 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBW2	5020	E29331-404
SLBW2	5020	E29331-501
SLBW2	5020	E29331-502
SLBW2	5020	E29331-503
SLBW2	5020	E29331-504
SLBW2	5020	E29331-701
SLBW2	5020	E29331-702
SLBW2	5020	E29331-703
SLBW2	5020	E29331-704
SLBW2	5020	E29331-705

Add-in graphics card required

## Intel® Xeon® W3565 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBEV	4121	E29331-404
SLBEV	4121	E29331-501
SLBEV	4121	E29331-502
SLBEV	4121	E29331-503
SLBEV	4121	E29331-504
SLBEV	4121	E29331-701
SLBEV	4121	E29331-702
SLBEV	4121	E29331-703
SLBEV	4121	E29331-704
SLBEV	4121	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ Extreme i7-990X | Frequency: 3.47 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 130
Spec #	Min. BIOS	AA Rev(s)
SLBVZ	5020	E29331-404
SLBVZ	5020	E29331-501
SLBVZ	5020	E29331-502
SLBVZ	5020	E29331-503
SLBVZ	5020	E29331-504
SLBVZ	5020	E29331-701
SLBVZ	5020	E29331-702
SLBVZ	5020	E29331-703
SLBVZ	5020	E29331-704
SLBVZ	5020	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ Extreme i7-980X | Frequency: 3.33 GHz

[More Information](#)

Cache 12 MB	Graphics No	Max TDP 130
Spec #	Min. BIOS	AA Rev(s)
SLBUZ	5020	E29331-404
SLBUZ	5020	E29331-501
SLBUZ	5020	E29331-502
SLBUZ	5020	E29331-503
SLBUZ	5020	E29331-504
SLBUZ	5020	E29331-701
SLBUZ	5020	E29331-702
SLBUZ	5020	E29331-703
SLBUZ	5020	E29331-704
SLBUZ	5020	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-980 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBYU		E29331-404
SLBYU		E29331-501
SLBYU	5020	E29331-502
SLBYU		E29331-503
SLBYU		E29331-504
SLBYU		E29331-701
SLBYU		E29331-702
SLBYU		E29331-703
SLBYU		E29331-704
SLBYU		E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ Extreme i7-975 | Frequency: 3.33 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBEQ	4121	E29331-404
SLBEQ	4121	E29331-501
SLBEQ	4121	E29331-502
SLBEQ	4121	E29331-503
SLBEQ	4121	E29331-504
SLBEQ	4121	E29331-701
SLBEQ	4121	E29331-702
SLBEQ	4121	E29331-703
SLBEQ	4121	E29331-704
SLBEQ	4121	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-970 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
12 MB	No	130
Spec #	Min. BIOS	AA Rev(s)

SLBVF	5020	E29331-404
SLBVF	5020	E29331-501
SLBVF	5020	E29331-502
SLBVF	5020	E29331-503
SLBVF	5020	E29331-504
SLBVF	5020	E29331-701
SLBVF	5020	E29331-702
SLBVF	5020	E29331-703
SLBVF	5020	E29331-704
SLBVF	5020	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ Extreme i7-965 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBCJ	2388	E29331-404
SLBCJ	2388	E29331-501
SLBCJ	2388	E29331-502
SLBCJ	2388	E29331-503
SLBCJ	2388	E29331-504
SLBCJ	2388	E29331-701
SLBCJ	2388	E29331-702
SLBCJ	2388	E29331-703
SLBCJ	2388	E29331-704
SLBCJ	2388	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-960 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBEU	4121	E29331-404
SLBEU	4121	E29331-501
SLBEU	4121	E29331-502
SLBEU	4121	E29331-503

SLBEU	4121	E29331-504
SLBEU	4121	E29331-701
SLBEU	4121	E29331-702
SLBEU	4121	E29331-703
SLBEU	4121	E29331-704
SLBEU	4121	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-950 | Frequency: 3.06 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBEN	4121	E29331-404
SLBEN	4121	E29331-501
SLBEN	4121	E29331-502
SLBEN	4121	E29331-503
SLBEN	4121	E29331-504
SLBEN	4121	E29331-701
SLBEN	4121	E29331-702
SLBEN	4121	E29331-703
SLBEN	4121	E29331-704
SLBEN	4121	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-940 | Frequency: 2.93 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBCK	2388	E29331-404
SLBCK	2388	E29331-501
SLBCK	2388	E29331-502
SLBCK	2388	E29331-503
SLBCK	2388	E29331-504
SLBCK	2388	E29331-701
SLBCK	2388	E29331-702
SLBCK	2388	E29331-703

SLBCK	2388	E29331-704
SLBCK	2388	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-930 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBKP	4121	E29331-404
SLBKP	4121	E29331-501
SLBKP	4121	E29331-502
SLBKP	4121	E29331-503
SLBKP	4121	E29331-504
SLBKP	4121	E29331-701
SLBKP	4121	E29331-702
SLBKP	4121	E29331-703
SLBKP	4121	E29331-704
SLBKP	4121	E29331-705

Add-in graphics card required

## Previous Generation Intel® Core™ i7-920 | Frequency: 2.66 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	130
Spec #	Min. BIOS	AA Rev(s)
SLBCH	2388	E29331-404
SLBEJ	2388	E29331-404
SLBCH	2388	E29331-501
SLBEJ	2388	E29331-501
SLBCH	2388	E29331-502
SLBEJ	2388	E29331-502
SLBCH	2388	E29331-503
SLBEJ	2388	E29331-503
SLBCH	2388	E29331-504
SLBEJ	2388	E29331-504
SLBCH	2388	E29331-701
SLBEJ	2388	E29331-701

SLBCH	2388	E29331-702
SLBEJ	2388	E29331-702
SLBCH	2388	E29331-703
SLBEJ	2388	E29331-703
SLBCH	2388	E29331-704
SLBEJ	2388	E29331-704
SLBCH	2388	E29331-705
SLBEJ	2388	E29331-705

Add-in graphics card required

## Intel® Xeon® E5540 | Frequency: 2.53 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80
Spec #	Min. BIOS	AA Rev(s)
SLBF6	4121	E29331-404
SLBFM	4121	E29331-404
SLBF6	4121	E29331-501
SLBFM	4121	E29331-501
SLBF6	4121	E29331-502
SLBFM	4121	E29331-502
SLBF6	4121	E29331-503
SLBFM	4121	E29331-503
SLBF6	4121	E29331-504
SLBFM	4121	E29331-504
SLBF6	4121	E29331-701
SLBFM	4121	E29331-701
SLBF6	4121	E29331-702
SLBFM	4121	E29331-702
SLBF6	4121	E29331-703
SLBFM	4121	E29331-703
SLBF6	4121	E29331-704
SLBFM	4121	E29331-704
SLBF6	4121	E29331-705
SLBFM	4121	E29331-705

Add-in graphics card required

## Intel® Xeon® E5530 | Frequency: 2.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80

Spec #	Min. BIOS	AA Rev(s)
SLBF7	4121	E29331-404
SLBFE	4121	E29331-404
SLBF7	4121	E29331-501
SLBFE	4121	E29331-501
SLBF7	4121	E29331-502
SLBFE	4121	E29331-502
SLBF7	4121	E29331-503
SLBFE	4121	E29331-503
SLBF7	4121	E29331-504
SLBFE	4121	E29331-504
SLBF7	4121	E29331-701
SLBFE	4121	E29331-701
SLBF7	4121	E29331-702
SLBFE	4121	E29331-702
SLBF7	4121	E29331-703
SLBFE	4121	E29331-703
SLBF7	4121	E29331-704
SLBFE	4121	E29331-704
SLBF7	4121	E29331-705
SLBFE	4121	E29331-705

Add-in graphics card required

## Intel® Xeon® E5520 | Frequency: 2.26 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	80

Spec #	Min. BIOS	AA Rev(s)
SLBFD	4121	E29331-404
SLBFD	4121	E29331-501
SLBFD	4121	E29331-502
SLBFD	4121	E29331-503
SLBFD	4121	E29331-504
SLBFD	4121	E29331-701
SLBFD	4121	E29331-702
SLBFD	4121	E29331-703
SLBFD	4121	E29331-704
SLBFD	4121	E29331-705

Add-in graphics card required



