

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DZ68ZV

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	2161	G41861-301
SR0PN	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	2161	G41861-301
SR0PL	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	2161	G41861-301
SR0PK	2161	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 3000

Max TDP
95

Spec #
SR0DG
SR0DG

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR00E
SR00E

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 3000

Max TDP
95

Spec #
SR00C
SR00C

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache
8 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00B
SR00B

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 65
Spec # SR0T9 SR0T9	Min. BIOS 2161 2161	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache 6 MB	Graphics HD 4000	Max TDP 77
Spec # SR0PM SR0PM	Min. BIOS 2161 2161	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0T7 SR0T7	Min. BIOS 2161 2161	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2500	Max TDP 77
Spec # SR0P0	Min. BIOS 2161	AA Rev(s) G41861-301

SR0P0
Add-in graphics card required

2161

G41861-302

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD 2500

Max TDP
35

Spec #
SR0RJ
SR0RJ

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
65

Spec #
SR0TA
SR0TA

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0T8
SR0T8

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz

[More Information](#)

Cache

Graphics

Max TDP

6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	2161	G41861-301
SR0P2	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	2161	G41861-301
SR0PF	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	2161	G41861-301
SR0WS	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0YH		G41861-301
SR0YH		G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0YZ
SR0YZ

Min. BIOS

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0RQ
SR0RQ

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

[More Information](#)

Cache
6 MB

Graphics
No

Max TDP
95

Spec #
SR0QH
SR0QH

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

[More Information](#)

Cache
6 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR009
SR009

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz
[More Information](#)

Cache 6 MB	Graphics HD 3000	Max TDP 95
Spec # SR008 SR008	Min. BIOS 1569 1569	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz
[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec # SR00T SR00T	Min. BIOS 1569 1569	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz
[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec # SR0G1 SR0G1	Min. BIOS 1569 1569	AA Rev(s) G41861-301 G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz
[More Information](#)

Cache 6 MB	Graphics HD 3000	Max TDP 65
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0BB	1569	G41861-301
SR0BB	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	1569	G41861-301
SR00S	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	1569	G41861-301
SR00Q	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	1569	G41861-301
SR0G2	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

More Information

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR02L
SR02L

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

More Information

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR02K
SR02K

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

More Information

Cache
6 MB

Graphics
HD 2000

Max TDP
95

Spec #
SR00D
SR00D

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

More Information

Cache
3 MB

Graphics
HD 2500

Max TDP
55

Spec #
SR0YX
SR0YX

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0YL	2161	G41861-301
SR0YL	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	2161	G41861-301
SR0RH	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 4000	55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	2161	G41861-301
SR0RF	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35

Spec #	Min. BIOS	AA Rev(s)
SR0RE	2161	G41861-301
SR0RE	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	2161	G41861-301
SR0RG	2161	G41861-302

Add-in graphics card required

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	2161	G41861-301
SR0YY	2161	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	1569	G41861-301
SR05W	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

More Information

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0AY
SR0AY

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz

More Information

Cache
3 MB

Graphics
HD 2000

Max TDP
35

Spec #
SR060
SR060

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz

More Information

Cache
3 MB

Graphics
HD 2000

Max TDP
65

Spec #
SR05Y
SR05Y

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz

More Information

Cache
3 MB

Graphics
HD 3000

Max TDP
65

Spec #
SR0BA
SR0BA

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR05Z	1569	G41861-301
SR05Z	1569	G41861-302

Add-in graphics card required

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05C	1569	G41861-301
SR05C	1569	G41861-302

Add-in graphics card required

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR057		G41861-301
SR057		G41861-302

Add-in graphics card required

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35

Spec #
SR0MF
SR0MF

Min. BIOS

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR058
SR058

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05Q
SR05Q

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05P
SR05P

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G645 | Frequency: 2.90 GHz

More Information

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR0RS
SR0RS

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G640T | Frequency: 2.40 GHz

More Information

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR066
SR066

Min. BIOS

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G640 | Frequency: 2.80 GHz

More Information

Cache
3 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR059
SR059

Min. BIOS

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G630T | Frequency: 2.30 GHz

More Information

Cache
3 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR05U
SR05U

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05S	Min. BIOS 1569	AA Rev(s) G41861-301
SR05S	1569	G41861-302

Add-in graphics card required

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05T	Min. BIOS 1569	AA Rev(s) G41861-301
SR05T	1569	G41861-302

Add-in graphics card required

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05R	Min. BIOS 1569	AA Rev(s) G41861-301
SR05R	1569	G41861-302

Add-in graphics card required

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0RZ	1569	G41861-301
SR0RZ	1569	G41861-302

Add-in graphics card required

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR061		G41861-301
SR061		G41861-302

Add-in graphics card required

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05J	1569	G41861-301
SR05J	1569	G41861-302

Add-in graphics card required

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05K	1569	G41861-301
SR05K	1569	G41861-302

Add-in graphics card required

Intel® Celeron® G530 | Frequency: 2.40 GHz

More Information

Cache
2 MB

Graphics
HD Graphics

Max TDP
65

Spec #
SR05H
SR05H

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G470 | Frequency: 2.00 GHz

More Information

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S7
SR0S7

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G465 | Frequency: 1.90 GHz

More Information

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0S8
SR0S8

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G460 | Frequency: 1.80 GHz

More Information

Cache
1.5 MB

Graphics
HD Graphics

Max TDP
35

Spec #
SR0GR
SR0GR

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache 1 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0BY	Min. BIOS 1569	AA Rev(s) G41861-301
SR0BY	1569	G41861-302

Add-in graphics card required

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YT	Min. BIOS 2161	AA Rev(s) G41861-301
SR0YT	2161	G41861-302

Add-in graphics card required

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YU	Min. BIOS 2161	AA Rev(s) G41861-301
SR0YU	2161	G41861-302

Add-in graphics card required

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
---------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0UF	2161	G41861-301
SR0UF	2161	G41861-302

Add-in graphics card required

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR163	2161	G41861-301
SR163	2161	G41861-302

Add-in graphics card required

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10H	2161	G41861-301
SR10H	2161	G41861-302

Add-in graphics card required

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55

Spec #	Min. BIOS	AA Rev(s)
SR10J	2161	G41861-301
SR10J	2161	G41861-302

Add-in graphics card required

Intel® Celeron® G1630 | Frequency: 2.80 GHz

More Information

Cache
2 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR16A
SR16A

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G1620 | Frequency: 2.70 GHz

More Information

Cache
2 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR10L
SR10L

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Celeron® G1610 | Frequency: 2.60 GHz

More Information

Cache
2 MB

Graphics
HD Graphics

Max TDP
55

Spec #
SR10K
SR10K

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

More Information

Cache
8 MB

Graphics
No

Max TDP
87

Spec #
SR0PC
SR0PC

Min. BIOS
2161
2161

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0PA	Min. BIOS 2161	AA Rev(s) G41861-301
SR0PA	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2500	Max TDP 45
Spec # SR0PB	Min. BIOS 2161	AA Rev(s) G41861-301
SR0PB	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec # SR00M	Min. BIOS 1569	AA Rev(s) G41861-301
SR00M	1569	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD P4000	Max TDP 77
---------------	----------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0P9	2161	G41861-301
SR0P9	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0P4	2161	G41861-301
SR0P4	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	2161	G41861-301
SR0PJ	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	2161	G41861-301
SR0PH	2161	G41861-302

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

More Information

Cache
3 MB

Graphics
No

Max TDP
20

Spec #
SR070
SR070

Min. BIOS
1569
1569

AA Rev(s)
G41861-301
G41861-302

Add-in graphics card required