

Intel® Desktop Compatibility Tool

Found 85 Compatible Processor(s) for Board DZ77BH55K

3rd Generation Intel® Core™ i7-3770S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	65
Spec #	Min. BIOS	AA Rev(s)
SR0PN	57	G39008-300
SR0PN	57	G39008-301
SR0PN	57	G39008-400
SR0PN	57	G39008-401

3rd Generation Intel® Core™ i7-3770K | Frequency: 3.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PL	57	G39008-300
SR0PL	57	G39008-301
SR0PL	57	G39008-400
SR0PL	57	G39008-401

3rd Generation Intel® Core™ i7-3770 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PK	57	G39008-300
SR0PK	57	G39008-301
SR0PK	57	G39008-400
SR0PK	57	G39008-401

2nd Generation Intel® Core™ i7-2700K | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR0DG SR0DG SR0DG SR0DG	Min. BIOS 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

2nd Generation Intel® Core™ i7-2600S | Frequency: 2.80 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 65
Spec # SR00E SR00E SR00E SR00E	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

2nd Generation Intel® Core™ i7-2600K | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 3000	Max TDP 95
Spec # SR00C SR00C SR00C SR00C	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

2nd Generation Intel® Core™ i7-2600 | Frequency: 3.40 GHz

[More Information](#)

Cache 8 MB	Graphics HD 2000	Max TDP 95
---------------	---------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR00B	57	G39008-300
SR00B	57	G39008-301
SR00B	57	G39008-400
SR00B		G39008-401

3rd Generation Intel® Core™ i5-3570S | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0T9	57	G39008-300
SR0T9	57	G39008-301
SR0T9	57	G39008-400
SR0T9	57	G39008-401

3rd Generation Intel® Core™ i5-3570K | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PM	57	G39008-300
SR0PM	57	G39008-301
SR0PM	57	G39008-400
SR0PM	57	G39008-401

3rd Generation Intel® Core™ i5-3570 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T7	57	G39008-300
SR0T7	57	G39008-301
SR0T7	57	G39008-400
SR0T7	57	G39008-401

3rd Generation Intel® Core™ i5-3550 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0P0	57	G39008-300
SR0P0	57	G39008-301
SR0P0	57	G39008-400
SR0P0	57	G39008-401

3rd Generation Intel® Core™ i5-3470T | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	35
Spec #	Min. BIOS	AA Rev(s)
SR0RJ	57	G39008-300
SR0RJ	57	G39008-301
SR0RJ	57	G39008-400
SR0RJ	57	G39008-401

3rd Generation Intel® Core™ i5-3470S | Frequency: 2.90 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0TA	57	G39008-300
SR0TA	57	G39008-301
SR0TA	57	G39008-400
SR0TA	57	G39008-401

3rd Generation Intel® Core™ i5-3470 | Frequency: 3.20 GHz
[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0T8	57	G39008-300
SR0T8	57	G39008-301
SR0T8	57	G39008-400
SR0T8	57	G39008-401

3rd Generation Intel® Core™ i5-3450S | Frequency: 2.80 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	65
Spec #	Min. BIOS	AA Rev(s)
SR0P2	57	G39008-300
SR0P2	57	G39008-301
SR0P2	57	G39008-400
SR0P2	57	G39008-401

3rd Generation Intel® Core™ i5-3450 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2500	77
Spec #	Min. BIOS	AA Rev(s)
SR0PF	57	G39008-300
SR0PF	57	G39008-301
SR0PF	57	G39008-400
SR0PF	57	G39008-401

3rd Generation Intel® Core™ i5-3350P | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	77
Spec #	Min. BIOS	AA Rev(s)
SR0WS	57	G39008-300
SR0WS	57	G39008-301
SR0WS	57	G39008-400

SR0WS
Add-in graphics card required

57

G39008-401

3rd Generation Intel® Core™ i5-3340S | Frequency: 2.80 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
65

Spec #
SR0YH
SR0YH
SR0YH
SR0YH

Min. BIOS

AA Rev(s)
G39008-300
G39008-301
G39008-400
G39008-401

3rd Generation Intel® Core™ i5-3340 | Frequency: 3.10 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0YZ
SR0YZ
SR0YZ
SR0YZ

Min. BIOS

AA Rev(s)
G39008-300
G39008-301
G39008-400
G39008-401

3rd Generation Intel® Core™ i5-3330 | Frequency: 3.00 GHz
[More Information](#)

Cache
6 MB

Graphics
HD 2500

Max TDP
77

Spec #
SR0RQ
SR0RQ
SR0RQ
SR0RQ

Min. BIOS

AA Rev(s)
G39008-300
G39008-301
G39008-400
G39008-401

2nd Generation Intel® Core™ i5-2550K | Frequency: 3.40 GHz

More Information

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0QH	57	G39008-300
SR0QH	57	G39008-301
SR0QH	57	G39008-400
SR0QH		G39008-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2500S | Frequency: 2.70 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR009	57	G39008-300
SR009	57	G39008-301
SR009	57	G39008-400
SR009		G39008-401

2nd Generation Intel® Core™ i5-2500K | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 3000	95
Spec #	Min. BIOS	AA Rev(s)
SR008	57	G39008-300
SR008	57	G39008-301
SR008	57	G39008-400
SR008		G39008-401

2nd Generation Intel® Core™ i5-2500 | Frequency: 3.30 GHz

More Information

Cache	Graphics	Max TDP
6 MB	HD 2000	95

Spec #	Min. BIOS	AA Rev(s)
SR00T	57	G39008-300
SR00T	57	G39008-301
SR00T	57	G39008-400
SR00T		G39008-401

2nd Generation Intel® Core™ i5-2450P | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	No	95
Spec #	Min. BIOS	AA Rev(s)
SR0G1	57	G39008-300
SR0G1	57	G39008-301
SR0G1	57	G39008-400
SR0G1		G39008-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2405S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BB	57	G39008-300
SR0BB	57	G39008-301
SR0BB	57	G39008-400
SR0BB		G39008-401

2nd Generation Intel® Core™ i5-2400S | Frequency: 2.50 GHz

[More Information](#)

Cache	Graphics	Max TDP
6 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR00S	57	G39008-300
SR00S	57	G39008-301
SR00S	57	G39008-400

SR00S

G39008-401

2nd Generation Intel® Core™ i5-2400 | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR00Q	57	G39008-300
SR00Q	57	G39008-301
SR00Q	57	G39008-400
SR00Q		G39008-401

2nd Generation Intel® Core™ i5-2380P | Frequency: 3.10 GHz

[More Information](#)

Cache 6 MB	Graphics No	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR0G2	57	G39008-300
SR0G2	57	G39008-301
SR0G2	57	G39008-400
SR0G2		G39008-401

Add-in graphics card required

2nd Generation Intel® Core™ i5-2320 | Frequency: 3.00 GHz

[More Information](#)

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec #	Min. BIOS	AA Rev(s)
SR02L	57	G39008-300
SR02L	57	G39008-301
SR02L	57	G39008-400
SR02L		G39008-401

2nd Generation Intel® Core™ i5-2310 | Frequency: 2.90 GHz

More Information

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec # SR02K SR02K SR02K SR02K	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

2nd Generation Intel® Core™ i5-2300 | Frequency: 2.80 GHz

More Information

Cache 6 MB	Graphics HD 2000	Max TDP 95
Spec # SR00D SR00D SR00D SR00D	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

3rd Generation Intel® Core™ i3-3250 | Frequency: 3.50 GHz

More Information

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec # SR0YX SR0YX SR0YX SR0YX	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

3rd Generation Intel® Core™ i3-3245 | Frequency: 3.40 GHz

More Information

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)

SR0YL	57	G39008-300
SR0YL	57	G39008-301
SR0YL	57	G39008-400
SR0YL	57	G39008-401

3rd Generation Intel® Core™ i3-3240 | Frequency: 3.40 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RH	57	G39008-300
SR0RH	57	G39008-301
SR0RH	57	G39008-400
SR0RH	57	G39008-401

3rd Generation Intel® Core™ i3-3225 | Frequency: 3.30 GHz
[More Information](#)

Cache 3 MB	Graphics HD 4000	Max TDP 55
Spec #	Min. BIOS	AA Rev(s)
SR0RF	57	G39008-300
SR0RF	57	G39008-301
SR0RF	57	G39008-400
SR0RF	57	G39008-401

3rd Generation Intel® Core™ i3-3220T | Frequency: 2.80 GHz
[More Information](#)

Cache 3 MB	Graphics HD 2500	Max TDP 35
Spec #	Min. BIOS	AA Rev(s)
SR0RE	57	G39008-300
SR0RE	57	G39008-301
SR0RE	57	G39008-400
SR0RE	57	G39008-401

3rd Generation Intel® Core™ i3-3220 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0RG	57	G39008-300
SR0RG	57	G39008-301
SR0RG	57	G39008-400
SR0RG	57	G39008-401

3rd Generation Intel® Core™ i3-3210 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2500	55
Spec #	Min. BIOS	AA Rev(s)
SR0YY	57	G39008-300
SR0YY	57	G39008-301
SR0YY	57	G39008-400
SR0YY	57	G39008-401

2nd Generation Intel® Core™ i3-2130 | Frequency: 3.40 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05W	57	G39008-300
SR05W	57	G39008-301
SR05W	57	G39008-400
SR05W		G39008-401

2nd Generation Intel® Core™ i3-2125 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65

Spec #	Min. BIOS	AA Rev(s)
SR0AY	57	G39008-300
SR0AY	57	G39008-301
SR0AY	57	G39008-400
SR0AY		G39008-401

2nd Generation Intel® Core™ i3-2120T | Frequency: 2.60 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	35
Spec #	Min. BIOS	AA Rev(s)
SR060	57	G39008-300
SR060	57	G39008-301
SR060	57	G39008-400
SR060		G39008-401

2nd Generation Intel® Core™ i3-2120 | Frequency: 3.30 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 2000	65
Spec #	Min. BIOS	AA Rev(s)
SR05Y	57	G39008-300
SR05Y	57	G39008-301
SR05Y	57	G39008-400
SR05Y		G39008-401

2nd Generation Intel® Core™ i3-2105 | Frequency: 3.10 GHz
[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD 3000	65
Spec #	Min. BIOS	AA Rev(s)
SR0BA	57	G39008-300
SR0BA	57	G39008-301
SR0BA	57	G39008-400
SR0BA		G39008-401

2nd Generation Intel® Core™ i3-2100T | Frequency: 2.50 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 35
Spec # SR05Z SR05Z SR05Z SR05Z	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

2nd Generation Intel® Core™ i3-2100 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD 2000	Max TDP 65
Spec # SR05C SR05C SR05C SR05C	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Pentium® G870 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR057 SR057 SR057 SR057	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Pentium® G860T | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0MF		G39008-300
SR0MF		G39008-301
SR0MF		G39008-400
SR0MF		G39008-401

Intel® Pentium® G860 | Frequency: 3.00 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR058	57	G39008-300
SR058	57	G39008-301
SR058	57	G39008-400
SR058		G39008-401

Intel® Pentium® G850 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05Q	57	G39008-300
SR05Q	57	G39008-301
SR05Q	57	G39008-400
SR05Q		G39008-401

Intel® Pentium® G840 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05P	57	G39008-300
SR05P	57	G39008-301
SR05P	57	G39008-400

SR05P

G39008-401

Intel® Pentium® G645 | Frequency: 2.90 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RS SR0RS SR0RS SR0RS	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Pentium® G640T | Frequency: 2.40 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 35
Spec # SR066 SR066 SR066 SR066	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Pentium® G640 | Frequency: 2.80 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 65
Spec # SR059 SR059 SR059 SR059	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Pentium® G630T | Frequency: 2.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05U	57	G39008-300
SR05U	57	G39008-301
SR05U	57	G39008-400
SR05U		G39008-401

Intel® Pentium® G630 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05S	57	G39008-300
SR05S	57	G39008-301
SR05S	57	G39008-400
SR05S		G39008-401

Intel® Pentium® G620T | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR05T	57	G39008-300
SR05T	57	G39008-301
SR05T	57	G39008-400
SR05T		G39008-401

Intel® Pentium® G620 | Frequency: 2.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	65
Spec #	Min. BIOS	AA Rev(s)
SR05R	57	G39008-300

SR05R	57	G39008-301
SR05R	57	G39008-400
SR05R		G39008-401

Intel® Celeron® G555 | Frequency: 2.70 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR0RZ SR0RZ SR0RZ SR0RZ	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Celeron® G550 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR061 SR061 SR061 SR061	Min. BIOS	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Celeron® G540 | Frequency: 2.50 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05J SR05J SR05J SR05J	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Celeron® G530T | Frequency: 2.00 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 35
Spec # SR05K	Min. BIOS 57	AA Rev(s) G39008-300
SR05K	57	G39008-301
SR05K	57	G39008-400
SR05K		G39008-401

Intel® Celeron® G530 | Frequency: 2.40 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 65
Spec # SR05H	Min. BIOS 57	AA Rev(s) G39008-300
SR05H	57	G39008-301
SR05H	57	G39008-400
SR05H		G39008-401

Intel® Celeron® G470 | Frequency: 2.00 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
Spec # SR0S7	Min. BIOS	AA Rev(s) G39008-300
SR0S7		G39008-301
SR0S7		G39008-400
SR0S7		G39008-401

Intel® Celeron® G465 | Frequency: 1.90 GHz

[More Information](#)

Cache 1.5 MB	Graphics HD Graphics	Max TDP 35
-----------------	-------------------------	---------------

Spec #	Min. BIOS	AA Rev(s)
SR0S8		G39008-300
SR0S8		G39008-301
SR0S8		G39008-400
SR0S8		G39008-401

Intel® Celeron® G460 | Frequency: 1.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
1.5 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0GR		G39008-300
SR0GR		G39008-301
SR0GR		G39008-400
SR0GR		G39008-401

Intel® Celeron® G440 | Frequency: 1.60 GHz

[More Information](#)

Cache	Graphics	Max TDP
1 MB	HD Graphics	35
Spec #	Min. BIOS	AA Rev(s)
SR0BY	57	G39008-300
SR0BY	57	G39008-301
SR0BY	57	G39008-400
SR0BY		G39008-401

Intel® Pentium® G2140 | Frequency: 3.30 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR0YT	57	G39008-300
SR0YT	57	G39008-301
SR0YT	57	G39008-400
SR0YT	57	G39008-401

Intel® Pentium® G2130 | Frequency: 3.20 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0YU	Min. BIOS 57	AA Rev(s) G39008-300
SR0YU	57	G39008-301
SR0YU	57	G39008-400
SR0YU	57	G39008-401

Intel® Pentium® G2120 | Frequency: 3.10 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR0UF	Min. BIOS 57	AA Rev(s) G39008-300
SR0UF	57	G39008-301
SR0UF	57	G39008-400
SR0UF	57	G39008-401

Intel® Pentium® G2030 | Frequency: 3.00 GHz

[More Information](#)

Cache 3 MB	Graphics HD Graphics	Max TDP 55
Spec # SR163	Min. BIOS 57	AA Rev(s) G39008-300
SR163	57	G39008-301
SR163	57	G39008-400
SR163	57	G39008-401

Intel® Pentium® G2020 | Frequency: 2.90 GHz

[More Information](#)

Cache	Graphics	Max TDP
-------	----------	---------

3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10H	57	G39008-300
SR10H	57	G39008-301
SR10H	57	G39008-400
SR10H	57	G39008-401

Intel® Pentium® G2010 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10J	57	G39008-300
SR10J	57	G39008-301
SR10J	57	G39008-400
SR10J	57	G39008-401

Intel® Celeron® G1630 | Frequency: 2.80 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR16A	57	G39008-300
SR16A	57	G39008-301
SR16A	57	G39008-400
SR16A	57	G39008-401

Intel® Celeron® G1620 | Frequency: 2.70 GHz

[More Information](#)

Cache	Graphics	Max TDP
2 MB	HD Graphics	55
Spec #	Min. BIOS	AA Rev(s)
SR10L	57	G39008-300
SR10L	57	G39008-301
SR10L	57	G39008-400

SR10L

57

G39008-401

Intel® Celeron® G1610 | Frequency: 2.60 GHz

[More Information](#)

Cache 2 MB	Graphics HD Graphics	Max TDP 55
Spec # SR10K	Min. BIOS 57	AA Rev(s) G39008-300
SR10K	57	G39008-301
SR10K	57	G39008-400
SR10K	57	G39008-401

Intel® Xeon® E3-1290V2 | Frequency: 3.70 GHz

[More Information](#)

Cache 8 MB	Graphics No	Max TDP 87
Spec # SR0PC	Min. BIOS 57	AA Rev(s) G39008-300
SR0PC	57	G39008-301
SR0PC	57	G39008-400
SR0PC	57	G39008-401

Add-in graphics card required

Intel® Xeon® E3-1275V2 | Frequency: 3.50 GHz

[More Information](#)

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0PA	Min. BIOS 57	AA Rev(s) G39008-300
SR0PA	57	G39008-301
SR0PA	57	G39008-400
SR0PA	57	G39008-401

Intel® Xeon® E3-1265LV2 | Frequency: 2.50 GHz

More Information

Cache 8 MB	Graphics HD 2500	Max TDP 45
Spec # SR0PB SR0PB SR0PB SR0PB	Min. BIOS 57 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Xeon® E3-1260L | Frequency: 2.40 GHz

More Information

Cache 8 MB	Graphics HD 2000	Max TDP 45
Spec # SR00M SR00M SR00M SR00M	Min. BIOS 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Xeon® E3-1245V2 | Frequency: 3.40 GHz

More Information

Cache 8 MB	Graphics HD P4000	Max TDP 77
Spec # SR0P9 SR0P9 SR0P9 SR0P9	Min. BIOS 57 57 57 57	AA Rev(s) G39008-300 G39008-301 G39008-400 G39008-401

Intel® Xeon® E3-1230V2 | Frequency: 3.30 GHz

More Information

Cache 8 MB	Graphics No	Max TDP 69
Spec #	Min. BIOS	AA Rev(s)

SR0P4	57	G39008-300
SR0P4	57	G39008-301
SR0P4	57	G39008-400
SR0P4	57	G39008-401

Add-in graphics card required

Intel® Xeon® E3-1225V2 | Frequency: 3.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	HD P4000	77
Spec #	Min. BIOS	AA Rev(s)
SR0PJ	57	G39008-300
SR0PJ	57	G39008-301
SR0PJ	57	G39008-400
SR0PJ	57	G39008-401

Intel® Xeon® E3-1220V2 | Frequency: 3.10 GHz

[More Information](#)

Cache	Graphics	Max TDP
8 MB	No	69
Spec #	Min. BIOS	AA Rev(s)
SR0PH	57	G39008-300
SR0PH	57	G39008-301
SR0PH	57	G39008-400
SR0PH	57	G39008-401

Add-in graphics card required

Intel® Xeon® E3-1220L | Frequency: 2.20 GHz

[More Information](#)

Cache	Graphics	Max TDP
3 MB	No	20
Spec #	Min. BIOS	AA Rev(s)
SR070	57	G39008-300
SR070	57	G39008-301
SR070	57	G39008-400
SR070		G39008-401

Add-in graphics card required

